GROUNDWATER MONITORING REPORT FOR 2008 AND 2009 OMEGA CHEMICAL CORPORATION SUPERFUND SITE OPERABLE UNIT 2

LOS ANGELES COUNTY, CALIFORNIA

EPA CONTRACT NO. EP-S9-08-04 EPA WORK ASSIGNMENT NO. 038-RICO-09BC CH2M HILL PROJECT NO. 386743

Prepared for
U.S. Environmental Protection Agency
Region 9
75 Hawthorne Street
San Francisco, California 94105

Prepared by CH2M HILL 3550 Vine Street, Suite 320 Riverside, California 92507

May 2011

CH2MHILL TRANSMITTAL

To: USEPA Region 9

75 Hawthorne SFD 7-1 9th floor San Francisco, CA 94105

Phone (415) 972-4183

From: Tom Perina

CH2M HILL

2280 Market Street, Suite 200

Riverside, CA 92501 (951) 276-4024

Attn: Lynda Deschambault

Date:

May 24, 2011

Re: Omega Chemical Corporation Superfund Site Operable Unit 2

We Are Sending You:

Method of shipment: FedEx

Attached

Under separate cover via

Shop Drawings

☑ Do

Documents

Tracings

Prints

Specifications

Catalogs

Copy of letter

Other:

Quantity	Description
3	Groundwater Monitoring Report for 2008 and 2009

**

If the material received is not as listed, please notify us at once.

CC: File

GROUNDWATER MONITORING REPORT FOR 2008 AND 2009 OMEGA CHEMICAL CORPORATION SUPERFUND SITE OPERABLE UNIT 2

LOS ANGELES COUNTY, CALIFORNIA

EPA CONTRACT NO. EP-S9-08-04 EPA WORK ASSIGNMENT NO. 038-RICO-09BC CH2M HILL PROJECT NO. 386743

Prepared for
U.S. Environmental Protection Agency
Region 9
75 Hawthorne Street
San Francisco, California 94105
CH2M HILL PROJECT NO. 386743

Prepared by CH2M HILL 3550 Vine Street, Suite 320 Riverside, California 92507

May 2011

NONDISCLOSURE STATEMENT

This document has been prepared for the U.S. Environmental Protection Agency under Contract No. EP-S9-08-04. The material contained herein is not to be disclosed to, discussed with, or made available to any persons for any reason without the prior expressed approval of a responsible official of the U.S. Environmental Protection Agency.

Contents

Section			Page	
Acro	nyms a	nd Abbreviations	ix	
1.	Introduction		1-1	
-	1.1	Background	1-1	
	1.2	Monitoring Wells	1-2	
	1.3	Report Organization	1-2	
2.	Sampling Approach		2-1	
	2.1	Sample Collection Methods		
		2.1.1 EPA Well Sampling	2-1	
		2.1.2 Field Parameters Measurement	2-1	
		2.1.3 Depth to Water Measurement	2-2	
	2.2	Sample Analysis and Laboratory Assignments	2-2	
	2.3	Quality Assurance/Quality Control		
3.	Results and Discussion		3-1	
	3.1	Groundwater Levels	3-1	
		3.1.1 Hydrographs	3-1	
		3.1.2 Water Table Contours	3-1	
		3.1.3 Vertical Gradients	3-2	
	3.2	Analytical Results	3-2	
		3.2.1 Volatile Organic Compounds	3-2	
		3.2.2 Data Quality Assessment	3-11	
	3.3	Trend Analysis	3-14	
	3.4	Vertical Distribution of Contaminants	3-18	
4.	Summary of Findings			
	4.1	Groundwater Flow	4-1	
	4.2	VOC Detections	4-1	
	4.3	Plume Extent for Main Contaminants	4-2	
	4.4	Freon Ratios	4-3	
	4.5	Temporal Concentration Trends	4-3	
	4.6	Other Facility-Specific Data		
5.	Reco	Recommendations5		
6.	Refe	References		

Tables

- 1-1 Monitoring Well Construction Details
- 3-1 OPOG and EPA Historical Groundwater Elevations
- 3-2 Summary of 2009 First Quarter and Third Quarter Vertical Gradients of OPOG and EPA Cluster Wells
- 3-3a Summary of Detections- First Quarter 2008
- 3-3b Summary of Detections- First Quarter 2009
- 3-3c Summary of Detections- Third Quarter 2009
- 3-4 Statistics of Freon 113/Freon 11 Ratios
- 3-5 Summary Matrix of Trend Analysis

Figures

- 1-1 Facility Location Map
- 1-2 Monitoring Well Locations
- 3-1 Monitoring Well Hydrographs
- 3-2 City of Whittier Annual Rainfall Totals
- 3-3 Water Table Contours, First Quarter 2008
- 3-4 Water Table Contours, First Quarter 2009
- 3-5 Water Table Contours, Third Quarter 2009
- 3-6a Composite PCE Distribution, First Quarter 2008
- 3-6b Composite PCE Distribution, First Quarter 2009
- 3-6c Composite PCE Distribution, Third Quarter 2009
- 3-7a Composite TCE Distribution, First Quarter 2008
- 3-7b Composite TCE Distribution, First Quarter 2009
- 3-7c Composite TCE Distribution, Third Quarter 2009
- 3-8a Composite Freon 11 Distribution, First Quarter 2008
- 3-8b Composite Freon 11 Distribution, First Quarter 2009
- 3-8c Composite Freon 11 Distribution, Third Quarter 2009
- 3-9a Composite Freon 113 Distribution, First Quarter 2008
- 3-9b Composite Freon 113 Distribution, First Quarter 2009
- 3-9c Composite Freon 113 Distribution, Third Quarter 2009
- 3-10a Composite 1,2-DCA Distribution, First Quarter 2008
- 2.10h Commonite 1.2 DCA Distribution First Occurtor 2000
- 3-10b Composite 1,2-DCA Distribution, First Quarter 2009
- 3-10c Composite 1,2-DCA Distribution, Third Quarter 2009
- 3-11a Composite 1,4-Dioxane Distribution, First Quarter 2008
- 3-11b Composite 1,4-Dioxane Distribution, First Quarter 2009
- 3-11c Composite 1,4-Dioxane Distribution, Third Quarter 2009
- 3-12 Freon 113 to Freon 11 Ratios
- 3-13 PCE Temporal Trend Distribution
- 3-14 TCE Temporal Trend Distribution
- 3-15 Freon 11 Temporal Trend Distribution
- 3-16 Freon 113 Temporal Trend Distribution
- 3-17 Trichloromethylene Temporal Trend Distribution
- 3-18 1,1-DCE Temporal Trend Distribution
- 3-19 1,4-Dioxane Temporal Trend Distribution
- 3-20 cis-1,2-DCE Temporal Trend Distribution

Appendixes

- A Monitoring Well Purge Forms (on CD only)
 - A.1 1Q2009 Well Purge Forms
 - A.2 3Q2009 Well Purge Forms
- B Chain-of-Custody Forms (on CD only)
 - B.1 1Q2008 Chain-of-Custody Forms
 - B.2 1Q2009 Chain-of-Custody Forms
 - B.3 3Q2009 Chain-of-Custody Forms
- C Data Needs and Uses (on CD only)
- D OU2 Shallow Groundwater Gradient Calculations
- E VOC Detection Summary: 1Q2008, 1Q2009, and 3Q2009 (on CD only)
 - E.1 1Q2008 VOC Detection Summary
 - E.2 1Q2009 VOC Detection Summary
 - E.3 3Q2009 VOC Detection Summary
- F OU1 and OU2 Lab Reports (on CD only)
- G Data Quality Assessment (on CD only)
- H Statistical Plots
- I VOC Time Series Plots

Acronyms and Abbreviations

μg/L microgram(s) per liter

°C degree(s) Celsius

1,1,1-TCA 1,1,1-trichloroethane

1,1,2-TCA 1,1,2-trichloroethane

1,1-DCA 1,1-dichloroethane

1,1-DCE 1,1-dichloroethene

1,2,3-TCP 1,2,3-trichloropropane

1,2-DCA 1,2-dichloroethane

AMK former Angeles Chemical Company and former McKesson Corporation

amsl above mean sea level

B (soil) boring

bgs below ground surface

CDM Camp Dresser & McKee

CENCO former CENCO Refinery

cis-1,2-DCE cis-1-2-dichloroethene

CLP Contract Laboratory Program

COV Coefficient of Variation

DO dissolved oxygen

EPA United States Environmental Protection Agency

F11 trichlorofluoromethane [Freon 11]

F113 1,1,2-trichloro-1,2,2-trifluoroethane [Freon 113]

F12 dichlorodifluoromethane [Freon 12]

FS feasibility study

FSP field sampling plan

ft/ft foot (feet) per foot

HPLC high-performance liquid chromatography

J estimated value

L liter

LCL Lower Confidence Limit

MCL maximum contaminant level

MS matrix spike

MSD matrix spike duplicate

MTBE methyl tertiary butyl ether

MW EPA monitoring wells

NA not applicable

NAVD North American Vertical Datum

ND non-detect

NDMA n-nitrosodimethylamine

NE not established

NTU nephelometric turbidity unit

OFRP Oil Field Reclamation Project

Omega Chemical Corporation

Omega Site Omega Chemical Corporation Superfund Site

OPOG Omega Chemical Site PRP Organized Group

ORP oxidation-reduction potential

OU operable unit .

OW OPOG monitoring wells

PCE perchloroethylene (tetrachloroethylene)

PHG public health goal

PID photoionization detector

PP push-probe sampling

PRP potentially responsible party

PVC polyvinyl chloride

QA quality assurance

QAPP Quality Assurance Project Plan

QC quality control

RCRA Resource Conservation and Recovery Act of 1978

RI remedial investigation

RI/FS remedial investigation/feasibility study

SAP sampling and analysis plan

SCH schedule

SST stainless steel

TCE trichloroethene

TOC top of casing

trans-1,2-DCE trans-1,2-dichloroethene

UCL Upper Confidence Limit

VOA volatile organic analytes

VOC volatile organic compound

WA Work Assignment

WDI Waste Disposal, Inc.

1. Introduction

This groundwater monitoring report has been prepared to support the United States Environmental Protection Agency (EPA) in conducting a remedial investigation/feasibility study (RI/FS) at the Omega Chemical Corporation (Omega) Superfund site (Omega Site), located in Whittier, California (Figure 1-1). The report summarizes the results of the March 2008 (1Q2008), March 2009 (1Q2009), and September 2009 (3Q2009) groundwater sampling events performed by CH2M HILL for Operable Unit (OU) 2 of the Omega Site. In addition, sampling data for OU1 of the Omega Site, and other non-EPA, facility-specific well data for the facilities located with OU2 were included in the analyses conducted to evaluate water level and water quality trends at the Omega Site. This report covers 2 years of groundwater monitoring. EPA performed only one sampling event in 2008 due to funding considerations.

1.1 Background

This section briefly describes the operational history of the Omega facility and the past investigations and remediation activities conducted at the Omega Site. Detailed discussions regarding the Omega Site are provided in the Final RI Report for the site (CH2M HILL, 2010).

Omega is a former refrigerant/solvent recycling operation located in Whittier, California, a community of approximately 85,000 people. The Omega property occupies Los Angeles County Assessor Tract Number 13486 (Lot's 3 and 4). It covers an area of approximately 41,000 square feet (200 feet wide by 205 feet long) and contains two structures: a 140-foot by 50-foot warehouse, and an 80-foot by 30-foot administrative building. A loading dock is attached to the rear of the warehouse. The Omega property is paved with concrete and secured with a 7-foot-high perimeter fence topped with razor wire, and locking gate. The facility operated as a Resource Conservation and Recovery Act of 1978(RCRA) solvent and refrigerant recycling and treatment facility from approximately 1976 to 1991, handling primarily chlorinated hydrocarbons and chlorofluorocarbons. Drums and bulk loads of waste solvents and chemicals from various industrial activities were processed at the former Omega facility to form commercial products. Chemical, thermal, and physical treatment processes were reportedly used to recycle the waste materials. Wastes generated from these treatment and recycling activities included distillation column (still) bottoms, aqueous fractions, and nonrecoverable solvents. Prior to constructing the buildings at the Omega property in July 1951, the property was used for agriculture.

The Omega Site was placed on the National Priorities List (NPL) in January 1999. EPA currently manages the Omega Site as three OUs (OU1, OU2, and OU3). OU1 includes the soil and groundwater contamination at the former Omega facility, located at 12504 and 12512 East Whittier Boulevard, and approximately 100 feet west-southwest of Putnam Street.

OU2 generally includes the groundwater-contaminated area that extends from the former Omega facility to approximately 4.5 miles south-southwest of the site. A site map showing the approximate boundaries of OU1 and OU2 is presented in Figure 1-2.

EPA created OU3 to address indoor air impacts at the former Omega property, as well as adjacent and nearby properties where the underlying vadose zone has been affected by contamination derived from the former Omega property.

Groundwater at the Omega Site is found to be primarily affected by volatile organic compounds (VOCs). Chlorinated hydrocarbons (for example, tetrachloroethylene [PCE], trichloroethene [TCE], and others), freons (trichlorofluoromethane [F11] and 1,1,2-trichloro-1,2,2-trifluoroethane [F113]), and emergent compound 1,4-dioxane are among the contaminants with the highest concentrations.

1.2 Monitoring Wells

The groundwater monitoring well network at the Omega Site consists of the monitoring wells installed by EPA and the Omega Site Potentially Responsible Party (PRP) Organized Group (OPOG):

- OPOG installed Monitoring Wells OW1 through OW10 at OU1 and OU2. Boring logs, downhole geophysical logs, and well completion diagrams for Wells OW1 to OW8 can be found in the Final RI report (CH2M HILL, 2010). Wells OW9 and OW10 were installed in December 2008 as part of the OU1 interim groundwater extraction system.
- **EPA and another PRP group** installed Monitoring Wells MW1 through MW31. Boring logs, geophysical logs, and well completion diagrams are also included in the Final RI report (CH2M HILL, 2010).

The groundwater monitoring wells installed by Camp Dresser & McKee (CDM) on behalf of OPOG are collectively referred to as "OPOG wells." These wells are sampled by CDM on a biannual basis. When CDM performs this sampling, CH2M HILL collects split samples concurrently on behalf of the EPA.

The EPA monitoring wells are generally located downgradient of OU1. CH2M HILL samples the EPA wells on a biannual basis.

The convention used for the well identifications includes "OW" for the OPOG monitoring wells, a sequential number, and a suffix "A" (shallow well) or "B" (deep well). EPA monitoring wells are designated as "MW" plus a sequential number and a suffix "A" (shallowest well) through "D" (deepest well).

Figure 1-2 is a well location map for all monitoring wells. Well survey and construction information is provided in Table 1-1.

1.3 Report Organization

This report is organized into sections that describe the activities and analytical results of the sampling events stated above. An overview of this document is provided below:

- Section 1 Introduces the groundwater investigation, including background information, monitoring well information, and report organization.
- Section 2 Describes the sampling approach and chronology.
- Section 3 Provides a discussion of the analytical data collected during the OU1 oversight sampling. Also provides a discussion of the water level and analytical data collected at OU2.
- Section 4 Summary of Findings
- Section 5 Recommendations
- Section 6 List of all references.

The appendixes to this document include the following:

- A Monitoring Well Purge Forms (on CD only)
- B Chain-of-Custody Forms (on CD only)
- C Data Needs and Uses (on CD only)
- D OU2 Shallow Groundwater Gradient Calculations
- E VOC Detection Summary: 1Q2008, 1Q2009, and 3Q2009
- F OU1 and OU2 Lab Reports (on CD only)
- G Data Quality Assessment
- H VOC Time Series Plots
- I Statistical Plots

2. Sampling Approach

CH2M HILL collected groundwater samples from the EPA monitoring wells in March 2008, March 2009, and September 2009. An overview of sampling methods and analysis, laboratory assignments, and quality assurance/quality control (QA/QC) is presented in this section. Groundwater samples were collected and analyzed in accordance with the protocols outlined in the field sampling plan (FSP) (CH2M HILL, 2004a and 2004c) and Quality Assurance Project Plan (QAPP) (CH2M HILL, 2004b and 2004d), and the 2006 sampling and analysis plan (SAP) Addendum 1 (CH2M HILL, 2006a and 2006b).

2.1 Sample Collection Methods

The following subsections describe the general sample collection procedures for groundwater sampling at the OU2 monitoring well network. Monitoring well purge forms are provided in Appendix A and chain-of-custody forms in Appendix B.

2.1.1 EPA Well Sampling

EPA monitoring wells are equipped with dedicated pump tubing and bladder pumps to allow sampling using low-flow sampling techniques. During well purging, careful continuous measurements of field parameters including specific conductance, pH, temperature, dissolved oxygen (DO), oxidation reduction potential (ORP), and turbidity were used to assess when purged water had reached equilibrium. A flow-through cell was used to check that the purge water was continuously monitored. Each well was pumped until the measured field parameters stabilized within 10 percent over three successive readings prior to collecting samples.

If wells do not produce enough water for purging with a pump, the dedicated bladder pump is manually removed from the well, a disposable polyethylene bailer and new polyethylene string is used to collect samples, and the bladder pump is manually lowered down to the same depth in the well. During 2009 first quarter sampling events, Wells MW8A, MW9A, MW11, and MW19 were sampled with bailers, and Wells MW13A, MW16A, and MW17A were not sampled because of dry conditions. During 2009 third quarter sampling events, several wells were either dry or not enough groundwater was present for bailer samplings. These included Wells MW8A, MW9A, MW11, MW13A, MW16A, MW17A, MW19, MW20C, and MW25D.

2.1.2 Field Parameters Measurement

A digital combination conductivity-pH-temperature-DO-ORP meter was used for specific conductance, pH, temperature, DO, and ORP measurements. Turbidity measurements were made with a digital readout turbidity meter (readout in nephelometric turbidity units [NTUs]). A photoionization detector (PID) was used to measure organic vapor measurements (headspace) inside the well immediately after opening the well caps. Equipment used to measure field parameters was maintained and calibrated daily according to the manufacturer's specifications.

2.1.3 Depth to Water Measurement

Depth to groundwater was measured at monitoring wells immediately prior to well purging and sampling activities to establish a static water level. Water levels were measured with a decontaminated electronic water level indicator (sounder) to the nearest 0.01-foot. Water levels were also measured at regular intervals during purging activities to check that a constant drawdown was maintained during pumping. A final water level was recorded after sample collection. The reference point for water level measurement was the top of the casing. For wells with both inner and outer (conductor) casing, the top of the inner casing was used as the reference point.

2.2 Sample Analysis and Laboratory Assignments

Monitoring wells were sampled for VOCs (including methyl tertiary butyl ether [MTBE]) and 1,4-dioxane.

A summary of the above analytical parameters and applicable regulatory limits is provided in the Data Needs and Uses table of the QAPP (CH2M HILL, 2004d), which is also included in Appendix C.

The groundwater samples were analyzed using the EPA-approved methods described in SAP Addendum 1 (CH2M HILL, 2006a and 2006b).

2.3 Quality Assurance/Quality Control

QA/QC samples were collected in accordance with the protocols outlined in the FSP and QAPP. QC samples include ambient blanks, equipment blanks, field duplicates, laboratory QC samples (for matrix spike and matrix spike duplicates [MS/MSDs]), and temperature blanks. Ambient and equipment blanks were analyzed for VOCs and 1,2,3-trichloropropane (1,2,3-TCP). Field duplicates and laboratory QC samples were analyzed for the standard list of parameters as presented in Section 2.2. Twice the normal volume of sample was collected for laboratory QC samples. Equipment blanks were collected only during OPOG well sampling.

Provided below is a brief description of the QA/QC samples collected during this investigation.

- Ambient Blanks. Ambient blanks were collected to verify that contamination was not introduced to samples during collection, handling, or shipping. They were prepared by pouring high-performance liquid chromatography (HPLC) water directly into the sample bottles in the field. Ambient blanks were prepared and labeled in the same manner as the field samples and sent "blind" to the laboratory. Ambient blanks were collected at a frequency of 1 in every 10 consecutively collected samples or 1 per week, whichever was greater.
- Equipment Blanks. Equipment blanks are collected to verify whether or not
 contamination was introduced to samples through the repeated use of sampling
 equipment at different sample locations. One equipment blank per sampling event was
 collected during biannual sampling of OPOG wells. The OPOG wells have dedicated

pump tubing, but not dedicated pumps. Equipment blanks were prepared by pouring HPLC water directly into the pump inlet, through the pump, and into sample containers. These samples are not included in this report. Equipment blanks are not collected for EPA well sampling.

- **Field Duplicates.** The field duplicate is an independent sample collected as close as possible to the original sample from the same source and is used to document sampling precision. Field duplicates were labeled and packaged in the same manner as other samples so that the laboratory cannot distinguish between samples and duplicates. Each duplicate was taken using the same sampling and preservation method as other samples. An attempt was made to collect duplicate samples from monitoring wells that are known or suspected to contain the chemicals that are being analyzed. Field duplicates were collected at a frequency of 1 in every 10 consecutively collected samples or 1 per week, whichever was greater.
- Laboratory QC Samples. Laboratory QC samples were collected to perform MS and MSD analyses. An MS is an aliquot of a sample spiked with a known concentration of target analyte and provides a measure of the method accuracy. The MSD is a laboratory split sample of the MS, and is used to determine the precision of the method. Twice the normal water volume was collected for laboratory QC samples. Laboratory QC samples were collected at a frequency of 1 in every 20 consecutively collected samples or 1 per week, whichever was greater.
- Temperature Blanks. Temperature blanks were included with each cooler shipment containing samples sent to the laboratory (regardless of targeted analysis). A temperature blank consists of a VOC sample vial filled in the field with deionized water, handled like an environmental sample, and returned to the laboratory for analysis. The temperature blank provides a means of verifying that samples have been maintained at the proper temperature (4 degrees Celsius [°C]) following collection and during transport to the laboratory.

3. Results and Discussion

3.1 Groundwater Levels

Depth to water measurements were collected during each sampling event to evaluate the direction and gradient of groundwater flow underlying the Omega Site, and to help characterize the interactions between the shallow and deep aquifers. Groundwater elevations were calculated by subtracting the depth to static water level from the surveyed top of casing elevation of the corresponding monitoring wells. Top of casing elevations for EPA wells are consistent with the North American Vertical Datum (NAVD) 1988 (2000 adjusted) datum. The top of well casing elevations for the OPOG wells were increased by 2.2 feet to match the NAVD 1988 (2000 adjusted) datum in this report. The 2.2 feet elevation adjustment resolved the differences in elevations between the EPA and OPOG wells.

It is noted that the water table dropped below the bottoms of some water table wells during each sampling event. Water levels for those dry wells are therefore not available.

Table 3-1 presents historical groundwater elevation data for OPOG and EPA monitoring wells.

3.1.1 Hydrographs

Figure 3-1 presents hydrographs for Omega monitoring wells. As shown in the figures, fluctuations of water levels at OPOG and EPA monitoring wells display a similar pattern over time. Groundwater elevations generally decreased between 2002 and 2004 followed by a fairly quick recovery in the first half of 2005 in response to high precipitation; remained relatively steady during the period of mid-2005 to mid-2007; and declined again after mid-2007. Slightly steeper decreases in groundwater elevations were observed between June 2003 and December 2004 and between mid-2007 and September 2009 at most wells. Figure 3-2 presents annual rainfall in Whittier. The recent (2008-2009) decline in water levels in the monitoring wells coincides with the below-average annual rainfall during this period.

3.1.2 Water Table Contours

Groundwater contour maps were prepared for the three sampling events using the water levels measured at the shallow monitoring wells to show the general groundwater flow regime in the water table aquifer at the Omega Site. Figures 3-3, 3-4, and 3-5 show the water table contours for 1Q2008, 1Q2009 and 3Q2009, respectively. Although the overall groundwater flow direction is to the southwest in the vicinity of the Omega Site, the hydraulic gradient varies slightly with locations. Horizontal gradients were calculated at three selected locations: the upper (between Slauson Avenue and Whittier), middle (between Florence Avenue and Los Nietos Road), and lower (Imperial Hwy and Landland Road) OU2 for the shallow aquifer, and the results are presented on Figures 3-3, 3-4, and 3-5. Calculations of shallow groundwater horizontal gradients are included in Appendix D. Generally, water level measurements from the same set of wells were used to calculate the

horizontal gradients; however, nearby wells were selected to replace dry wells when dry conditions occurred during any sampling events.

Although there were some temporal variations in the calculated horizontal gradients for the upper, middle, and lower OU2 areas, the flow directions in the shallow aquifer at the Omega Site remained relatively constant for the three sampling events.

3.1.3 Vertical Gradients

Vertical gradients were calculated at locations where wells screened in different depth intervals are co-located. The calculations of vertical gradients were conducted for the two sampling events in 2009 (Table 3-2).

In general, a downward gradient (indicated by a positive vertical gradient value) was observed at most of the 32 well screen pairs, with a few exceptions where the water levels at the well screened in the deeper intervals were slightly higher than those screened in the shallow intervals (indicated by negative vertical gradient values). The generally downward gradient is mostly attributed to the areal recharges from precipitation and surface water bodies such as rivers and spreading basins, production pumping from deep aquifers throughout the basin, and the absence of major groundwater pumping in the shallow aquifer at OU2.

The upward gradients calculated for five well screen pairs (Table 3-2) were of small magnitude (thousandths to hundredths of foot per foot [ft/ft]). In comparison, downward gradients greater than 0.1 ft/ft were measured at 12 well screen pairs. The upward gradients could be attributable to local piezometric head variations caused by heterogeneity of the aquifer, but they could also be explained by measurement precision.

3.2 Analytical Results

This section discusses the analytical results of the three sampling events. Tables 3-3a, 3-3b, and 3-3c summarize the analytical results for those groundwater samples with detectable contaminant concentrations. Appendix E presents the entire analytical results, including the non-detects (NDs), and also includes summary tables for QC samples.

The "Lab QC" data listed in Tables 3-3a, 3-3b, and 3-3c and in Appendix E should be considered primary data. The "Lab QC" sample type indicates that MS/MSDs and primary samples were collected at that sample location.

3.2.1 Volatile Organic Compounds

The most frequently detected compounds are summarized below, followed by a discussion of individual compounds.

Laboratory Results for 1Q2008

<u>PCE</u> was detected in 66 wells. The maximum PCE concentration detected was 170,000 micrograms per liter ($\mu g/L$) in Well OW1A. TCE was detected in 62 wells. The maximum TCE concentration detected was 3,800 $\mu g/L$ in Well OW1A. 1,1-Dichloroethene (1,1-DCE) was detected in 50 wells. The maximum 1,1-DCE concentration detected was 1,000 $\mu g/L$ in Well OW1A. Chloroform was detected in 44 wells. The maximum chloroform

concentration detected was 1,100 μ g/L in EW-2. F113 was detected in 44 wells. The maximum F113 concentration detected was 5,000 μ g/L in Well OW8A. Well OW1A had the highest number of maximum detects in 1Q2008.

Laboratory Results for 1Q2009

<u>PCE</u> was detected in 61 wells. The maximum PCE concentration detected was 150,000 μ g/L in Well OW1A. TCE was detected in 57 wells. The maximum TCE concentration detected was 11,000 μ g/L in Well OW1B. 1,1-Dichloroethene (1,1-DCE) was detected in 49 wells. The maximum 1,1-DCE concentration detected was 1,500 μ g/L in Well OW9. Chloroform was detected in 37 wells. The maximum chloroform concentration detected was 1,100 μ g/L in OW9. F113 was detected in 43 wells. The maximum F113 concentration detected was 1,700 μ g/L in Well OW8A.

Laboratory Results for 3Q2009

<u>PCE</u> was detected in 61 wells. The maximum PCE concentration detected was 24,000 μ g/L in Well OW1A. TCE was detected in 61 wells. The maximum TCE concentration detected was 2,300 μ g/L in Well OW1A. 1,1-Dichloroethene (1,1-DCE) was detected in 45 wells. The maximum 1,1-DCE concentration detected was 1,600 μ g/L in Well OW9. Chloroform was detected in 46 wells. The maximum chloroform concentration detected was 1,100 μ g/L in OW9. F113 was detected in 48 wells. The maximum F113 concentration detected was 710 μ g/L in Well OW9.

The well-by-well results for 1Q2008, 1Q2009, and 3Q2009 are shown in Appendixes E1, E2, and E3, respectively. In addition, statistical summaries for the respective quarters are shown in Tables 3-3a, 3-3b, and 3-3c.

Sample dilutions were necessary in order to analyze several of the OPOG well samples (for example, OW1A, OW3, OW5 and OW8A), because the undiluted sample concentration exceeded the laboratory instrument calibration range. The dilutions raised the reporting limits for all VOC analytes included in the analytical method, resulting in estimated or ND results for lower concentration analytes.

3.2.1.1 Chlorinated VOCs

Chlorinated VOCs were the most frequently detected compounds.

Tetrachloroethene (PCE)

PCE was detected at all monitoring wells at concentrations above the California Primary maximum contaminant level (MCL) of 5 μ g/L. Detections greater than 1,000 μ g/L were reported at Wells OW1A (240,000 μ g/L, 3Q2009), OW2 (4,000 μ g/L, 1Q2009), OW3A (3,200 μ g/L, 3Q2009), OW5 (1,400 μ g/L, 1Q2008), and OW8A (33,000 μ g/L, 1Q2009). The maximum PCE detection was reported at Well OW1A in the 3Q2009 sampling event. Detections were generally lower at EPA monitoring wells. Other than OPOG and EPA detections, Techni Braze, Inc. has reported concentrations ranging from non-detection to 6,100 μ g/L in the 3Q2008 sampling event (LFR, 2008), Pilot Chemical Company has reported concentrations ranging from 2.9 to 140 μ g/L in the December 2009 semi-annual groundwater monitoring report (URS, 2010), Phibro-Tech, Inc. has reported concentrations ranging from non-detection to 130 μ g/L in the 3Q2009 sampling event (Iris, 2010), Site C has reported concentrations ranging from non-detection to 110 μ g/L in 2007 annual

groundwater monitoring report (URS, 2008), Mission Linen Supply has reported concentrations ranging from non-detection to 460 μ g/L in the 1Q2009 sampling event (CGC, 2009), former Angeles Chemical Company has reported concentrations ranging from non-detection to 344 μ g/L in the 1Q2009 sampling event and to 76.5 μ g/L in the 3Q2009 sampling event (Clean Soil Inc., 2009a and 2009b), and McKesson Corporation has reported concentrations ranging from non-detection to 1,100 μ g/L in the 1Q2009 sampling event (GeoSyntec, 2009). PCE plume maps of 1Q2008, 1Q2009, and 3Q2009 are presented in Figures 3-6a, 3-6b, and 3-6c, respectively. The PCE plume is continuous over OU2. The distribution of PCE for these three quarters remained generally the same. PCE concentrations greater than 5 μ g/L extend west-southwest downgradient from the former Omega property to near EPA Monitoring Well MW29. Concentrations exceeding 500 μ g/L are associated with the Omega property and with another source area identified as the former Angeles Chemical Company and the former McKesson Chemical (AMK) properties.

Trichloroethene

TCE was detected at most monitoring wells at concentrations above the California Primary MCL of 5 µg/L. Detections greater than 1,000 µg/L were reported at Wells OW1A (3,300 $\mu g/L$, 1Q2008) and OW8A (1,400 $\mu g/L$, 1Q2008), OW9 (1,200 $\mu g/L$, 1Q2009), and MW31 (1,000 µg/L, 3Q2009). The maximum detection was reported at Well OW1A in the 1Q2008 sampling events. Other than OPOG and EPA detections, Techni Braze, Inc. has reported concentrations ranging from non-detection to 150 µg/L in the 3Q2008 sampling event (LFR, 2008), Pilot Chemical Company has reported concentrations ranging from 4.5 to 89 µg/L in the December 2009 semi-annual groundwater monitoring report (URS, 2010), Phibro-Tech, Inc. has reported concentrations ranging from non-detection to 98 μg/L in the 3Q2009 sampling event (Iris, 2010), Site C has reported concentrations ranging from non-detection to 85 µg/L in 2007 annual groundwater monitoring report (URS, 2008), Mission Linen Supply has reported concentrations ranging from non-detection to 11 µg/L in the 1Q2009 sampling event (CGC, 2009), former Angeles Chemical Company has reported concentrations ranging from non-detection to 233 µg/L in the 1Q2009 sampling event and to 44.2 µg/L in the 3Q2009 sampling event (Clean Soil Inc., 2009a and 2009b), and McKesson Corporation has reported concentrations ranging from non-detection to 820 µg/L in the 1Q2009 sampling event (GeoSyntec, 2009). TCE plume maps of 1Q2008, 1Q2009, and 3Q2009 are presented in Figures 3-7a, 3-7b, and 3-7c, respectively. The TCE plume is continuous over OU2. The distribution of TCE for these three quarters generally remained the same and is similar to the distribution of PCE.

F11 and F113

F11 was detected at a few wells in each sampling event. Detections were reported above the California Primary MCL (150 μ g/L) at Wells OW2 (190 μ g/L, 1Q2008), OW5 (180 μ g/L, 1Q2008), OW8A (360 μ g/L, 1Q2008), OW9 (280 μ g/L, 1Q2009), MW1A (150 μ g/L, 1Q2009 and 3Q2009), MW5 (210 μ g/L, 1Q2008), MW14 (150 μ g/L, 1Q2008), MW15 (370 μ g/L, 1Q2008), MW23A (170 μ g/L, 1Q2008), and MW23C (160 μ g/L, 3Q2009). The maximum detection was reported at Well MW15 in the 1Q2008 sampling events. Other than OPOG and EPA detections, Phibro-Tech, Inc. has reported concentrations ranging from non-detection to 16 μ g/L in the 3Q2009 sampling event (Iris, 2010), and McKesson Corporation has reported concentrations ranging from non-detection to 84 μ g/L in the 1Q2009 sampling event (GeoSyntec, 2009). F11 plume maps of 1Q2008, 1Q2009, and 3Q2009 are presented in

Figures 3-8a, 3-8b, and 3-8c, respectively. F11 does not cover the same large area as the PCE or TCE plumes. Changes of 5 μg/L plume distribution are minor; however, distribution of concentrations greater than 150 µg/L successively reduce covered areas over time. F113 was detected in samples from a few wells in each sampling event. The maximum detection was reported at Well OW8A (1,700 μ g/L) in 1Q2009. Detections greater than 500 μ g/L were also reported at Wells OW2 (1,100 μ g/L, 1Q2009), OW5 (540 μ g/L, 1Q2008), OW9 (930 μ g/L, 1Q2008), MW5 (580 $\mu g/L$, 1Q2008), MW15 (1,000 $\mu g/L$, 1Q2008), and MW23A (750 $\mu g/L$, 1Q2008). Only OW8A exceeds the California Primary MCL of 1,200 μg/L. Phibro-Tech, Inc. also has reported concentrations ranging from non-detection to 34 μ g/L in the 3Q2009 sampling event (Iris, 2010). F113 plume maps of 1Q2008, 1Q2009, and 3Q2009 are presented in Figures 3-9a, 3-9b, and 3-9c, respectively. The Freon plumes are continuous over OU2. The distribution of F113 is similar to the distribution of F11. Both F113 and F11 are stable compounds in groundwater. The ratio of F113 to F11 can be assumed to remain constant (within a narrow range) once they are released to groundwater. Omega OU1 is the only known source of Freons; therefore, an analysis of the ratio of F113 and F11 can provide an indication as to whether multiple sources exist in OU2. Discussion of the ratio of F113 and Freon is presented in Section 3.2.1.3.

1,2-Dichloroethane (1,2-DCA)

1,2-DCA was detected at 20 wells in 1Q2008, 11 wells in 1Q2009, and 9 wells in 3Q2009 sampling events. The California Primary MCL is $0.5 \,\mu g/L$ and detections greater than 100 µg/L were reported at Wells OW8A and OW9. Maximum 1,2-DCA detection was reported at Well OW8A (310 μ g/L) in the 1Q2009 sampling event. Other than OPOG and EPA detections, Techni Braze, Inc. has reported concentrations ranging from non-detection to $0.64 \mu g/L$ in the 3Q2008 sampling event (LFR, 2008), Pilot Chemical Company has reported concentrations ranging from non-detection to 43 μg/L in the December 2009 semiannual groundwater monitoring report; it is noted that Pilot Chemical Company Well MW-1 was not sampled in December 2009, but in April 2009 it had 500 µg/L of 1,2-DCA and historical concentrations above 1,000 μg/L (URS, 2010). Phibro-Tech, Inc. has reported concentrations ranging from non-detection to 19 µg/L in the 3Q2009 sampling event (Iris, 2010), Site C has reported concentrations ranging from non-detection to 26 μg/L in the 2007 annual groundwater monitoring report (URS, 2008), former Angeles Chemical Company has reported concentrations ranging from non-detection to 2.8 µg/L in the 1Q2009 sampling event and to 29 μg/L in the 3Q2009 sampling event (Clean Soil Inc., 2009a and 2009b), and McKesson Corporation has reported concentrations ranging from non-detection to 530 µg/L in the 1Q2009 sampling event (GeoSyntec, 2009). 1,2-DCA plume maps of 1Q2008, 1Q2009, and 3Q2009 are presented in Figures 3-10a, 3-10b, and 3-10c, respectively. The 1,2-DCA plume is narrow and follows the main contaminant transport pathway from the former Omega property; the plume is collocated with the zone of high PCE and TCE concentrations. The plume appears to be continuous over OU2.

1,1-Dichloroethane (1,1-DCA)

1,1-DCA was detected at more than 20 wells in each sampling event. The California Primary MCL is 5 μ g/L and the maximum concentrations were detected at Well MW17A in 1Q2008 (100 μ g/L), Well OW8A in 1Q2009 (74J μ g/L), and Well OW9 in 3Q2009 (46J μ g/L) sampling events. The "J" qualifier indicates that the detection is an estimated value.

1,1-Dichloroethene (1,1-DCE)

1,1-DCE was detected at most wells in each sampling event, generally at concentrations above the California Primary MCL (6 μ g/L). The maximum detection was reported at Well OW9 (1,600 μ g/L) in 3Q2009. Detections greater than 500 μ g/L were also reported at Wells OW8A (750 μ g/L, 1Q2009), OW1A (730 μ g/L, 1Q2008), OW3A (600 μ g/L, 3Q2009), and OW2 (550 μ g/L, 1Q2009).

1,1,1-Trichloroethane (1,1,1-TCA)

1,1,1-TCA was mainly detected above the California Primary MCL (200 $\mu g/L$) at Well OW1A in 3Q2009 (1,900 $\mu g/L$), 1Q2009 (1,900 $\mu g/L$), and 1Q2008 (2,600 $\mu g/L$, 1Q2008), and at Well OW1B in 1Q2009 (820 J $\mu g/L$). Detections were also reported at Wells OW3A, MW1A, MW15, MW17A, MW17B, MW21, MW23A, MW25A, MW26A, MW26B, MW27A, MW5, MW8C, and MW8D, but at concentrations below the MCL.

1,1,2,2-Tetrachloroethane

1,1,2,2-Tetrachloroethane (R-130) was only detected at three wells in the 1Q2009 sampling event. Detections were reported at Wells MW1A (0.5 J μ g/L), MW8C (0.5 J μ g/L), and MW8D (0.5 J μ g/L). The detections are below the California Primary MCL of 1 μ g/L.

1,1,2-Trichloroethane (1,1,2-TCA)

1,1,2-TCA was detected at a few wells in each sampling event. The California/EPA Primary MCL is 5 μ g/L and the maximum detection was reported at Well OW8A (90 J μ g/L, 1Q2009). Detections were also reported at Wells MW1A, MW 2, MW5, MW6, MW8C, MW8D, MW15, MW17A, MW17B, MW23A, MW23C, MW25A, MW27A, and OW1B, but at concentrations below the MCL.

1,2-Dibromoethane

1,2-Dibromoethane was detected at three wells in the 1Q2009 sampling event. The California Primary MCL is $0.05~\mu g/L$ and detections were reported at Wells MW1A (0.5 J $\mu g/L$), MW8C (0.5 J $\mu g/L$), and MW8D (0.5 J $\mu g/L$).

1,2-Dichlorobenzene

1,2-Dichlorobenzene was detected at a few wells and the maximum concentration was reported at Well MW1A (18 μ g/L, 3Q2009). This detection was below the California Notification Level of 600 μ g/L. The second highest concentration was reported at Well OW1B (11 J μ g/L, 1Q2009). The "J" qualifier indicates that the detection is an estimated value. The remaining detections were equal to or less than 0.5 μ g/L with a "J" qualifier.

1,2-Dichloropropane

1,2-dichloropropane was detected in 1Q2009 and 3Q2009. Detections were reported at Wells MW1A, MW20A, MW20B, MW8C, MW8D, and OW1B. No detection exceeded the California Primary MCL of $5 \mu g/L$ except MW20A, at $5.1 \mu g/L$ in 3Q2009.

1.2.3-Trichlorobenzene

1,2,3-Trichlorobenzene was only detected in the 1Q2009 sampling event. Detection was reported at Well MW1A (0.5 J μ g/L), MW6 (0.5 J μ g/L), MW8B (0.5 J μ g/L), MW8C (0.5 J μ g/L), MW8D (0.5 J μ g/L), MW10 (0.5 J μ g/L), and MW24A (0.13 J μ g/L). EPA and California currently do not have a screening level for this compound.

1,2,4-Trichlorobenzene

1,2,4-Trichlorobenzene was detected at six wells: MW1A, MW8B, MW 8C, MW8D, MW6, and MW10, at a concentration below the California Primary MCL of 5 μ g/L. The detections were all reported in the 1Q2009 sampling event, with the same 0.5 J μ g/L concentration. The "J" qualifier indicates the result is estimated below the detection limit.

1,2-Dibromo-3-Chloropropane (DBCP)

1,2-Dibromo-3-Chloropropane (DBCP) was detected at five wells in the 1Q2009 sampling event. The California Primary MCL is 0.2 μ g/L and detections were reported at Wells MW1A (0.5 J μ g/L), MW8B (0.5 J μ g/L), MW8C (0.5 J μ g/L), MW8D (0.5 J μ g/L), and MW6 (0.5 J μ g/L).

1,4-Dichlorobenzene

1,4-Dichlorobenzene was only detected at Wells MW1A, MW6, MW8B, MW8C, MW8D, MW10, and OW1B in the 1Q2009 sampling event. The maximum concentration was reported at OW1B (1.4 J μ g/L) and was below the California Primary MCL of 5 μ g/L.

Bromochloromethane

Bromochloromethane was detected at a few wells in 1Q2009 and 3Q2009 sampling events. The maximum concentration was detected at Well OW7 (1.2 μ g/L, 3Q2009) and was below the EPA Primary MCL of 80 μ g/L.

Bromodichloromethane

Bromodichloromethane was only detected at two wells in the 1Q2009 sampling event. Detections were reported at Wells MW8C (0.5 J μ g/L) and MW8D (0.5 J μ g/L). EPA and California currently do not have a screening level for this compound.

Carbon Tetrachloride

Carbon tetrachloride was detected at a few wells in each sampling event. The maximum detection was reported at Wells MW1A (0.5 J μ g/L) and MW8C (0.5 J μ g/L) in the 1Q2009 sampling event. The remaining detections were below the California Primary MCL of 0.5 μ g/L.

Chlorobenzene

Chlorobenzene was only detected in the 2009 sampling events. Wells MW1A (0.5 J $\mu g/L$), OW8A (2.7 J $\mu g/L$), MW8C (0.5 J $\mu g/L$) and MW8D (0.5 J $\mu g/L$) were detected in the 1Q2009 sampling event. 3Q2009 has only one detection, at OW1A, of 6.8 J $\mu g/L$. All detections were below the California Primary MCL of 70 $\mu g/L$.

Chloroethane

Chloroethane was detected in 1Q2009 and 3Q2009 sampling events. Only Wells MW12 (0.31 J μ g/L, 3Q2009), MW8C (0.5 J μ g/L, 1Q2009), and MW8D (0.5 J μ g/L, 1Q2009) were detected and all detections were below the California Primary MCL of 16 μ g/L.

Chloroform

Chloroform was detected at most wells in each sampling event. The maximum detection was reported at Well OW9 (1,100 μ g/L, 3Q2009 and 1Q2009). The other detections greater than 100 μ g/L were also reported at Wells OW8A (770 μ g/L, 1Q2009), MW1A (210 μ g/L, 3Q2009), and OW5 (120 μ g/L, 1Q2008). These values exceed the EPA Primary MCL of

 $80 \mu g/L$, which applies to total trihalomethanes (these include bromoform, bromodichloromethane, chloroform and dibromochloromethane).

Cis-1,2-Dichloroethene (Cis-1,2-DCE)

Cis-1,2-DCE was detected at most EPA wells in each sampling event. The California Primary MCL is 6 μ g/L and detections greater than 100 μ g/L were reported at Wells MW1A (170 J μ g/L, 1Q2009), MW17A (170 J μ g/L, 1Q2008), and MW12 (110 μ g/L, 3Q2009). The remaining detections were generally less than 40 μ g/L.

Cis-1,3-Dichloropropene

Cis-1,3-Dichloropropene was either non-detected or detected at a few wells in each sampling event. The California Primary MCL is 0.5 μ g/L and the maximum concentrations were reported at Wells MW1A (0.5 J μ g/L) and MW8D (0.5 J μ g/L) in the 1Q2009 sampling event. There was no detection in the 3Q2009 sampling event.

Dibromochloromethane

Dibromochloromethane was detected at a few wells in 1Q2009 and 3Q2009 sampling events. The maximum concentration was detected at Well OW7 (1.2 μ g/L, 3Q2009) and was below the EPA Primary MCL of 80 μ g/L.

Dichlorodifluoromethane (F12)

Dichlorodifluoromethane (F12) was detected at a few wells in each sampling event. The maximum concentration was reported at Well MW15 (2.9 μ g/L) in the 1Q2009 sampling event. No detections exceeded the California Notification Level of 1,000 μ g/L.

Methylene Chloride

Methylene chloride was detected at a few wells in each sampling event. Maximum concentrations were reported at Well OW8A (1,200 BD $\mu g/L$) in the 1Q2009 sampling event. Detections greater than 100 $\mu g/L$ were also reported at Wells OW1A (480 J $\mu g/L$, 1Q2008) and OW8A (140 $\mu g/L$, 1Q2008). Detections at remaining wells were at or below 100 $\mu g/L$. Detections exceeding the California Primary MCL (5 $\mu g/L$) were reported at Wells OW1B (16 $\mu g/L$), OW1A (33 J $\mu g/L$, 3Q2009), and MW3A (5 J $\mu g/L$, Q801).

Trans-1,2-DCE

Trans-1,2-DCE was detected at a few wells in each sampling event. Detections exceeding the California Primary MCL (10 μ g/L) were reported at Wells MW2 (20 J μ g/L, 1Q2008), MW23A (56 J μ g/L, 1Q2008), MW23C (53 J μ g/L, 1Q2008), MW24A (34 J μ g/L, 1Q2008), MW27B (21 J μ g/L, 1Q2008), OW1A (11 μ g/L, 3Q2009), and OW8A (49 J μ g/L, 1Q2009).

Trans-1,3-Dichloropropene

Trans-1,3-Dichloropropene was detected at three wells in the 1Q2009 sampling event. Detections were reported at estimated values of MW1A (0.5 J $\mu g/L$), MW8C (0.5 J $\mu g/L$), and MW8D (0.5 $\mu g/L$). The California Primary MCL is 0.5 $\mu g/L$.

Dichlorotrifluoroethane

Dichlorotrifluoroethane was detected at one well in the 1Q2008 sampling event. Detection was reported at Well OW1B (4.2 J μ g/L) and EPA and California currently do not have a screening level for this compound.

Vinyl Chloride

Vinyl chloride was detected at two or three wells in each sampling event. Detections were reported at MW27 and MW8 cluster wells, with the maximum detection at Well MW27A (2.8 μ g/L, 3Q2009). The California Primary MCL is 0.5 μ g/L.

3.2.1.2 Other VOCs

1,4-Dioxane was detected at one or more wells in each quarterly sampling event. The California Notification Level is 3 μ g/L and the concentrations higher than 1,000 μ g/L were reported at Wells OW8A (1,000 J μ g/L, 1Q2009) and OW9 (1000 μ g/L, 1Q2009). Other than OPOG and EPA detections, Phibro-Tech, Inc. has reported concentrations ranging from non-detection to 63 μ g/L in the 3Q2009 sampling event (Iris, 2010), former Angeles Chemical Company has reported concentrations ranging from non-detection to 12,200 μ g/L in the 1Q2009 sampling event and to 31,000 μ g/L in the 3Q2009 sampling event (Clean Soil Inc., 2009a and 2009b), and McKesson Corporation has reported concentrations ranging from non-detection to 120 μ g/L in the 1Q2009 sampling event (GeoSyntec, 2009). 1,4-Dioxane plume maps of 1Q2008, 1Q2009, and 3Q2009 are presented in Figures 3-11a, 3-11b, and 3-11c, respectively. The 1,4-Dioxane plume is continuous over OU2.

Nonchlorinated VOCs detected at OU2 include 2-Hexanone, benzene, bromoform, carbon disulfide, ethylbenzene, isopropylbenzene, m,p-Xylenes, methyl cyclohexane, methyl isobutyl ketone, MTBE, o-Xylene, styrene, and toluene. Detections of nonchlorinated VOCs were all below screening levels except benzene at OW1A (6.2 μ g/L, 3Q2009) and OW1B (21 J μ g/L, 1Q2009). Screening levels for 2-Hexanone and methyl cyclohexane have not been set.

2-Hexanone was only detected at Wells MW1A (5 J μ g/L), MW8C (5 J μ g/L), and MW1D (5 J μ g/L) in the 1Q2009 sampling event. No MCL has been established for 2-Hexanone.

Benzene was detected at a few wells in each sampling event. Maximum detections were reported at Well OW1B (21 J μ g/L, 1Q2009), and another detection that exceeded the California Primary MCL (1 μ g/L) was at Well OW1A (6.2 μ g/L). The remaining detections were all below the California Primary MCL and included MW5, MW8C, MW8D, MW15, MW23A, MW25B, MW26A, MW26B, MW27A, MW27B, and OW3A.

Bromoform was detected from non-detection to trace in a few wells in each sampling event. The maximum concentration was reported at Well OW7 (0.99 J μ g/L, 1Q2009) and no detections exceeded the EPA Primary MCL of 80 μ g/L.

Carbon disulfide was detected at Wells MW1A (7.3 J μ g/L, 3Q2009), MW8C (0.5 J μ g/L, 1Q2009), and MW8D (0.5 J μ g/L, 1Q2009). No detections exceeded the California Notification Level of 160 μ g/L.

Ethylbenzene was detected at a trace level in the 1Q2009 sampling event. Detections were reported at Wells MW1A, MW8C, MW8D and OW1B. The maximum reported concentration was 1.5 J μ g/L (Well OW1B), which is below the California Primary MCL of 300 μ g/L.

Isopropylbenzene was detected at a trace level in the 1Q2009 sampling event. Detections were reported at Wells MW1A, MW8C, MW8D and OW1B. The maximum reported

concentration was 2.3 J μ g/L (Well OW1B), which is below the California Notification Level of 770 μ g/L.

m,p-Xylene was detected at a trace level in the 1Q2009 sampling event. Detections were reported at Wells MW1A, MW8C, MW8D and OW1B. The maximum reported concentration was 1.1 J μ g/L (Well OW1B), which is below the California Primary MCL of 1,750 μ g/L.

Methyl cyclohexane was detected at Well MW27A (0.31 J μ g/L, 1Q2009), MW27B (1.1 μ g/L, 1Q2009), MW1A (0.5 J μ g/L, 1Q2009), MW8C (0.5 J μ g/L, 1Q2009), MW8D (0.5 J μ g/L, 1Q2009), and MW27A (13 μ g/L, 3Q2009). No MCL has been established for methyl cyclohexane.

Methyl isobutyl ketone was detected at a trace level in the 1Q2009 sampling event. Detections of 5J μ g/L were reported at Wells MW1A, MW8C, and MW8D. This is below the California Notification Level of 120 μ g/L.

MTBE was detected at trace levels in each sampling event. All detected concentrations were below the California Secondary MCL (13 $\mu g/L$). The maximum concentration was reported at Well MW30 (3.9 $\mu g/L$).

o-Xylene was detected at a trace level in the 1Q2009 sampling event. Detections were reported at Wells MW1A, MW8C, MW8D and OW1B. The maximum reported concentration was 1.2 J μ g/L (Well OW1B), which is below the California Primary MCL of 1,750 μ g/L.

Styrene was detected at trace levels in the 1Q2009 sampling event. Detections were reported at Wells MW1A, MW8C, and MW8D at a concentration of 1.2 J μ g/L for these three wells, which is below the California Primary MCL of 100 μ g/L.

Toluene was detected at a few wells in each sampling event. No detections exceeded the California Primary MCL (150 μ g/L), and the maximum concentration was reported at Well OW1B (38 J μ g/L) in the 1Q2009 sampling event. The remaining toluene detections were below 10 μ g/L except Well OW8A (37 J μ g/L, 1Q2009).

3.2.1.3 Ratios of F113 and F11

The ratios of concentrations of F113 and F11 were evaluated to identify indications of potential sources of Freons other than the former Omega facility.

The calculated narrow ratio range seems to be indicative of Omega OU1 being a single source of the two Freons found at OU2. It is noted, though, that because of the limitations of this analysis, only a substantial change in F113/F11 ratio resulting from a substantial release of Freon(s) to groundwater could be detected. The results are summarized below and the limitations of the analysis are discussed in Appendix H.

Both F11 and F113 are stable compounds that do not degrade in groundwater. Their sorption characteristics are similar; furthermore, sorption is not substantial in the sandy aquifer materials present at OU2. These characteristics support the expectation of a (relatively) constant F113/F11 ratio in a plume resulting from a single source at OU2. The

ratio of their concentrations would be expected to remain constant in the absence of sampling, analytical, and any other variation.

It can be reasonably expected that the source at Omega OU1 is well-mixed and the Freon ratio at OU1 was fairly uniform over time as a result of the release of mixed waste into soil. If there is another substantial source of either F11 or F113 somewhere at OU2 downgradient from OU1, the ratio of F113/F11 in groundwater is expected to be different downgradient of that source. A source of both F11 and F113 but with a different mix than OU1 would have a similar effect.

Table 3-4 summarizes the statistics for the F113/F11 ratios calculated for each well using the entire historical record (with NDs removed). Wells with insufficient records (for example, MW31, MW30, and MW29) are not included in the table.

The median ratios calculated from historical concentration data are shown in Figure 3-12. The spatial pattern does not indicate clustering or trends in the ratios over OU2. The variability in the ratios may be entirely attributable to the limitations listed in Appendix H.

3.2.2 Data Quality Assessment

The chemical data quality for Omega first quarter 2008, first Quarter 2009, and third quarter 2009 data was managed through the following tools and processes:

- Data quality objectives process as documented in the QAPP (CH2M HILL, 2004d)
- Project QA plans to define procedures and functional policies for data of known and appropriate quality along with FSPs (CH2M HILL, 2004c and 2004d)
- Laboratory QA through audits
- Data validation and QA

Following is a description of the analytical methodology and the data validation/ assessment methodology/findings. The validation reports and tables summarizing the QA are included in Appendix G.

3.2.2.1 Analytical Program/Methodology

The analytical parameters and the associated methods, the standard EPA analytical method references are contained in the QAPP (CH2MHILL, 2004d).

Analyses were performed through the EPA Contract Laboratory Program (CLP); the analyses were based on CLP methodology modified for lower detection where needed and QC procedures. Table G-1 shows the analytes for first quarter 2008, second and third quarters 2009, and the associated measurement performance criteria.

The QAPP identifies the following method-specific QC requirements directly or by reference:

- Level of effort (frequency of QC checks) for each QC procedure
- Quantitative acceptance limits for QC data

- Corrective action requirements for the laboratories for QC data that are outside the acceptance limits
- The detection limit requirements

These requirements (also EPA Regional and CLP standard operating procedures) have been followed as the project analytical requirements by the laboratory. The analytical laboratory has established method detection limits (MDLs) in accordance with Title 40, Part 136, Appendix B, of the *Code of Federal Regulations* (CFR) before start of the work to ensure that laboratory-specific limits complied with the QAPP specifications.

3.2.2.2 Data Validation and Findings

Data Validation Methodology

All data (100 percent) have been evaluated independent of the laboratory by project chemists per EPA National Functional guidelines.

Sample data have been reviewed outside the laboratories by EPA QAO for the QC specifications identified in the project QAPP for each specific parameter and are flagged in accordance with the project QAPP.

Reporting

Sample and parameter-specific data validation reports are in Appendix G. Data validation findings and qualifications/flags are summarized in Table G-2.

Each report has subsections that correspond to the internal QC check requirements for that specific method as identified in the project QAPP and EPA data validation functional guidelines. If laboratory data were found to deviate from the specifications, the subsection provides quantitative details for the QC data deviation and the associated affected samples and provides flags according to defined conventions.

Flagging Conventions, Data Validation Findings

QAPP criteria and EPA data validation functional guidance were used to determine flagging conventions. Data validation flags have been entered into the database that were used for project reports. Data validation findings and qualifications/flags are summarized in Table G-2.

Over 90 percent of data were found to be within criteria as seen in Table G-2. Systematic laboratory errors were not observed; no significant data biases are noted. The only rejected data were for ND 1,2-dibromo-3-chloropropane results due to calibration and internal standard deviations. Additional rejected data were for semi-volatiles (non-target compounds in the analysis for 1,4-dioxane) for ND results for two samples due to surrogate recoveries expected to be a result of sample matrix effects. These compounds are not COCs. The causes for the rejected data are noted to be isolated occurrences and not a systematic bias. These rejected data have not impacted project decisions as can be seen in this report.

Data reported in this report include validation flags.

Data Storage

Backup information for the data evaluation and validation findings includes the following:

- Laboratory hard-copy packages, assembled in SDG units, which include all QC data.
 These packages are stored at the EPA Region 9 Laboratory and EPA CLP
- Laboratory electronic databases, which includes all sample concentration data with laboratory data flags and a subset of laboratory QC data
- Chain-of-custody (COC) forms and tracking records in project files, as well as at the laboratory
- Laboratory bench records and sample custody logs maintained by the laboratory
- Project electronic databases to include validation flags stored with project files; electronic data base structure/content are per project/program specifications

3.2.2.3 Data Quality Assessment and Quality Control Data

Data quality objectives have been prescribed in the QAPP in terms of precision, accuracy, representativeness, comparability, and completeness (PARCC) parameters. The following is a description of the assessment for each parameter. Associated data for the PARCC parameters are in laboratory hard copy packages and a subset of these parameters are found in laboratory as well as project electronic databases. Tables G-2 through G-5 present the following data associated with the PARCC evaluations: precision (field duplicates Table G-3), accuracy (surrogates Table G-5, field blank Table G-4), representativeness (field blanks Table G-4), completeness (data validation summary Table G-2). Accuracy and precision data as represented by MS and laboratory control standard recoveries and MSD relative percent deviations are available in laboratory hard copies and the evaluation of these data can be seen in the appended data validation reports (Appendix G).

Accuracy measurement data include laboratory control sample and MS recovery data for both organic and inorganic analytical parameters, as well as surrogate recovery data for organic parameters. Surrogate recoveries are summarized in Table G-5. MS and laboratory control standard recoveries are available in laboratory hard copies and the evaluation of these data can be seen in the appended data validation reports (Appendix G). Recoveries are found to be within limits at large (over 90 percent) and do not indicate any significant bias.

Precision measurement data include laboratory and field duplicate data expressed as relative percent deviation (RPD). Field duplicate measurements are shown in Table G–3. The evaluation of lab duplicates can be seen in the appended data validation reports (Appendix G). Laboratory duplicate data were found to be within acceptance criteria at large as seen in the validation reports and Table G–2; thus, no significant lab precision bias is noted. Field duplicate relative percent recoveries (Table G–3) also do not indicate significant field bias. The larger deviations noted for fluorocarbons (freons) and ethylenes are intrinsic to the limitations of the measurements. Data users have taken these findings into consideration in their decision processes. Thus overall project precision targets are met and no significant biases are noted.

Representativeness is a measure of how closely the measured results reflect the actual concentration or distribution of the chemical compounds in the sampled media. Representativeness is assessed in both qualitative and quantitative terms. The project report discusses the qualitative aspects of representativeness in terms of design of the FSP, sam-

pling techniques, sample handling protocols, and associated documentation. Quantitative measures of representativeness include field and laboratory blank measurements to identify if contamination was introduced through field or laboratory operations. Field duplicate measurements (Table G-3) are used to establish variability. Field blank results and associated evaluations are shown in Table G-4. For sample results where the sample result is less than five times the associated field blank detection, the sample results are qualified as NDs. These field blank qualifications have not impacted project decisions and not affected the needed representativeness. Similarly samples have been qualified for laboratory blanks through the validation reports where again no significant bias has been noted.

Comparability expresses the confidence with which one data set can be compared to another. Comparability of data has been established through use of following:

- Standard analytical methods and QC procedures established in the project QAPP
- Consistent reporting units for a specified procedure
- MDLs for all analytical parameters that were established in accordance with 40 CFR Part 136, Appendix B, before the start of the analyses to meet the project requirements

All comparability factors have been met for this set of data.

Completeness in this report is assessed as a measure of the amount of valid data obtained from the analytical measurements. Field activity completeness is assessed within the context of the overall sampling design. Data validation summaries are presented in Table G-2. Data completeness was found to be above 90 percent at large, and meets project needs.

3.3 Trend Analysis

Statistical trend analyses were conducted to help in assessing the temporal concentration changes of the various contaminants in groundwater at the Omega Site. All historical concentration measurements taken from the 64 Omega monitoring wells were included in the analysis. All contaminants of concern with sufficient detectable values were included in the trend analysis. Table 3-5 shows the matrix of the trend analysis conducted on concentration data collected from the 64 Omega monitoring wells for 37 detected VOCs. A total of 2,368 well and chemical compound concentration pairs were analyzed. Trends could not be statistically analyzed for 1,833 data pairs mainly because of the presence of NDs and short monitoring records. Of the 535 monitoring well and chemical compound concentration pairs with sufficient data to perform trend analysis, 119 pairs showed significant decreasing trends, 51 showed significant increasing trends, and the remaining 365 exhibited no significant trend. The plots of the concentration time series for selected compounds for all wells are presented in Appendix I.

Figures 3-13 through 3-20 show the spatial distribution of the trends for selected chemical compounds including PCE, TCE, F11, F113, chloroform, 1,1-DCE, 1,4-dioxane, and cis-1,2 DCE, respectively:

PCE (Figure 3-13): among the 64 wells, 13 showed an increasing trend, 9 showed a
decreasing trend, 38 exhibited no significant trend, and the other 4 had insufficient data.
 Wells with increasing trend appear randomly distributed in the northern portion of OU2

(upgradient of Well Cluster MW17); wells with decreasing trend are concentrated in an area downgradient of the Omega facility and upgradient of AMK; and wells with no significant trends appear to be randomly scattered throughout OU2.

- TCE (Figure 3-14): among the 64 wells, 12 showed an increasing trend, 10 showed a
 decreasing trend, 38 exhibited no significant trend, and the other 4 had insufficient data.
 Both wells with increasing trend and wells with decreasing trend appear randomly
 distributed in the northern portion of OU2 (upgradient of Well Cluster MW17); and
 wells with no significant trends appear to randomly scattered throughout the entire
 OU2.
- F11 (Figure 3-15): among the 64 wells, five showed an increasing trend, nine showed a decreasing trend, 22 exhibited no significant trend, and the other 28 had insufficient data. Increasing trends were detected at four wells situated at two locations away from the Omega Site: MW1A and MW1B, and MW16B and MW25A. OW1B also showed an increasing PCE trend. This well is located on the Omega facility but it is screened in the aquifer unit beneath the water table aquifer. Wells with decreasing concentrations are concentrated in a relatively small area between the Omega facility and Slauson Avenue. Wells with no significant trends appear to be randomly scattered throughout the entire OU2 area.
- F113 (Figure 3-16): among the 64 wells, seven showed an increasing trend, 11 showed a decreasing trend, 28 exhibited no significant trend, and the remaining 18 had insufficient data. Increasing trends were detected at three locations away from the Omega Site: MW1A and MW1B, MW8B and MW8C and MW23B, and MW16B and MW25A. Wells with decreasing concentrations are concentrated in a relatively small area between the Omega facility and Slauson Avenue. Wells with no significant trends appear to be randomly scattered throughout OU2.
- Trichloromethylene (Figure 3-17): among the 64 wells, six showed an increasing trend, seven showed a decreasing trend, 31 exhibited no significant trend, and the other 20 had insufficient data. Increasing trends were detected at several locations away from the Omega Site: MW4C, MW23B, MW16B and MW17B, and one well located on the Omega facility (OW2). Wells with decreasing concentrations are concentrated in a relatively small area between the Omega facility and Slauson Avenue. Wells with no significant trends appear to be randomly scattered throughout OU2.
- 1,1-DCE (Figure 3-18): among the 64 wells, five showed an increasing trend, eight showed a decreasing trend, 36 exhibited no significant trend, and the other 15 had insufficient data. Increasing trends were detected at several locations away from the Omega Site: MW4C, MW23B, MW16B and MW17B, and one well located on the Omega facility (OW2). Wells with decreasing concentrations are concentrated in a relatively small area between the Omega facility and Slauson Avenue. Wells with no significant trends appear to be randomly scattered throughout OU2.
- 1,4-DCE (Figure 3-19): among the 64 wells, three showed an increasing trend, 10 showed a decreasing trend, 16 exhibited no significant trend, and the other 35 had insufficient data. Increasing trends were detected at three wells located at two locations away from the Omega Site: MW1A and MW1B, and MW4C. Wells with decreasing concentrations

are concentrated in a relatively small area between the Omega facility and Slauson Avenue. Wells with no significant trends appear to randomly scattered throughout OU2.

 cis-1,2-DCE (Figure 3-20): among the 64 wells, none of the wells showed an increasing trend, nine showed a decreasing trend, 32 exhibited no significant trend, and the other 23 had insufficient data. Wells with decreasing concentrations are concentrated in a relatively small area between the Omega facility and Slauson Avenue. Wells with no significant trends appear to be randomly scattered throughout OU2.

Overall, most compounds show a decreasing trend. A notable exemption is PCE, which shows an increasing trend at 13 wells and decreasing trend at nine wells. There are only slightly more wells with decreasing than increasing trends for TCE and chloroform (12 and 10, and seven and six, respectively).

In general, a decreasing trend was observed for the majority of contaminants (except PCE, which showed an increasing trend at some locations) at the wells located in the close vicinity of and immediately downgradient of the Omega facility, including the following:

- MW2 has decreasing trends for seventeen chemical compounds including PCE, TCE, F11, F113, 1,1-DCE, and 1,4-dioxane
- MW5 has decreasing trends for sixteen chemical compounds including PCE, TCE, F11, F113, 1,1-DCE, and 1,4-dioxane
- MW4B has decreasing trends for twelve chemical compounds including PCE, TCE, F11, F113, 1,1-DCE, and 1,4-dioxane
- MW15 has decreasing trends for eleven chemical compounds including PCE, TCE, F11, F113, 1,1-DCE, and 1,4-dioxane
- OW6 has decreasing trends for eight chemical compounds including TCE, F11, F113, 1,1-DCE and 1,4-dioxane; PCE concentration has been relatively stable and showed no significant trend
- OW1A has decreasing trends for seven chemical compounds including F11, F113, 1,1-DCE and 1,4-dioxane; TCE concentration has been relatively stable and showed no significant trend; PCE is the only chemical compound that showed an increasing trend
- OW4A has decreasing trends for six chemical compounds including F11, F113, 1,1-DCE and 1,4-dioxane; TCE concentration has been relatively stable and showed no significant trend; PCE is the only chemical compound that showed an increasing trend
- OW3A has decreasing trends for five chemical compounds including F11, F113, 1,1-DCE and 1,4-dioxane; TCE and 1,4-dioxane concentrations have been relatively stable and showed no significant trends; PCE is the only chemical compound that showed an increasing trend
- OW8A has decreasing trends for five chemical compounds including F11, F113, 1,1-DCE and 1,4-dioxane; PCE, TCE, and 1,4-dioxane concentrations have been relatively stable and showed no significant trends

Increasing concentration trends were observed at several monitoring wells, most of which are located downgradient of the wells with decreasing trends and at locations closer to the AMK facilities:

- MW16B has increasing trends for six chemical compounds including PCE, TCE, F11, F113, and 1,1-DCE; no significant trend was observed for 1,4-dioxane
- MW1A has increasing trends for six chemical compounds including PCE, TCE, F11, F113, 1,1-DCE, and 1,4-dioxane
- MW1B has increasing trends for six chemical compounds including PCE, TCE, F11, F113, 1,1-DCE, and 1,4-dioxane
- MW4C has increasing trends for five chemical compounds including PCE, TCE, 1,4dioxane and 1,1-DCE; F11 and F113 showed no significant concentration trend
- MW25A has increasing trends for four chemical compounds including PCE, 1,1-DCE, F11 and F113; TCE showed no significant concentration trend and 1,4-dioxane data are not sufficient for trend analysis at this well
- MW8B has increasing trends for three chemical compounds including PCE, TCE, and F113; 1,1-DCE showed no significant concentration trend and 1,4-dioxane and F11 data are not sufficient for trend analyses at this well
- MW8C has increasing trends for three chemical compounds including PCE, TCE, and F113; 1,1-DCE showed no significant concentration trend and 1,4-dioxane and F11 data are not sufficient for trend analyses at this well
- MW8D has increasing trends for PCE and TCE; F113, F11, and 1,1-DCE showed no significant concentration trend and 1,4-dioxane does not have sufficient data for trend analyses at this well
- MW9A has increasing trends for PCE and TCE; F113, F11, and 1,1-DCE showed no significant concentration trend and 1,4-dioxane does not have sufficient data for trend analyses at this well

Wells situated in the southern portion of OU2 generally showed no significant concentration trend; these wells include Well Cluster MW17, MW20, MW26, and MW27, and monitoring Wells MW29 and MW30. It is noted that these wells generally have shorter monitoring records than wells located in the northern portion of OU2, and future monitoring may reveal temporal concentration trends at these wells.

The trend analysis leads to the following interpretations:

- PCE showed increasing trend at multiple locations, including the Omega Site and other facilities, suggesting that the mass of PCE in groundwater at OU2 is increasing and/or moving with groundwater flow. TCE trends are similar although less pronounced.
- F11 and F113, in contrast to PCE and TCE, showed decreasing trend near the Omega facility and increasing trend downgradient of the wells, with decreasing trend between Slauson Avenue and AMK. These trends may suggest that there is currently no

substantial release of Freons into the aquifer at OU1. The center of the mass of the Freon plume may currently be at the locations where the Freon concentrations are increasing.

- cis-1,2-DCE showed decreasing trend at all locations, suggesting degradation of PCE and TCE is not significant at OU2.
- Although MW23D data were not sufficient for statistical trend analysis or they resulted in no significant trend, visual inspection of the time series charts shows increasing apparent trends for most detected compounds. Such increasing trends at MW23D would be significant, suggesting that downward migration of contamination into the deeper aquifer units is currently occurring.

3.4 Vertical Distribution of Contaminants

The change in the vertical distribution of contaminants over time is shown for the three sampling events for PCE and Freon 113 in Figures 3-12 (a, b, and c) and 3-22 (a, b, and c), respectively.

The Cross-Sections AA', BB', and CC' depicted in Figures 3-21 and 3-22 are identical to the cross-sections developed for the RI/FS (CH2M HILL, 2010) and show more-permeable, coarse-grained units and less-permeable, fine-grained units. The contamination is expected to migrate predominantly via the coarse-grained units while the fine-grained units act as partial barriers to groundwater flow as indicated by the differences in piezometric heads and contaminant distribution.

As seen on Cross-Section AA', the zone of high PCE concentrations (over $100 \,\mu g/L$) in the shallow groundwater downgradient of the Omega property continues to MW23A. This zone is separated from the lower concentration zone in the underlying aquifer by a fine-grained unit. The zone of PCE concentrations exceeding $500 \,\mu g/L$ appears discontinuous on Cross-Section AA' because it has likely shifted laterally.

Separate zones of high concentrations exist in the units penetrated by the screen of MW23D and MW17A. The high concentration zone at MW23D could be an indication of a vertical conduit in this area that allows contaminant migration from the shallow groundwater into this deeper zone. The high concentrations at MW17A are associated with the AMK facilities.

In 1Q2008 and 1Q2009, samples from all the deep screens had PCE concentrations below its MCL. However, in 3Q2009 samples from MW23D and MW27D had PCE concentrations over the MCL.

The Freon 113 distribution is similar to that of PCE except that no high concentration zone is associated with the AMK facilities. A zone of high Freon 113 concentrations (over 150 μ g/L) is present in the shallow groundwater between the former Omega property and extends past MW23A; this zone is also separated by the fine-grained unit from the lower concentrations in the underlying aquifer. As for PCE, a zone of high Freon 113 concentrations is present in the unit screened by MW23D.

Both PCE and Freon 113 concentrations have increased between first quarter 2008 and third quarter 2009 (and also since 2007; CH2M HILL, 2010) at Well MW23D. PCE concentrations have also increased at Well MW27D over the same period. These increases in the deep wells

indicate downward movement of the plume at the two locations. Question marks on Figures 3-12 and 3-22 indicate where the extent of the plume is uncertain.

The vertical slice through the plume is also indicative of the plume lateral shifts over time. Cross-Section AA' was constructed so that it was oriented along the high concentration zone between the Omega property and MW23 for the PCE (and other VOC) distribution in 2007. In 2008 and 2009, Cross-Section AA' no longer appears to follow the high concentration zone in this area, indicating that the main contaminant transport pathway has shifted over time and that the high concentration zone marking this pathway is rather narrow. The lateral shift of the high concentration (over $500~\mu g/L$) zone in this area is also apparent on the plume maps (Figures 3-6 to 3-9).

4. Summary of Findings

The following summarizes the major findings from the three sampling events conducted in 1Q2008, 1Q2009, and 3Q2009:

4.1 Groundwater Flow

- Depth to water measurements were collected at the OPOG and EPA monitoring wells during the three sampling events to calculate the water level elevations at these monitoring wells. Hydrographs of the OPOG and the EPA wells were prepared to reveal the temporal water level variations at the Omega Site. The hydrographs of these monitoring wells indicate that water levels at the Omega Site generally decreased between 2002 and 2004, followed by a fairly quick recovery in the first half of 2005 in response to high precipitation that year, then remained relatively constant during the period between mid-2005 and mid-2007, and declined again after mid- 2007. The water levels declined during the reporting period of 2008-2009.
- Vertical gradients were calculated at locations where wells screened in different depth intervals are collocated. The majority of the 32 well screen pairs exhibited downward vertical gradients as expected at OU2 where regional groundwater flow is driven by recharge and deep aquifer pumping. Downward vertical gradients greater than 0.1 ft/ft were calculated for 12 well screen pairs. Upward gradients of small magnitude calculated for five well screen pairs could be attributable to local piezometric head variations caused by heterogeneity of the aquifer or to measurement precision.
- Water table contour maps were prepared for the three sampling events using the water
 levels measured at the water table wells. In addition, horizontal groundwater gradients
 were calculated at three locations to show the spatial variations in the shallow
 groundwater flow regime at the Omega Site. Although the horizontal gradients changed
 over time, the general shallow groundwater flow regime remained constant, as
 indicated by the similarities among the groundwater contours for the three sampling
 events.

4.2 VOC Detections

- PCE was detected at most monitoring wells at concentrations above the California Primary MCL of 5 μg/L in each sampling event. PCE concentrations over 1,000 μg/L were reported for Wells OW1A (240,000 μg/L in 3Q2009), OW2 (4,000 μg/L in 1Q2009), OW3A (3,200 μg/L in 3Q2009), OW5 (1,400 μg/L in 1Q2008), and OW8A (33,000 μg/L in 1Q2009).
- TCE was detected at most monitoring wells at concentrations above the California
 Primary MCL of 5 μg/L in each sampling event. TCE concentrations over 1,000 μg/L

- were reported for Wells OW1A (3,300 μ g/L in 1Q2008) and OW8A (1,400 μ g/L in 1Q2008), OW9 (1,200 μ g/L in 1Q2009), and MW31 (1,000 μ g/L in 3Q2009).
- F11 was detected at a few wells in each sampling event. Detections above the California Primary MCL (150 μ g/L) were reported for Wells OW2 (190 μ g/L in 1Q2008), OW5 (180 μ g/L in 1Q2008), OW8A (360 μ g/L in 1Q2008), OW9 (280 μ g/L in 1Q2009), MW1A (150 μ g/L in 1Q2009 & 3Q2009), MW5 (210 μ g/L in 1Q2008), MW14 (150 μ g/L in 1Q2008), MW15 (370 μ g/L in 1Q2008), MW23A (170 μ g/L in 1Q2008), and MW23C (160 μ g/L in 3Q2009).
- F113 was detected in samples from a few wells in each sampling event. Detections over 500 μ g/L were reported for Wells OW2 (1,100 μ g/L in 1Q2009), OW5 (540 μ g/L in 1Q2008), OW9 (930 μ g/L in 1Q2008), MW5 (580 μ g/L in 1Q2008), MW15 (1,000 μ g/L in 1Q2008), and MW23A (750 μ g/L in 1Q2008).
- Cis-1,2-DCE was detected at most wells in each sampling event. The California Primary MCL is 6 μ g/L and detections greater than 100 μ g/L were reported at Wells MW1A (170 J μ g/L in 1Q2009), MW17A (170 J μ g/L in 1Q2008), and MW12 (110 μ g/L in 3Q2009). The remaining detections were generally less than 40 μ g/L.
- 1,1-DCE was detected at most wells in each sampling event, generally at concentrations above the California Primary MCL (6 μg/L). 1,1-DCE concentrations over 500 μg/L were reported for Wells OW9 (1,600 μg/L in 3Q2009), OW8A (750 μg/L in 1Q2009), OW1A (730 μg/L in 1Q2008), OW3A (600 μg/L in 3Q2009), and OW2 (550 μg/L in 1Q2009).
- 1,1-DCA was detected at more than 20 wells in each sampling event. The California Primary MCL for 1,1-DCA is 5 μ g/L and the maximum concentrations were detected at Well MW17A (100 μ g/L in 1Q2008), Well OW8A (74J μ g/L in 1Q2009), and Well OW9 (46J μ g/L in 3Q2009).
- Chloroform was detected at most wells in each sampling event. Chloroform concentrations over $100 \,\mu g/L$ were reported for Well OW9 (1,100 $\mu g/L$ in 3Q2009 and 1Q2009), OW8A (770 $\mu g/L$ in 1Q2009), MW1A (210 $\mu g/L$ in 3Q2009), and OW5 (120 $\mu g/L$ in 1Q2008). These values exceed the EPA Primary MCL of 80 $\mu g/L$, which applies to total trihalomethanes (these include bromoform, bromodichloromethane, chloroform, and dibromochloromethane).
- Other chemical compounds were detected at only a few monitoring wells, with generally lower concentrations.

4.3 Plume Extent for Main Contaminants

- For each sampling event, plume maps were prepared for PCE, TCE, F11, F113, 1,4-dioxane, and 1,2-DCA to show the lateral extent of contamination at the Omega Site for these chemical compounds.
- The PCE plume is continuous over OU2. The distribution of PCE for these three quarters remained generally the same. PCE concentrations greater than 5 µg/L extend west-

southwest downgradient from the former Omega property to near EPA Well MW29. Concentrations exceeding $500~\mu g/L$ are associated with the Omega property and with another source area identified as the AMK.

- The TCE plume is continuous over OU2. The distribution of TCE for these three quarters generally remained the same and is similar to the distribution of PCE.
- The Freon plumes are continuous over OU2. The distribution of F113 is similar to the distribution of F11.
- The distributions of 1,2-DCA were similar for the three sampling events. The 1,2-DCA plume is narrow and follows the main contaminant transport pathway from the former Omega property; the plume is collocated with the zone of high PCE and TCE concentrations. The plume appeared to be continuous over OU2 in 2008. In 2009, 1,2-DCA concentrations declined in the area between MW23 and OW9 to ND levels.
- The distributions of 1,4-dioxane were similar for the three sampling events. The plume appears to be continuous over OU2 but covers a smaller extent than PCE or TCE.

4.4 Freon Ratios

• The ratios of concentrations of F113 and F11 were evaluated to identify indications of potential sources of Freons other than the former Omega facility. The ratios fall within a narrow range of 1.1 to 4.1 with a few exceptions. The narrow ratio range of the Freon ratios is not indicative of another source of Freon contamination that is significantly different from that of the former Omega property. However, it is noted that because of the limitations of this analysis, only a substantial change in the F113/F11 ratio resulting from a substantial release of Freon(s) to groundwater could have been distinguished.

4.5 Temporal Concentration Trends

Statistical trend analyses were conducted to help in assessing the temporal concentration changes of the various contaminants in groundwater at the Omega Site, with the following findings:

- In general, a decreasing trend was observed for the majority of contaminants (except PCE, which showed increasing trend at some locations) at the wells located in the vicinity of and immediately downgradient of the Omega facility.
- Increasing VOC concentration trends were observed at several monitoring wells, most of which are located downgradient of the wells with decreasing trends, and at locations closer to the AMK properties.
- Wells situated in the southern portion of OU2 generally showed no significant VOC concentration trend. It is noted, however, that these wells generally have shorter monitoring records than wells located in the northern portion of OU2, which affects the trend determination.

- PCE showed increasing trend at multiple locations, including the Omega Site and other facilities. TCE trends are similar although less pronounced.
- F11 and F113, in contrast to PCE and TCE, showed decreasing trend near the Omega facility and increasing trend downgradient of the wells with decreasing trend (between Slauson Avenue and AMK). These trends may suggest that there is currently no substantial release of Freons into the aquifer at OU1. The center of the mass of the Freon plume may currently be at the locations where the Freon concentrations are increasing.
- Although MW23D data were not sufficient for statistical trend analysis, or they resulted in no significant trend, visual inspection of the time series charts shows increasing apparent trends for most detected compounds. Such increasing trends at MW23D would be significant, suggesting that downward vertical migration of the contamination into the deeper aquifer units is currently occurring.

4.6 Other Facility-Specific Data

Reports with groundwater analytical data were obtained for the following facilities located within the Omega OU2 area:

- Mission Linen Supply at 11904-11920 E Washington Boulevard, Whittier (CGC Environmental, 2009)
- Angeles Chemical Company at 8915 Sorensen Avenue, Santa Fe Springs (Clean Soil, Inc., 2009a and 2009b)
- McKesson Corporation at 9005 Sorensen Avenue, Santa Fe Springs (GeoSyntec Consultants, Inc., 2009)
- PhibroTech, Inc. at 8851 Dice Road, Santa Fe Springs (Iris Environmental, 2010)
- Techni-Braze, Inc. at 11845 Burke Street, Santa Fe Springs (LFR, 2008)
- Pilot Chemical Company at 11756 Burke Street, Santa Fe Springs (URS, 2010)
- Site C at 9120–9160 Norwalk Boulevard and 11925–11933 Los Nietos Road, Santa Fe Springs (URS, 2008)

The following is a summary of key VOC detections at these facilities:

- PCE and TCE were detected at the following facilities: Techni Braze, Inc. (PCE up to 6,100 μg/L, TCE up to 150 μg/L in 3Q2008), Pilot Chemical Company (PCE up to 140 μg/L, TCE up to 89 μg/L in 2009), Phibro-Tech, Inc. (PCE up to 130 μg/L, TCE up to 98 μg/L in 3Q2009), Site C (PCE up to 110 μg/L, TCE up to 85 μg/L in 2007), Mission Linen Supply (PCE up to 460, TCE up to 11 μg/L in 1Q2009), the former Angeles Chemical Company (PCE up to 344 μg/L, TCE up 305 μg/L in 1Q2009), and the former McKesson facility (PCE up to 1,100 μg/L, TCE up to 820 μg/L in 1Q2009).
- F11 was detected at Phibro-Tech, Inc. (up to 16 μg/L in 3Q2009), and the former McKesson facility (up to 84 μg/L in 1Q2009); F113 was also detected at Phibro-Tech, Inc. (up to 34 μg/L in 3Q2009).

- 1,2-DCA was detected at the following facilities: Techni Braze, Inc. (up to 0.64 μ g/L in 3Q2008), Pilot Chemical Company (up to 500 μ g/L in 2009), Phibro-Tech, Inc. (up to 19 μ g/L in 3Q2009), Site C (up to 26 μ g/L in 2007), the former Angeles Chemical Company (up 2.8 μ g/L in 1Q2009), and the former McKesson facility (up to 5300 μ g/L in 1Q2009).
- 1,4-DCE was detected at Phibro-Tech, Inc. (up to 63 μ g/L in 3Q2009), the former Angeles Chemical Company (up 12,200 μ g/L in 1Q2009) and the former McKesson facility (up to 120 μ g/L in 1Q2009).

5. Recommendations

CH2M HILL recommends the following actions in 2010:

- Continue sampling for VOCs, including 1,4-dioxane. Sample EPA wells every first and third quarter concurrently with OPOG sampling. Collect split samples only from OPOG wells. It is assumed that OPOG will provide EPA with the analytical results for their well sampling.
- The 2010 annual report should include plume maps for the same compounds as this report, temporal trends and trend maps, and Freon ratio analysis.
- The interpretation of Freon ratios should be discontinued if the results for 2010 are inconclusive.
- EPA should confirm the existence of the remaining former Oil Field Reclamation Project (OFRP) Wells MW12, MW19, and MW21 and attempt to measure water levels and collect samples for VOC analysis. The sampling will be limited to collecting grab samples using disposable bailers without purging the wells.
- EPA should split-sample, or request analysis for F113 for former CENCO Refinery (CENCO) Wells MW101, MW105, MW201, MW603, MW605, and MW606.
- EPA should obtain analytical results and water levels from groundwater monitoring at Ashland; CENCO; Waste Disposal, Inc. (WDI); McKesson Chemical; Angeles Chemical Company; Phibro-Tech, Inc.; Techni Braze, Inc.; Pilot Chemical Company; Foss Plating; Mission Linen; Sites B, C, I, J, and K; and water levels for Golden West Refinery through interagency data sharing and include them in future monitoring reports.

6. References

CGC Environmental, 2009. First Quarter 2009 Groundwater Monitoring Report Former Mission Linen Supply Facility, Santa Fe Springs, California, April 24.
CH2M HILL. 2010. Final Remedial Investigation/Feasibility Study Reports, Omega Chemical Corporation Superfund Site Operable Unit 2. Prepared for the EPA. August.
———. 2006a. Field Sampling Plan for Omega Chemical Superfund Site Operable Unit 2 Remedial Investigation/Feasibility Study Addendum 1. Prepared for the EPA. November.
———. 2006b. Quality Assurance Project Plan Omega Chemical Superfund Site Operable Unit 2 Remedial Investigation/Feasibility Study Addendum 1. Prepared for the EPA. November.
———. 2004b. Quality Assurance Project Plan Omega Chemical Superfund Site Remedial Investigation/Feasibility Study Oversight. Prepared by CH2M HILL for EPA. April.
———. 2004d. Quality Assurance Project Plan Omega Chemical Superfund Site Operable Unit 2 Remedial Investigation/Feasibility Study. Prepared by CH2M HILL for EPA. July.
Clean Soil, Inc. 2009a. 2009 1st Quarter Groundwater Monitoring Report, Former Angeles Chemical Company Facility, Santa Fe Springs, California, April.
———. 2009b. 2009 3rd Quarter Groundwater Monitoring Report, Former Angeles Chemical Company Facility, Santa Fe Springs, California, October.
GeoSyntec Consultants, Inc. 2009. First Quarter 2009 Groundwater Monitoring Report – Former McKesson Facility, Santa Fe Springs, California. July 21.
Iris Environmental. 2010. October 2009 Quarterly Sampling and 2009 Annual Groundwater Monitoring Report, Phibro-Tech, Inc., Santa Fe Springs, California. January 26.
LFR, 2008. Quarterly Groundwater Monitoring Report for the Third Quarter of 2008 Bodycote Thermal Processing Techni-Braze Facility 11845 Burke Street Santa Fe Springs, California. October.
URS Corporation Americas (URS). 2010. December 2009 Semi-Annual Remediation Status Report Pilot Chemical Company 11756 Burke Street, Santa Fe Springs, California, February.
———. 2008. 2007 Groundwater Monitoring Report, Los Nietos Business Center, Santa Fe Springs, California. January 30.

Tables

TABLE 1-1
Omega Well Construction Details
Omega Chemical Superfund Site

Well ID	X Coordinate (meters)	Y Coordinate (meters)	Surface Elevation (feet amsl)	TOC Elevation (feet amsl)	Depth to Screen Top (feet bgs)	Depth to Screen Bottom (feet bgs)	Total Depth (feet bgs)	Total Depth Drilled (feet bgs)	Borehole Diameter (inches)	Casing Diameter (inches)	-Screen Material	Screen Slot Size (inches)	Casing Material	Filter Pack Grade	Filter Pack Top (feet bgs)	Filter Pack Bottom (feet bgs)	Drilling Method	Annular Seal Material	Annular Seal Top (feet bgs)	Annular Seal Bottom (feet bgs)
· OW1A	403554.4000	3759242.1000	209.99	212.50	63	77.5	77.5	80	10	4	SST	0.02	SCH40 PVC	2/12	59	78	hollow stem auger	neat slurry	3.5	56.2
OW1B		3759236.7550	207.37	. 207.18	110	120	120	130	10	4	SST	0.02	Mild Steel	2/12	99	130	hollow stem auger	95/5 slurry bentonite pellets	0 96	96 99
OWIB	403542.8490		207.31			120				4		0.02				130	Hollow Stern auger	95/5 slurry	0	50
OW2	403461.2000	3759246.6000	203.24	202.30	60	80	80	85	10	44	SST	0.02	Mild Steel	2/12	55	85 -	hollow stem auger	bentonite pellets 95/5 slurry	50 0	55 53
OW3A	403503.4000	3759170.1000	199.08	198.53	63	83	83	85	10	44	SST	0.02	Mild Steel	2/12	58	85	hollow stem auger	bentonite pellets 95/5 slurry	53 0	58 99
OW3B*	403522.0000	3759148.0000	197.77	197.06	112	122	122	139	10	4	SST	0.01	SCH40 PVC	2/12	106	126	mud rotary	bentonite chips #30 transition sand	99 105	105 107
OW4A	403320.6000	3759071.9000	184.93	184.67	49.8	69.8	69.8	80	10	4	SST	0.02	Mild Steel	2/12	47.7	75.7	hollow stem auger	95/5 slurry bentonite pellets	2 42.5	42.5 47.7
OW4B	403317.0360	3759072.3480	184.95	184.50	112	122.3	122.3	132	_ 10		SST	0.02	Mild Steel	2/12	109.5	132	hollow stem auger	95/5 slurry bentonite pellets	2 105	105 109.5
OW5	402744.6000	3758929.8000	154.88	154.16	30	-50	50	52	10	4	SST	0.02	SCH40 PVC	2/12	25	51	hollow stem auger	95/5 slurry bentonite	0 20	20 25
							-											95/5 slurry	2	30.5
OW6	403207.7000	3758942.3000	173.14	172.74	38	58	58	61.5	10	4	SST	0.02	Mild Steel	2/12	36	59	hollow stem auger	bentonite chips 95/5 slurry	30.5 2	36 60.6
_OW7	403600.4000	3759301.6000	215.54	214.21	70.9	90.9	90.9	92	10	4	SST	0.02	Mild Steel	2/12	65	92.5	hollow stem auger	bentonite pellets 95/5 slurry	60.6 2	65 51
.OW8A	403481.6370	3759209.4910	201.20	200.64	60.4	80	80	81	10	4	SST	0.02	, Mild Steel	2/12	55	81	hollow stem auger		51	55
OW8B	403480.0430	3759212.7890	201.43	200.82	116	126	126	143	10	4	SST	0.01	SCH40 PVC	2/12	111.3	128	mud rotary	95/5 slurry	2	110
MW1A	402749.8678	3759022.8370	157.81	157.71	45	60	60	60	10	4	SCH40 PVC	0.02	SCH40 PVC	3	41.5	60	hollow stem auger	95/5 slurry medium chips	1 35	35 42
MW1B	402749.9621	3759020.3187	158.10	158.05	75	85.4	85.4	95	10`	4	SCH40 PVC	0.02	SCH40 PVC	3	72	86	hollow stem auger	95/5 slurry bentonite pellets	1 67	67 72
MW2	402799.4810	3758870.1561	154.24	154.21	45	60	60	60	. 10	4	SCH40 PVC	0.02	SCH40 PVC	. 3	42.5	60	hollow stem auger	95/5 slurry bentonite pellets	1 38	38 42
MW3	402931.5361	3758376.4901	151.86	151.48	38	48	48	51.3	10	4	SCH40 PVC	0.02	SCH40 PVC	3	35.5	48	hollow stem auger	95/5 slurry bentonite chips	1 32	32 36
	,						`											95/5 slurry	1	36
MW4A	402537.1475	3758403.1393	147.02	146.80	42.7	53	53	53	10	4	SCH40 PVC	0.02	SCH40 PVC	. 3	38.5	53	hollow stem auger	bentonite chips 95/5 slurry bentonite	36 1	38.5 61.5
MW4B	402539.6698	3758404.8988	147.00	146.84	69.7	80	80	125	10	2	SCH40 PVC	0.02	SCH40 PVC	. 3	67	80	mud rotary	chips/pellets	61.5	67
MW4C	402539.8674	3758404.7150	147.39	147.10	88.7	99	99	125	10	2	SCH40 PVC	0.02	SCH40 PVC	3	- 85	99.5	mud rotary	bentonite pellets	80	85
MW5	402519.7145	3758707.9616	150.84	150.60	43.3	53.3	53.3	53	10	44	SCH40 PVC	10.00	SCH40 PVC	3	40.5	53.3	hollow stem auger	95/5 slurry bentonite chips	1 34	34 40.5
MW6	402213.7998	3758823.5521	150.39	150.28	37.1	47.5	47.5	47.5	10	4	SCH40 PVC	0.02	SCH40 PVC	3	35	47.5	hollow stem auger	95/5 slurry bentonite pellets	1 32	32 · 35
MW7	402772.1185	3757891.0470	143.59	143.28	35.8	46	46	46	10		SCH40 PVC	0.02	SCH40 PVC	3_	31	46	hollow stem auger	95/5 slurry bentonite chips	1 28	28 31
MW8A	402025.0430	3758460.7972	150.44	150.14	. 30	45	45	45	10	4	SCH40 PVC	0.02	SCH40 PVC	3	27	45	hollow stem auger	95/5 slurry bentonite chips	1 22	22 27

TABLE 1-1 Omega Well Construction Details Omega Chemical Superfund Site

Well ID	X Coordinate (meters)	Y Coordinate (meters)	Surface Elevation (feet amsl)	TOC Elevation (feet amsl)	Depth to Screen Top (feet bgs)	Depth to Screen Bottom (feet bgs)	Total Depth (feet bgs)	Total Depth Drilled (feet bgs)	Borehole Diameter (inches)	Casing Diameter (inches)	Screen • Material	Screen Slot Size (inches)	Casing Material	Filter Pack Grade	Filter Pack Top (feet bgs)	Filter Pack Bottom (feet bgs)	Drilling Method	Annular Seal Material	Annular Seal Top (feet bgs)	Annular Seal Bottom (feet bgs)
MW8B	402028.6156	3758457.7772	150.33	150.03	65	75	75	93	10	2	SCH40 PVC	0.02	SCH40 PVC	3	63	75	hollow stem auger	95/5 slurry bentonite pellets	1 59	59 63
MW8C	402028.4773	3758457.8119	150.33	150.03	86.7	91.7	91.7	93	10	2	SCH40 PVC	0.02	SCH40 PVC	3	84	93	hollow stem auger	bentonite pellets	75	83.5
MW8D	402021.5454	3758462.1309	150.09	149.91	110	120	120	150	10	4	SCH40 PVC	0.02	SCH40 PVC	3	108	122.5	mud rotary	95/5 slurry bentonite pellets	1 103	103 108
MW9A	401709.5798	3758510.4304	148.88	148.84	25	35	35	90	10	44	SCH40 PVC	0.02	SCH40 PVC	3	23	35	hollow stem auger	95/5 slurry bentonite chips	1 18	18 23
MW9B	401711.8963	3758510.1513	149.06	148.90	49.8	60	60	65	10	4	SCH40 PVC	0.02	SCH40 PVC	3	47	65	hollow stem auger	95/5 slurry bentonite pellets	1 44	44 47
MW10	402019,5356	3757645.7219	147.40	147.45	52	62	62	65	10	4 ·	SCH40 P.VC	0.02	SCH40 PVC	3	49	65	hollow stem auger	95/5 slurry bentonite pellets	1 45	45 49
MW11	402265.9120	3757445.4058	150.94	150.89	- 40	50	50	55	10	4 .	SCH40 PVC	0.02	SCH40 PVC	3	38	55	hollow stem auger	95/5 slurry bentonite chips	1 31	31 37
MW12	403349.1800	3759544.0500	220.53	220.87	82	97	102.18	102	6	2	SCH80 PVC	0.01	SCH80 PVC	30	80	102	- sonic	95/5 slurry	11	80
MW13A	403429.2800	3759304.2900	206.33	206.02	. 56	66	72.2	71	10	2	SCH80 PVC	0.02	SCH80 PVC	2/16	54	69	mud rotary	95/5 slurry medium chips medium chips	1 52 69	52 54 71
MW13B	403429.2800	3759304.2900	206.33	205.88	123	133	138.4	138	10	2	SCH80 PVC	0.02	SCH80 PVC	2/16	121	139	mud rotary	1:1 medium chips	71 119	119 121
MW14	403113.1900	3759053.8700	172.97	172.63	60	75	79.91	80	6	2	SCH80 PVC	0.02	SCH80 PVC	2/12	57	80	_ sonic	95/5 slurry medium chips	1 · 55	55 57
MW15	402532.6800	3758539.7300	148.65	148.28	50_	70	74.95	75	6	2	SCH80 PVC	0.01	SCH80 PVC	2/12	48	75	sonic	95/5 slurry medium chips	1 46	46 48
MW16A	401492.7800	3757951.1300	153.47	153.19	45	60	65.93	65	8.75	2	SCH80 PVC	0.02	SCH80 PVC	2/16	43	60	mud rotary	95/5 slurry medium chips	1 40	40 43
MW16B	401492.7800	3757951.1300	153.47	153.19	106	116	120.19	121	8.75	2	SCH80 PVC	0.02	SCH80 PVC	2/16	104	118	mud rotary	1:1 medium chips medium chips	65 102 118	102 104 121
MW16C	401492.7800	3757951.1300	153.47	153.26	149	164	169.7	169	8.75	2	SCH80 PVC	0.02	SCH80 PVC	3	147	169	mud rotary	1:1 medium chips	121 145	145 147
MW17A	401264.1800	3757463.4200	159.40	159.03	56	71	75.67	76	8.75	2	SCH80 PVC	. 0.02	SCH80 PVC	2/16	54	73	mud rotary	95/5 slurry medium chips medium chips	1 52 73	52 54 76
MW17B	401264.1800	3757463.4200	159.40	158.90	94	104	109.7	109	8.75	2	SCH80 PVC	0.02	SCH80 PVC	2/16	92	107	mud rotary	1:1 medium chips medium chips	76 90 107	90 ° 92 109
MW17C	401264.1800	3757463.4200	159.40	159.00	172	182	187.15	187	8.75	2	SCH80 PVC	0.02	SCH80 PVC	2/16	170	190	mud rotary	1:1 medium chips	109 168	168 170
MW18A	402590.5500	3757631.0500	144.32	143.73	56	71	75.95	76	8.75	2	SCH80 PVC	0.02	SCH80 PVC	2/16	54	76	mud rotary	95/5 slurry medium chips	1 52	52 54
MW18B	402590.5500	3757631.0500	144.32	143.83	90	100	105.47	105	8.75	2	SCH80 PVC	0.02	SCH80 PVC	2/16 ⁻	88	103	mud rotary	1:1 medium chips medium chips	76 86 103	86 88 105
MW18C	402590.5500	3757631.0500	144.32	143.83	146	161	166.6	166	8.75	2	SCH80 PVC	0.02	SCH80 PVC	2/16	144	164	mud rotary	1:1 medium chips	105 142	142 144
MW19	401687.0600	3756760.8500	159.01	158.73	56	71	74.8	76	6	2	SCH80 PVC	0.02	SCH80 PVC	2/16	54	76	sonic	95/5 slurry medium chips	1 52	51 54
MW20A	400670.8400	3756601.7200	142.07	141.31	75	90	94.7	95	10	2	SCH80 PVC	0.02	SCH80 PVC	2/12	73	87	mud rotary	95/5 slurry medium chips	1 70	70 73

TABLE 1-1 Omega Well Construction Details Omega Chemical Superfund Site

Well ID	X Coordinate (meters)	Y Coordinate (meters)	Surface Elevation (feet amsl)	TOC Elevation (feet amsl)	Depth to Screen Top (feet bgs)	Depth to Screen Bottom (feet bgs)	Total Depth (feet bgs)	Total Depth Drilled (feet bgs)	Borehole Diameter (inches)	Casing Diameter (inches)	Screen Material	Screen Slot Size (inches)	Casing Material	Filter Pack Grade	Filter Pack Top (feet bgs)	Filter Pack Bottom (feet bgs)	Drilling Method	Annular Seal Material	Annular Seal Top (feet bgs)	Annular Seal Bottom (feet bgs)
						-			-									medium chips 1:1	87 89	89 118
MW20B	400670.8400	3756601.7200	142.07	141.32	122	132	137.7	137	10	2	SCH80 PVC	0.02	SCH80 PVC	2/12	120	137	mud rotary	medium chips medium chips	118 132	120 134
			440.07	444.05	400			405	. 10		201100 0110	0.00	001100 010	0440	470			1:1	134	176
MW20C	400670.8400	3756601.7200	142.07	141.35	180	190	195.2	195	10	2	SCH80 PVC	0.02	SCH80 PVC	2/12	178	196	mud rotary	medium chips	176	178
MW21	400223.2600	3756893.9900	129.27	128.81	64	79	84.8	84	6	2	SCH80 PVC	0.02	SCH80 PVC	2/16	61	83	sonic	95/5 slurry medium chips	1 59	59 61
									-									95/5 slurry	1	68
MW22	400466.1900	3757381.9000	151.47	150.82	74	89	93.83	. 94	6	2	SCH80 PVC	0.02	SCH80 PVC	2/16	71	94	sonic	medium chips	68	71
											001100 5110		001100 5140					95/5 slurry	1	26
MW23A	402207.2296	3758346.3553	149.07	148.76	35	55	60.00	62	8	4	SCH80 PVC	0.02	SCH80 PVC	. 3	32	62	sonic	medium chips	26	32
MW23B	402203.7800	3758349.1800	149.36	149.06	82	97	101.6	102	10	2	SCH80 PVC	0.02	SCH80 PVC	2/16	86	. 99	mud rotary	95/5 slurry transitional sand	1 85	85 86
																		medium chips 1:1	99 102	102 142
MW23C	402203.7800	3758349.1800	149.36	149.07	145	160	164.55	165	10	2	SCH80 PVC	0.02	SCH80 PVC	2/16	143	162	mud rotary	transitional sand	142	143
														•				medium chips 1:1	161 164	164 171
MW23D	402203.7800	3758349.1800	149.36	148.04	175	185	189.8	190	10	2	SCH80 PVC	0.02	SCH80 PVC	2/16	173	190	mud rotary	transitional sand	171	173
MW24A	402002 5000	3758908.7331	162.44	162.04	50	70	75	200	16	4	SCH80 PVC	0.02	SCH80 PVC	3	47	75	mud setany 3	95/5 slurry medium chips	1 40	40 47
IVIVVZ4A	402993.5009	3/30900./331	162.44	102.04	50	. 70		200	. 16	4	3CHOUPVC	0.02	SCHOUPVC_		- 47	/5	mud rotary '>			
MW24B	402993.3534	3758908.7679	162.44	162.03	110	125	130	200	16	2	SCH80 PVC	0.02	SCH80 PVC	3	107	130	mud rotary	1:1 medium chips	75 100	100
MW24C	402993.4479	3758908.9665	162.44	162.02	140	160	165	200	16	4	SCH80 PVC	0.02	SCH80 PVC	3	137	163	mud rotary	medium chips	130	137
									,										100	470
MW24D	402993.5391	3758908.8547	162.44	162.05	173	178	183	200	16	2	SCH80 PVC	0.02	SCH80 PVC	3	170	185	mud rotary	medium chips	163	170
MW25A	401814.5784	3757890.5951	148.25	147.90	. 45	65	70	220	14.5	4	SCH80 PVC	0.02	SCH80 PVC	3	41	71	mud rotary	95/5 slurry medium chips	35	35 41
																		1:1	71	80
MW25B	401814.5418	3757890.6288	148.25	147.84	90	110	115	220	14.5	2	SCH80 PVC	0.02	SCH80 PVC	3	85	116	mud rotary	medium chips	80	85
																	`	1:1	116	130
MW25C	401814.5418	3757890.6288	148.25	147.86	140	150	155	220	14.5	4	SCH80 PVC	0.02	SCH80 PVC	3	135	156	mud rotary	medium chips	130	135
MW25D	401814.5418	3757890.6288	148.25	147.87	194	209	214	220	14.5	2	SCH80 PVC	0.02	SCH80 PVC	3	189	220	mud rotary	1:1 medium chips	156 184	184 189
	10101110110	0.01000.0200																95/5 slurry	1	57
MW26A	401270.0608	3757125.1557	155.98	155.62	70	90	95	250	14.5	4	SCH80 PVC	0.02	SCH80 PVC	3	65	93	mud rotary	medium chips	57	65
MW26B	401269.9123	3757125.0907	155.98	155.45	105	120	125	250	14.5	_2	SCH80 PVC	0.02	SCH80 PVC	3	100	126.5	mud rotary	medium chips	93	100
MW26C	401270.0435	3757125.2668	155.98	155.41	145	160	165 -	250	14.5	2	SCH80 PVC	0.02	SCH80 PVC	3	140	166	mud rotary	1:1 medium chips	126.5 135	135 140
14144500	701210.0433	3131123.2000	199.80	100.41	145	100	103 1	250	14.0		30,100 F VC	0.02	301100 FVC		170	100	muu rotary	,		
MW26D	401269.9045	3757125.2349	155.98	155.37	185	205	210	250	14.5	2	SCH80 PVC	0.02	SCH80 PVC	3	180	212	mud rotary	1:1 medium chips	166 175	175 180
																		95/5 slurry	1 .	78
MW27A	400902.9714	3755901.7834	139.47	139.24	90	110	115	225	14.5	4	SCH80 PVC	0.02	SCH80 PVC	2/12	87	115	mud rotary	medium chips	78	87
			,							_	,		000000			100		1:1	115	130
MW27B	400903.0537	3755901.6938	139.47	139.18	144	164	. 169	225	14.5	4	SCH80 PVC	0.02	SCH80 PVC	2/12	141	168	mud rotary	medium chips	130	141
MW27C	400902.8870	3755901.6623	139.47	139.17	180	190	195	225	14.5	2	SCH80 PVC	0.02	SCH80 PVC	2/12	177	193	mud rotary	medium chips	168	177

TABLE 1-1 Omega Well Construction Details Omega Chemical Superfund Site

Well ID	X Coordinate (meters)	Y Coordinate (meters)	Surface Elevation (feet amsl)		Depth to Screen Top (feet bgs)	Depth to Screen Bottom (feet bgs)	Total Depth (feet bgs)	Total Depth Drilled (feet bgs)	Borehole Diameter (inches)	Casing Diameter (inches)	Screen Material	Screen Slot Size (inches)	Casing Material	Filter Pack Grade	Filter Pack Top (feet bgs)	Filter Pack Bottom (feet bgs)	Drilling Method	Annular Seal Material	Annular Seal Top (feet bgs)	Annular Seal Bottom (feet bgs)
MW27D	400902.9879	3755901.5947	139.47	139.13	200	210	215	225	14.5	. 2	SCH80 PVC	0.02	SCH80 PVC	2/12	197	225	mud rotary	medium chips	193	197
MW28	400066.1942	3755133.6448	120.40	119.91	85	105	110	112	8	4	SCH80 PVC	0.02	SCH80 PVC	3	80	112	sonic	95/5 slurry medium chips	1 74	74 80
MW29	400888.7643	3753618.8894	107.34	107.10	90	110	115	117	8	_4	SCH80 PVC	0.02	SCH80 PVC	3	87	117 /	sonic	95/5 slurry medium chips	1 80	80 87
MW30	401820.1912	3753277.4081	107.24	106.70	95	115 ′	120	130	8	4	SCH80 PVC	0.02	SCH80 PVC	3	91	120	sonic	95/5 slurry medium chips medium chips	1 85 120	85 91 130
MW31	403391.2061	3759680.342	233.00	232.67	. 106	121	126	126	8	2	SCH80 PVC	0.01	SCH80 PVC	2/16	103	126		95/5 slurry bentonite chips #60 transition sand	1 99.5	99.5 102.6 103
EW1	402022.7900	3758460.3700	150.02	149.51	65	75	. 80	80	8.75	4	SCH80 PVC	0.02	SCH80 PVC	2/12	63	78	. mud rotary	95/5 slurry medium chips	1 60	60 63

Notes:

* Survey information for OW3B is not currently available. Coordinates are approximate.

X and Y coordinates surveyed in UTM meters, NAD 83, Zone 11

Surface and TOC elevations surveyed in NGVD 88 datum, benchmark of DYHS (Downey High School)

Abbreviations:
amsl = above mean sea level
bgs = below ground surface
SCH = schedule
PVC = polyvinyl chloride
SST = stainless steel
TOC = top of casing

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

MW1A	Interval (ft BGS) 45-60	08/19/02 11/18/02 02/26/03 05/21/03 03/04/04 06/23/04	Depth to Water (ft) 33.74 35.65 34.68 32.33 39.04	Measuring Point Elevation (ft) 157.71 157.71 157.71	Water Level Elevation (ft) 123.97 122.06	Consultant/Source Weston
		08/19/02 11/18/02 02/26/03 05/21/03 03/04/04	33.74 35.65 34.68 32.33	157.71 157.71	123.97	Weston
MW1A	45-60	11/18/02 02/26/03 05/21/03 03/04/04	35.65 34.68 32.33	157.71		
		02/26/03 05/21/03 03/04/04	34.68 32.33		1////	
		05/21/03 03/04/04	32.33	157.71		Weston
		03/04/04			123.03	Weston
			RUDZ	157.71	125.38	Weston
		06/23/04		157.71	118.67	CH2M HILL
		00/44/04	39.77	157.71	117.94	CH2M HILL
	. 1	09/14/04	41.02	157.71	116.69	CH2M HILL
		12/07/04	42.65	157.71	115.06	CH2M HILL
		03/02/05	41.88	157.71	115.83	CH2M HILL
		06/21/05	34.91	157.71	122.80	CH2M HILL
		09/01/05	33.36	157.71	124.35	CH2M HILL
		03/08/06	33.84	157.71	123.87	CH2M HILL
·		05/23/06	32.51	157.71	125.20	CH2M HILL
		09/08/06	33.08	157.71	124.63	CH2M HILL
		03/07/07	33.84	157.71	123.87	CH2M HILL
		07/25/07	33.55	157.71	124.16	CH2M HILL
		02/26/08	38.46	157.71	119.25	CH2M HILL
		03/04/09	44.32	157.71	113.39	CH2M HILL
		09/11/09	46.70	157.71	111.01	CH2M HILL
MW1B	75-85.4	08/28/02	34.05	158.05	124.00	Weston
		11/18/02	35.10	158.05	122.95	Weston
		02/26/03	34.56	158.05	123.49	Weston
		05/21/03	32.32	158.05	125.73	Weston
		03/04/04	38.93	158.05	119.12	CH2M HILL
		06/23/04	39.64	158.05	118.41	CH2M HILL
		09/14/04	40.91	158.05	117.14	CH2M HILL
		12/07/04	42.51	158.05	115.54	CH2M HILL
		03/02/05	41.73	158.05	116.32	CH2M HILL
		06/21/05	34.91	158.05	123.14	CH2M HILL
		09/01/05	33.22	158.05	124.83	CH2M HILL
		03/08/06	33.80	158.05	124.25	CH2M HILL
-		05/23/06	32.39	158.05	125.66	CH2M HILL
		09/08/06	32.96	158.05	125.09	CH2M HILL
		03/07/07	33.68	158.05	124.37	CH2M HILL
·		07/25/07	33.42	158.05	124.63	CH2M HILL
		02/26/08	38.33	158.05	119.72	CH2M HILL
		03/04/09	44.20	158.05	113.85	CH2M HILL
		09/11/09	46.57	158.05	111.48	CH2M HILL
					1	Ť
MW2	45-60	08/19/02	30.05	154.21	124.16	Weston
		11/20/02	31.88	154.21	122.33	Weston
		03/03/03	31.18	154.21	123.03	Weston
		05/22/03	29.05	154.21	125.16	Weston
		03/04/04	35.20	154.21	119.01	CH2M HILL
		06/22/04	35.91	154.21	118.30	CH2M HILL
		09/14/04	37.20	154.21	117.01	CH2M HILL
	<u> </u>	12/08/04	45.20	154.21	109.01	CH2M HILL
		03/02/05	37.98	154.21	116.23	CH2M HILL
	-	06/21/05	31.88	154.21	122.33	CH2M HILL
	- 	09/02/05	30.17	154.21	124.04	CH2M HILL
 _		03/08/06	30.40	154.21	123.81	CH2M HILL
	- 	05/24/06	29.02	154.21	125.19	CH2M HILL
		09/07/06	29.52	154.21	124.69	CH2M HILL
		03/05/07	30.31	154.21	123.90	CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen		B		l	
Well ID	Interval (ft BGS)	Data	Depth to	Measuring Point	Water Level	Consultant/Source
weit in	(11 BG3)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
	,	07/26/07	30.08	154.21	124.13	CH2M HILL
		02/29/08	34.68	154.21	119.53	CH2M HILL
		03/06/09	40.27	154.21	113.94	CH2M HILL
		09/14/09	42.71	154.21	111.50	CH2M HILL
NAVA/O	20.40	00/40/00	00:05	154.40	400.40	\A/
MW3	38-48	08/19/02	28:05	151.48	123.43 121.97	Weston Weston
		11/13/02 02/24/03	29.51 29.05	151.48 151.48	121.97	Weston
		05/16/03	27.85	151.48	123.63	Weston
		03/04/04	32.33	151.48	119.15	CH2M HILL
		06/24/04	33.30	151.48	118.18	CH2M HILL
		09/16/04	34.38	151.48	117.10	CH2M HILL
		12/08/04	35.42	151.48	116.06	CH2M HILL
		03/02/05	30.88	151.48	120.60	CH2M HILL
		06/24/05	30.18	151.48	121.30	CH2M HILL
		09/01/05	29.10	151.48	122.38	CH2M HILL
		03/09/06	28.90	151.48	122.58	CH2M HILL
		05/18/06	28.57	151.48	122.91	CH2M HILL
· -		09/07/06	28.20	151.48	123.28	CH2M HILL
		03/06/07	28.94	151.48	122:54	CH2M HILL
		07/19/07	28.76	151.48	122.72	CH2M HILL
		02/21/08	31.82	151.48	119.66	CH2M HILL
		03/02/09	36.50	151.48	114.98	CH2M HILL
		09/11/09	38.71	151.48	112.77	CH2M HILL
MW4A	42.7-53	08/19/02	25.74	146.80	121.06	Weston
		11/14/02	27.39	146.80	119.41	Weston
		02/18/03	26.37	146.80	120.43	Weston
		05/19/03	24.50	146.80	122.30	Weston
		03/04/04	30.37	146.80	116.43	CH2M HILL
		06/21/04	31.07	146.80	115.73	CH2M HILL
		09/16/04	32.40	146.80	114.40	CH2M HILL
· · · · · · · · · · · · · · · · · · ·		12/06/04	33.78	146.80	113.02	CH2M HILL
		02/28/05	31.76 31.07	146.80 146.80	115.04 115.73	CH2M HILL CH2M HILL
		06/21/05 08/30/05	25.56	146.80	121.24	CH2M HILL
		03/07/06	25.90	146.80	120.90	CH2M HILL
		05/19/06	24.56	146.80	122.24	CH2M HILL
		08/29/06	25.03	146.80	121.77	CH2M HILL
		02/26/07	26.03	146.80	120.77	CH2M HILL
		07/24/07	25.51	146.80	121.29	CH2M HILL
		02/26/08	29.66	146.80	117.14	CH2M HILL
		03/05/09	35.15	146.80	111.65	CH2M HILL
		09/04/09	37.20	146.80	109.60	CH2M HILL
MW4B	69.7-80	08/19/02	25.60	146.84	121.24	Weston
		11/14/02	27.22	146.84	119.62	Weston
		02/18/03	26.27	146.84	120.57	Weston
		05/19/03	24.40	146.84	122.44	Weston
		03/04/04	30.24	146.84	116.60	CH2M HILL
<u> </u>		06/21/04	31.01	146.84	115.83	CH2M HILL
		09/13/04	32.22	146.84	114.62	CH2M HILL
		12,06/04	33.69	146.84	113.15	CH2M HILL
		02/28/05	31.60	146.84	115.24	CH2M HILL
		06/21/05	26.59	146.84	120.25	CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	A Historical Groun					
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
	1 (1 - 1 - 1	08/30/05	25.38	146.84	121.46	CH2M HILL
	- 	03/07/06	25.80	146.84	121.04	CH2M HILL
		05/19/06	24.47	146.84	122.37	CH2M HILL
		08/29/06	24.47	146.84	122.02	CH2M HILL
		02/26/07	25.86	146.84	120.98	CH2M HILL
		07/24/07	25.49	146.84	121.35	CH2M HILL
		02/26/08	29.57	146.84	117.27	CH2M HILL
		03/05/09	35.00	146.84	111.84	CH2M HILL
-		09/04/09	37.10	146.84	109.74	CH2M HILL
		22112122	07.50			
MW4C	88.7-99	08/19/02	27.52	147.10	119.58	Weston
		11/14/02	29.21	147.10	117.89	Weston
		02/18/03	27.90	147.10	119.20	Weston
		05/19/03	25.89	147.10	121.21	Weston
		03/04/04	32.30	147.10	114.80	CH2M HILL
		06/21/04	33.25	147.10	113.85	CH2M HILL
		09/13/04	34.95	147.10	112.15	CH2M HILL
		12/06/04	36.01	147.10	111.09	CH2M HILL
		02/28/05	33.09	147.10	114.01	CH2M HILL
-	•	06/21/05	27.85	147.10	119.25	CH2M HILL
-		08/30/05	26.91	147.10	120.19	CH2M HILL
<u> </u>		03/07/06	27.42	147.10	119.68	CH2M HILL
		05/01/06	26.10	147.10	121.00	CH2M HILL
		08/29/06	26.43	147.10	120.67	CH2M HILL
- · · · · · · · · · · · · · · · · · · ·		02/26/07	27.34	147.10	119.76	CH2M HILL
		07/24/07	27.32	147.10	119.78	CH2M HILL
		02/26/08	31.32	147.10	115.78	CH2M HILL
		03/05/09	37.72	147.10	109.38	CH2M HILL
		09/04/09	40.44	147.10	106.66	CH2M HILL
841875	40.0.50.0	00/40/02	20.02	150.00	400.57	10/
MW5	43.3-53.3	08/19/02	28.03	150.60	122.57	Weston
		11/20/02	29.97	150.60	120.63	Weston
		02/03/03	28.63	150.60	121.97	Weston
		05/22/03	26.30	150.60	124.30	Weston
		03/04/04	33.44	150.60	117.16	CH2M HILL
		06/22/04	33.98	150.60	116.62	CH2M HILL
		09/14/04	35.32	150.60	115.28	CH2M HILL
		12/06/04	37.10	150.60	113.50	CH2M HILL
		02/28/05	35.75	150.60	114.85	CH2M HILL
		06/21/05	28.51	150.60	122.09	CH2M HILL
		08/30/05	27.18	150.60	123.42	CH2M HILL
		03/07/06	27.80	150.60	122.80	CH2M HILL
		05/24/06	26.31	150.60	124.29	CH2M HILL
		08/29/06	26.94	150.60	123.66	CH2M HILL
		02/26/07	27.89	150.60	122.71	CH2M HILL
,		07/18/07	27.55	150.60	123.05	CH2M HILL
	***	02/26/08	32.64	150.60	117.96	CH2M HILL
•		03/05/09	38.94	150.60	111.66	CH2M HILL
<u> </u>	-	09/04/09	40.99	150.60	109.61	CH2M HILL
			10.00	1	100.01	1
MW6	37.1-47.5	08/19/02	28.34	150.28	121.94	Weston
		11/19/02	30.39	150.28	119.89	Weston
<u> </u>		02/03/03	28.59	150.28	121.69	Weston
		05/19/03	25.84	150.28	124.44	Weston
		03/04/04				CH2M HILL
	L	03/04/04	33.94	150.28	116.34	TOURS HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen	1				
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
	1	06/22/04	34.45	150.28	115.83	CH2M HILL
	-	09/14/04	35.98	150.28	114.30	CH2M HILL
		12/07/04	37.84	150.28	112.44	CH2M HILL
		03/02/05	36.08	150.28	114.20	CH2M HILL
		06/21/05	27.81	150.28	122.47	CH2M HILL
····		08/30/05	26.57	150.28	123.71	CH2M HILL
		03/07/06	27.67	150.28	122.61	CH2M HILL
		05/23/06	26.16	150.28	124.12	CH2M HILL
· · · · · · · · · · · · · · · · · · ·	*	08/30/06	26.81	150.28	123.47	CH2M HILL
		02/28/07	27.72	150.28	122.56	CH2M HILL
		07/18/07	27.50	150.28	122.78	CH2M HILL
· · · · · · · · · · · · · · · · · · ·		02/25/08	33.01	150.28	117.27	CH2M HILL
		03/04/09	39.93	150.28	110.35	CH2M HILL
		09/04/09	41.90	150.28	108.38	CH2M HILL
		09/04/09	41.90	130.20	100.30	CHZIVI HILL
MW7	35.8-46	08/19/02	23.54	143.28	119.74	Weston
IVI V V /	33.0-40	11/13/02	23.68	143.28	119.74	Weston
		02/24/03	23.15	143.28	120.13	Weston
		05/19/03	21.90	143.28	121.38	Weston
·		03/04/04	25.88	143.28	117.40	CH2M HILL
		06/24/04	26.79	143.28	116.49	CH2M HILL
		09/14/04	27.77	143.28	115.51	CH2M HILL
		12/07/04	28.65	143.28	114.63	CH2M HILL
		03/03/05	25.85	143.28	117.43	CH2M HILL
.		06/21/05	23.82	143.28	119.46	CH2M HILL
		08/30/05	23.17	143.28	120.11	CH2M HILL
		03/06/06	23.13	143.28	120.15	CH2M HILL
		05/18/06	22.21	143.28	121.07	CH2M HILL
		08/28/06	22.12	143.28	121.16	CH2M HILL
 _		02/27/07	22.96	143.28	120.32	CH2M HILL
		07/16/07	22.90	143.28	120.38	CH2M HILL
		02/21/08	25.39	143.28	117.89	CH2M HILL
		03/02/09	29.65	143.28	113.63	CH2M HILL
		09/01/09	31.65	143.28	111.63	CH2M HILL
		20110100	20.01	450.44		
MW8A	30-45	08/19/02	29.61	150.14	120.53	Weston
		11/15/02	31.62	150.14	118.52	Weston
		02/25/03	30.07	150.14	120.07	Weston
		05/20/03	27.70	150.14	122.44	Weston
		03/04/04	35.21	150.14	114.93	CH2M HILL
		06/23/04	35.53	150.14	114.61	CH2M HILL
	·	09/14/04	37.02	150.14	113.12	CH2M HILL
		12/09/04	38.72	150.14	111.42	CH2M HILL
		03/01/05	36.94	150.14	113.20	CH2M HILL
		06/21/05	29.65	150.14	120.49	CH2M HILL
		08/31/05	28.31	150.14	121.83	CH2M HILL
		03/06/06	29.40	150.14	120.74	CH2M HILL
·		05/16/06	27.93	150.14	122.21	CH2M HILL
_		08/30/06	28.44	150.14	121.70	CH2M HILL
_		02/28/07	29.36	150.14	120.78	CH2M HILL
		07/17/07	28.91	150.14	121.23	CH2M HILL
		02/25/08	34.13	150.14	116.01	CH2M HILL
		03/03/09	40.60	150.14	109.54	CH2M HILL
		09/03/09	dry	150.14	n/a	CH2M HILL
					1	

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	A Historical Groun					
	Interval		Depth to	Measuring Point	Water Level	,
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
MW8B	65-75	08/19/02	29.54	150.03	120.49	Weston
	00.10	11/15/02	31.55	150.03	118.48	Weston
	<u> </u>	02/25/03	30.06	150.03	119.97	Weston
		05/20/03	27.70	150.03	122.33	Weston
		03/04/04	34.95	150.03	115.08	CH2M HILL
		06/23/04	35.45	150.03	114.58	CH2M HILL
-		09/15/04	36.96		113.07	CH2M HILL
		12/09/04	38.63	150.03 150.03	111.40	CH2M HILL
		03/01/05	36.85	150.03	113.18	CH2M HILL
		06/21/05				
			29.55	150.03	120.48	CH2M HILL
		08/31/05	28.24	150.03	121.79	CH2M HILL
		03/06/06	29.26	150.03	120.77	CH2M HILL
	-	05/16/06	27.72	150.03	122.31	CH2M HILL
		08/30/06	28.27	150.03	121.76	CH2M HILL
		02/28/07	29.28	150.03	120.75	CH2M HILL
·		07/17/07	28.73	150.03	121.30	CH2M HILL
		02/25/08	34.04	150.03	115.99	CH2M HILL
		03/03/09	40.50	150.03	109.53	CH2M HILL
		09/03/09	42.40	150.03	107.63	CH2M HILL
MW8C	86.7-91.7	08/19/02	30.51	150.03	119.52	Weston
		11/15/02	32.47	150.03	117.56	Weston
		02/25/03	30.78	150.03	119.25	Weston
		05/20/03	28.37	150.03	121.66	Weston
		03/04/04	35.88	150.03	114.15	CH2M HILL
		06/23/04	36.58	150.03	113.45	CH2M HILL
		09/15/04	38.42	150.03	111.61	CH2M HILL
		12/09/04	39.77	150.03	110.26	CH2M HILL
		03/01/05	37.18	150.03	112.85	CH2M HILL
		06/21/05	30.24	150.03	119.79	CH2M HILL
		08/31/05	29.05	150.03	120.98	CH2M HILL
		03/06/06	30.10	150.03	119.93	CH2M HILL
		05/16/06	28.50	150.03	121.53	CH2M HILL
		08/30/06	29.05	150.03	120.98	CH2M HILL
		02/28/07	29.96	150.03	120.07	CH2M HILL
		07/17/07	29.63	150.03	120.40	CH2M HILL
		02/25/08	34.76	150.03	115.27	CH2M HILL
		03/03/09	41.69	150.03	108.34	CH2M HILL
		09/03/09	43.99	150.03	106.04	CH2M HILL
MW8D	110-120	08/19/02	35.81	149.91	114.10	Weston
		11/15/02	37.54	149.91	112.37	Weston
		02/25/03	34.47	149.91	115.44	Weston
		05/20/03	31.84	149.91	118.07	Weston
		03/04/04	40.98	149.91	108.93	CH2M HILL
		06/23/04	42.65	149.91	107.26	CH2M HILL
		09/15/04	46.08	149.91	103.83	CH2M HILL
		12/09/04	45.90	149.91	104.01	CH2M HILL
		03/01/05	39.32	149.91	110.59	CH2M HILL
		06/21/05	33.54	149.91	116.37	CH2M HILL
		08/31/05	33.08	149.91	116.83	CH2M HILL
		03/07/06	34.25	149.91	115.66	CH2M HILL
		05/16/06	32.36	149.91	117.55	CH2M HILL
		08/30/06	33.35	149.91	116.56	CH2M HILL
- **		02/28/07	33.77	149.91	116.14	CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen					
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		07/17/07	34.63	149.91	115.28	CH2M HILL
		02/25/08	39.02	149.91	110.89	CH2M HILL
		03/03/09	48.40	149.91	101.51	CH2M HILL
		09/03/09	52.75	149.91	97.16	CH2M HILL
MW9A	25-35	08/19/02	28.30	148.84	120.54	Weston
		11/19/02	30.47	148.84	118.37	Weston
		02/26/03	28.82	148.84	120.02	Weston
		05/21/03	26.35	148.84	122.49	Weston
		03/04/04	dry	148.84		CH2M HILL
		06/22/04	dry	148.84	n/a	CH2M HILL
		09/15/04	dry	148.84	n/a	CH2M HILL
······································		12/07/04	dry	148.84	n/a	CH2M HILL
		03/01/05	34.49	148.84	114.35	CH2M HILL
		06/21/05	28.27	148.84	120.57	CH2M HILL
		08/31/05	26.78	148.84	122.06	CH2M HILL
 -		03/08/06	28.00	148.84	120.84	CH2M HILL
		05/24/06	26.25	148.84	122.59	CH2M HILL
		09/01/06	27.02	148.84	121.82	CH2M HILL
		03/02/07	28.02	148.84	120.82	CH2M HILL
_	•	07/25/07	27.39	148.84	121.45	CH2M HILL
		02/27/08	32.96	148.84	115.88	CH2M HILL
		03/06/09	34.51	148.84	114.33	CH2M HILL
		09/09/09	dry	148.84	n/a	CH2M HILL
	40.0.00	00/40/00	04.04	440.00	444.50	1147
MW9B	49.8-60	08/19/02	34.31	148.90	114.59	Weston
		11/19/02	35.40	148.90	113.50	Weston
		02/26/03	32.37	148.90	116.53	Weston
		05/21/03	29.41	148.90	119.49	Weston
		03/04/04	39.32	148.90	109.58	CH2M HILL
 -		06/22/04	40.36	148.90	108.54	CH2M HILL
		09/15/04	43.22	148.90	105.68	CH2M HILL
		12/07/04	44.25	148.90	104.65	CH2M HILL
		03/01/05	38.36	148.90	110.54	CH2M HILL
		06/21/05	31.09	148.90	117.81	CH2M HILL
		08/31/05	30.31	148.90	118.59	CH2M HILL
		03/08/06	31.80	148.90	117.10 119.03	CH2M HILL CH2M HILL
<u>-</u>		05/16/06	29.87	148.90		
		09/01/06 03/02/07	30.93 31.54	148.90	117.97 117.36	CH2M HILL CH2M HILL
	 	03/02/07	31.54	148.90 148.90	116.62	CH2M HILL
		02/27/08	37.18	148.90	111.72	CH2M HILL
		03/06/09	46.64	148.90	102.26	CH2M HILL
· · · · · · · · · · · · · · · · · · ·		09/09/09	49.41	148.90	99.49	CH2M HILL
		03/03/03	43.41	140.50	35.43	O IZIVI I IILL
MW10	52-62	08/19/02	33.36	147.45	114.09	Weston
IVIVV IU	52-02	11/19/02	36.59		110.86	Weston
-	·	02/24/03	35.07	147.45 147.45	112.38	Weston
						
		05/20/03	33.45	147.45	114.00	Weston
		03/04/04	38.47	147.45	108.98	CH2M HILL
		06/22/04	40.26	147.45	107.19	CH2M HILL
		09/15/04	42.00	147.45	105.45	CH2M HILL
		12/08/04	43.50	147.45	103.95	CH2M HILL
		03/01/05 06/21/05	41.35 36.63	147.45 147.45	106.10 110.82	CH2M HILL CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

M-11 ID	Screen Interval	Dete	Depth to	Measuring Point	Water Level	C
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		09/01/05	35.12	147.45	112.33	CH2M HILL
·		03/09/06	35.15	147.45	112.30	CH2M HILL
		05/23/06	33.73	147.45	113.72	CH2M HILL
		09/07/06	33.58	147.45	113.87	CH2M HILL
		03/06/07	34.25	147.45	113.20	CH2M HILL
		07/20/07	33.96	147.45	113.49	CH2M HILL
		02/21/08	38.51	147.45	108.94	CH2M HILL
		03/03/09	45.42	147.45	102.03	CH2M HILL
		09/02/09	47.80	147.45	99.65	CH2M HILL
		ļ				
MW11	40-50	08/19/02	35.87	150.89	115.02	Weston
,		11/19/02	37.61	150.89	113.28	Weston
		02/24/03	37.43	150.89	113.46	Weston
<u> </u>		05/16/03	36.20	150.89	114.69	Weston
		03/04/04	40.87	150.89	110.02	CH2M HILL
		06/24/04	41.72	150.89	109.17	CH2M HILL
		09/15/04	43.08	150.89	107.81	CH2M HILL
. <u> </u>		12/08/04	44.32	150.89	106.57	CH2M HILL
		03/03/05	42.83	150.89	108.06	CH2M HILL
		06/21/05	38.98	150.89	111.91	CH2M HILL
		09/02/05	37.75	150.89	113.14	CH2M HILL
		03/09/06	37.60	150.89	113.29	CH2M HILL
		05/18/06	36.58	150.89	114.31	CH2M HILL
		09/07/06	36.34	150.89	114.55	CH2M HILL
		03/06/07	36.77	150.89	114.12	CH2M HILL
		07/23/07	36.59	150.89	114.30	CH2M HILL
		02/21/08	40.36	150.89	110.53	CH2M HILL
		03/02/09	46.02	150.89	104.87	CH2M HILL
		09/02/09	48.32	150.89	102.57	CH2M HILL
MW12	82-97	08/31/05	88.20	220.87	132.67	CH2M HILL
		03/15/06	82.90	220.87	137.97	CH2M HILL
		06/22/06	85.44	220.87	135.43	Aracadis
		08/07/06	83.11	220.87	137.76	CH2M HILL
		09/08/06	82.36	220.87	138.51	CH2M HILL
		03/06/07	83.14	220.87	137.73	CH2M HILL
		07/17/07	83.53	220.87	137.34	CH2M HILL
		02/25/08	84.45	220.87	136.42	CH2M HILL
		03/05/09	88.00	220.87	132.87	CH2M HILL
		09/14/09	89.81	220.87	131.06	CH2M HILL
-						
MW13A	56-66	08/31/05	65.11	206.02	140.91	CH2M HILL
		03/15/06	dry_	206.02	n/a	CH2M HILL
. 		06/22/06	dry	206.02	n/a	Aracadis
		03/06/07	dry	206.02	n/a_	CH2M HILL
		07/26/07	dry	206.02	n/a	CH2M HILL
		03/03/08	dry	206.02	n/a	CH2M HILL
		03/06/09	dry	206.02	n/a	CH2M HILL
,		09/14/09	dry	206.02	n/a	CH2M HILL
ANAI42D	400 400	00/04/05	04.05	005.00	404.00	CUOMINI
MW13B	123-133	08/31/05	81.05	205.88	124.83	CH2M HILL
		03/15/06	81.85	205.88	124.03	CH2M HILL
		05/15/06	80.33	205.88	125.55	CH2M HILL
		06/22/06	81.75	205.88	124.13	Arcadis
		09/08/06	81.61	205.88	124.27	CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen]	}	
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	
·		03/06/07	81.68	205.88	124.20	CH2M HILL
		07/26/07	83.26	205.88	122.62	CH2M HILL
		03/03/08	85.39	205.88	120.49	CH2M HILL
		03/06/09	93.72	205.88	112.16	CH2M HILL
		09/14/09	98.27	205.88	107.61	CH2M HILL
MW14	60-75	06/13/06	46.20	172.63	126.43	Arcadis
		08/09/06	46.20	172.63	126.43	CH2M HILL
	<u> </u>	09/11/06	- 46.35	172.63	126.28	CH2M HILL
		03/06/07	47.22	172.63	125.41	CH2M HILL
		07/19/07	46.78	172.63	125.85	CH2M HILL
		02/25/08	50.98	172.63	121.65	CH2M HILL
		03/05/09	55.68	172.63	116.95	CH2M HILL
		09/14/09	58.18	172.63	114.45	CH2M HILL
MW15	50-70	08/31/05	25.40	148.28	122.88	CH2M HILL
	1 00.10	03/15/06	25.75	148.28	122.53	CH2M HILL
		05/24/06	24.41	148.28	123.87	CH2M HILL
		06/22/06	24.57	148.28	123.71	Arcadis
		08/30/06	24.79	148.28	123.49	CH2M HILL
		02/26/07	25.85	148.28	122.43	CH2M HILL
		07/24/07	25.49	148.28	122.79	CH2M HILL
		02/26/08	29.97	148.28	118.31	CH2M HILL
		03/05/09	35.69	148.28	112.59	CH2M HILL
		09/04/09	37.75	148.28	110.53	CH2M HILL
						_
MW16A	45-60	08/31/05	47.36	153.19	105.83	CH2M HILL
		03/13/06	48.03	153.19	105.16	CH2M HILL
		05/18/06	46.37	153.19	106.82	CH2M HILL
		06/22/06	46.07	153.19	107.12	Arcadis
		08/31/06	46.36	153.19	106.83	CH2M HILL
<u>.</u>		03/01/07	47.54	153.19	105.65	CH2M HILL
		07/23/07	47.11	153.19	106.08	CH2M HILL
		02/29/08	53.94	153.19	99.25	CH2M HILL
		03/10/09	dry	153.19		CH2M HILL
		09/08/09	dry	153.19		CH2M HILL
MW16B	106-116	08/31/05	48.51	153.19	104.68	CH2M HILL
		03/13/06	48.90	153.19	104.29	CH2M HILL
		06/22/06	46.88	153.19	106.31	Arcadis
		08/07/06	47.03	153.19	106.16	CH2M HILL
<u> </u>		08/31/06	47.25	153.19	105.94	CH2M HILL
		03/01/07	48.17	153.19	105.02	CH2M HILL
		07/23/07	48.23	153.19	104.96	CH2M HILL
		02/29/08	54.28	153.19	98.91	CH2M HILL
		03/10/09	63.79	153.19	89.40	CH2M HILL
		09/08/09	67.35	153.19	85.84	CH2M HILL
MW16C	149-164	08/31/05	51.29	153.26	101.97	CH2M HILL
<u> </u>	1	03/13/06	50.78	153.26	102.48	CH2M HILL
		06/22/06	49.17	153.26	104.09	Arcadis
		08/07/06	49.35	153.26	103.91	CH2M HILL
		08/31/06	49.63	153.26	103.63	CH2M HILL
		03/01/07	49.80	153.26	103.46	CH2M HILL
· · · · · · · · · · · · · · · · · · ·		07/23/07	51.69	153.26	101.57	CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen	I				
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
=======================================		02/29/08	55.86	153.26	97.40	CH2M HILL
		03/10/09	65.53	153.26	87.73	CH2M HILL
		09/08/09	71.04	153.26	82.22	CH2M HILL
_		03/00/03		100.20	02.22	OTIZIWITIEE
MW17A	56-71	08/31/05	66.79	159.03	92.24	CH2M HILL
		03/13/06	66.47	159.03	92.56	CH2M HILL
		06/22/06	65.03	159.03	94.00	Arcadis
		08/09/06	64.17	159.03	94.86	CH2M HILL
		09/05/06	64.35	159.03	94.68	CH2M HILL
		03/05/07	65.50	159.03	93.53	CH2M HILL
		07/18/07	64.11	159.03	94.92	CH2M HILL
		03/04/08	70.31	159.03	88.72	CH2M HILL
		03/11/09	dry	159.03		CH2M HILL
		09/08/09	dry	159.03		CH2M HILL
1147D	04.404	00/04/05	70.50	450.00	00.00	011084111111
MW17B	94-104	08/31/05 03/13/06	78.52 65.95	158.90 158.90	80.38	CH2M HILL CH2M HILL
_		06/22/06	64.07	158.90	92.95	Arcadis
		08/09/06	63.54	158.90	94.83 95.36	CH2M HILL
		09/05/06	63.81	158.90	95.09	CH2M HILL
		03/05/07	64.74	158.90	94.16	CH2M HILL
		07/18/07	63.66	158.90	95.24	CH2M HILL
		03/04/08	71.10	158.90	87.80	CH2M HILL
		03/04/00	80.25	158.90	78.65	CH2M HILL
		09/08/09	82.91	158.90	75.99	CH2M HILL
		03/00/00	02.01	100.00	70.00	OTIZINI TILE
MW17C	170-180	08/31/05	66.02	159.00	92.98	CH2M HILL
<u></u>		03/13/06	73.24	159.00	85.76	CH2M HILL
		06/22/06	73.54	159.00	85.46	Arcadis
		08/09/06	74.64	159.00	84.36	CH2M HILL
		09/05/06	75.41	159.00	83.59	CH2M HILL
		03/05/07	71.00	159.00	88.00	CH2M HILL
		07/18/07	81.24	159.00	77.76	CH2M HILL
		03/04/08	78.10	159.00	80.90	CH2M HILL
		03/11/09	84.65	159.00	74.35	CH2M HILL
		09/08/09	99.90	159.00	59.10	CH2M HILL
MW18A	56-71	08/31/05	28.01	143.74		CH2M HILL
		03/14/06	27.93	143.74	115.81	CH2M HILL
		05/17/06	26.88	143.74	116.86	CH2M HILL
		06/22/06	26.97	143.74	116.77	Arcadis
		08/28/06 02/27/07	26.8 <u>1</u> 27.51	143.74	116.93 116.23	CH2M HILL CH2M HILL
	·		27.48	143.74		CH2M HILL
		07/20/07		143.74	116.26	
		03/09/09	30.82 36.65	143.74 143.74	112.92 107.09	CH2M HILL CH2M HILL
		09/02/09	39.01	143.74	107.09	CH2M HILL
		03/02/03	33.01	143.74	104.73	OTIZIWI THEE
MW18B	90-100	08/31/05	27.99	143.73	115.74	CH2M HILL
	30-100	03/14/06	27.88	143.73	115.85	CH2M HILL
		05/17/06	26.89	143.73	116.84	CH2M HILL
		06/22/06	26.95	143.73	116.78	Arcadis
		08/28/06	26.81	143.73	116.92	CH2M HILL
_		02/27/07	27.50	143.73	116.23	CH2M HILL
		07/20/07	27.45	143.73	116.28	CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	A Historical Grour Screen Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		02/27/08	30.77	143.73	112.96	CH2M HILL
		03/09/09	36.60	143.73	107.13	CH2M HILL
		09/02/09	39.06	143.73	104.67	CH2M HILL
MW18C	146-161	08/31/05	29.97	143.83	113.86	CH2M HILL
	140-101	03/14/06	29.58	143.83	114.25	CH2M HILL
	· ·	05/17/06	28.50	143.83	115.33	CH2M HILL
	-,	06/22/06	28.94	143.83	114.89	Arcadis
·	·	08/28/06	29.18	143.83	114.65	CH2M HILL
		02/27/07	29.20	143.83	114.63	CH2M HILL
		07/20/07	30.38	143.83	113.45	CH2M HILL
	,	03/05/08	32.31	143.83	111.52	CH2M/HILL
		03/09/09	38.68	143.83	105.15	CH2M HILL
	1	09/02/09	43.05	143.83	100.78	CH2M HILL
		03/02/03	40.00	140.00	100.70	O I ZW T I LL
MW19	56-71	06/22/06	69.38	158.73	89.35	Arcadis
		08/09/06	68.43	158.73	90.30	CH2M HILL
		09/07/06	68.61	158.73	90.12	CH2M HILL
<u></u>		03/05/07	68.58	158.73	90.15	CH2M HILL
		07/25/07	68.22	158.73	90.51	CH2M HILL
		02/26/08	68.27	158.73	90.46	CH2M HILL
<u>, </u>		03/02/09	low screen	158.73		CH2M HILL
		09/11/09	dry	158.73		CH2M HILL
	75.00	00/00/00	67.05	444.24	70.00	A
IVIVVZUA	75-90	06/22/06 08/08/06	67.35 66.77	141.31 141.31	73.96 74.54	Arcadis CH2M HILL
		09/01/06	67.01	141.31	74.30	CH2M HILL
		03/02/07	68.72	141.31	74.50	CH2M HILL
		07/19/07	66.84	141.31	74.47	CH2M HILL
		03/03/08	73.64	141.31	67.67	CH2M HILL
		03/12/09	81.95	141.31	59.36	CH2M HILL
		09/08/09	84.92	141.31	56.39	CH2M HILL
MW20B	122-132	06/22/06	67.69	141.32	73.63	Arcadis
		08/08/06	67.22	141.32	74.10	CH2M HILL
· · · · · · · · · · · · · · · · · · ·		09/01/06	67.48	141.32	73.84	CH2M HILL
		03/02/07	68.11	141.32	73.21	CH2M HILL
		07/19/07	67.32	141.32	74.00	CH2M HILL
		03/03/08	74.04	141.32	67.28	CH2M HILL
		03/10/09	82.50	141.32	58.82	CH2M HILL
	·	09/08/09	85.61	141.32	55.71	CH2M HILL
MW20C	180-190	06/22/06	77.90	141.35	63.45	Arcadis
WIVVZUC	100-190	08/08/06	81.18	141.35	60.17	CH2M HILL
	i					CH2M HILL
		09/01/06 03/02/07	81.17 77.20	141.35 141.35	60.18 64.15	CH2M HILL
	 	07/19/07	85.85	141.35	55.50	CH2M HILL
		03/03/08	87.29	141.35	54.06	CH2M HILL
		03/03/08		141.35	47.44	CH2M HILL
		09/09/09	93.91 n/a	141.35	47.44 n/a	CH2M HILL
·		00/00/03	11/4	171.00	11/4	5. 12.11. THEE
MW21	64-79	06/22/06	49.86	128.81	78.95	Arcadis
		08/08/06	50.10	128.81	78.71	CH2M HILL
		08/31/06	50.38	128.81	78.43	CH2M HILL
		03/01/07	50.96	128.81	77.85	CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

-	Screen Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		07/26/07	50.96	128.81	77.85	CH2M HILL
		02/21/08	57.97	128.81	70.84	CH2M HILL
		03/02/09	67.50	128.81	61.31	CH2M HILL
	1	09/11/09	71.30	128.81	57.51	CH2M HILL
MW22	74-89	06/22/06	61.81	150.82	89.01	Arcadis
	-	08/08/06	62.34	150.82	88.48	CH2M HILL
		08/31/06	62.54	150.82	88.28	CH2M HILL
		03/01/07	63.31	150.82	87.51	CH2M HILL
		07/26/07	63.25	150.82	87.57	CH2M HILL
		02/21/08	71.14	150.82	79.68	CH2M HILL
		03/03/09	81.62	150.82	69.20	CH2M HILL
		09/11/09	n/a	150.82	n/a	CH2M HILL
MW23A	35-55	06/19/07	27.80	148.76	120.96	CH2M HILL
		07/13/07	28.17	148.76	120.59	CH2M HILL
	- 	02/28/08	33.13	148.76	115.63	CH2M HILL
11 - T - 11 - 1-		03/16/09	39.38	148.76	109.38	CH2M HILL
		09/03/09	41.31	148.76	107.45	CH2M HILL
 -						
MW23B	87-91	08/31/05	29.11	149.06	119.95	CH2M HILL
		03/14/06	29.53	149.06	119.53	CH2M HILL
		05/15/06	28.25	149.06	120.81	CH2M HILL
		06/22/06	28.33	149.06	120.73	Arcadis
		09/11/06	28.92	149.06	120.14	CH2M HILL
	·	03/07/07	29.62	149.06	119.44	CH2M HILL
		07/13/07	29.25	149.06	119.81	CH2M HILL
		02/28/08	34.03	149.06	115.03	CH2M HILL
		03/16/09	40.96	149.06	108.10	CH2M HILL
		09/03/09	43.30	149.06	105.76	CH2M HILL
MW23C	145-160	08/31/05	31.85	149.07	117.22	CH2M HILL
11111200	140-100	03/14/06	32.35	149.07	116.72	CH2M HILL
		05/15/06	30.91	149.07	118.16	CH2M HILL
	•	06/22/06	31.08	149.07	117.99	Arcadis
		09/11/06	31.91	149.07	117,16	CH2M HILL
		03/07/07	32.19	149.07	116.88	CH2M HILL
		07/13/07	32.98	149.07	116.09	CH2M HILL
		02/28/08	36.83	149.07	112.24	CH2M HILL
		03/16/09	45.38	149.07	103.69	CH2M HILL
		09/03/09	49.35	149.07	99.72	CH2M HILL
MW23D	175-180	08/31/05	32.67	148.04	115.37	CH2M HILL
	17.5-100	03/15/06	33.15	148.04	114.89	CH2M HILL
		05/15/06	31.69	148.04	116.35	CH2M HILL
		06/22/06	31.85	148.04	116.33	Arcadis
		09/11/06	32.69	148.04	115.35	CH2M HILL
		03/07/07	32.95	148.04	115.09	CH2M HILL
		07/13/07	33.40	148.04	114.64	CH2M HILL
·		02/28/08	37.59	148.04	110.45	CH2M HILL
		03/16/09	46.26	148.04	101.78	CH2M HILL
		09/03/09	50.40	148.04	97.64	CH2M HILL
MW24A	50-70	06/18/07	36.80	162.04	125.24	CH2M HILL
		07/09/07	37.01	162.04	125.03	CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen					
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		02/28/08	41.31	162.04	120.73	CH2M HILL
		03/12/09	46.42	162.04	115.62	CH2M HILL
		09/14/09	48.82	162.04	113.22	CH2M HILL
· · · ·						
MW24B	110-125	06/18/07	41.24	162.03	120.79	CH2M HILL
		07/09/07	42.08	162.03	119.95	CH2M HILL
	T	02/28/08	45.40	162.03	116.63	CH2M HILL
		03/12/09	53.78	162.03	108.25	CH2M HILL
		09/14/09	58.60	162.03	103.43	CH2M HILL
MW24C	140-160	06/18/07	41.60	162.02	120.42	CH2M HILL
		07/09/07	42.41	162.02	119.61	CH2M HILL
		02/28/08	45.72	162.02	116.30	CH2M HILL
· · ·		03/16/09	53.91	162.02	108.11	CH2M HILL
		09/14/09	58.73	162.02	103.29	CH2M HILL
MW24D	173-178	06/18/07	41.90	162.05	120.15	CH2M HILL
		07/09/07	42.64	162.05	119.41	CH2M HILL
		02/28/08	46.09	162.05	115.96	CH2M HILL
-		03/13/09	54.36	162.05	107.69	CH2M HILL
		09/14/09	59.60	162.05	102.45	CH2M HILL
MW25A	45-65	04/25/07	37.65	147.90	110.25	CH2M HILL
		05/01/07	37.46	147.90	110.44	CH2M HILL
		07/10/07	37.80	147.90	110.10	CH2M HILL
		02/29/08	43.74	147.90	104.16	CH2M HILL
		03/12/09	51.50	147.90	96.40	CH2M HILL
		09/02/09	54.06	147.90	93.84	CH2M HILL
						
MW25B	90-110	04/25/07	37.67	147.84	110.17	CH2M HILL .
		05/01/07	37.55	147.84	110.29	CH2M HILL
		07/10/07	38.09	147.84	109.75	CH2M HILL
	· .	02/29/08	43.66	147.84	104.18	CH2M HILL
		03/12/09	51.88	147.84	95.96	CH2M HILL
		09/02/09	54.91	147.84	92.93	CH2M HILL
MW25C	140-150	04/25/07	39.45	147.86	108.41	CH2M HILL
		05/01/07	39.30	147.86	108.56	CH2M HILL
		07/10/07	41.85	147.86	106.01	CH2M HILL
		02/29/08	45.80	147.86	102.06	CH2M HILL
		03/16/09	54.10	147.86	93.76	CH2M HILL
		09/02/09	60.20	147.86	87.66	CH2M HILL
 -				1		
MW25D	194-209	04/25/07	49.91	147.87	97.96	CH2M HILL
	10.20	05/01/07	51.23	147.87	96.64	CH2M HILL
<u> </u>		07/10/07	67.55	147.87	80.32	CH2M HILL
		02/29/08	58.04	147.87	89.83	CH2M HILL
		03/16/09	60.89	147.87	86.98	CH2M HILL
<u> </u>		09/02/09	n/a	147.87	n/a	CH2M HILL
		03/02/03	ıva.	147.07	11/4	OI IZIVI I IILL
MW26A	70-90	04/25/07	67.65	155.62	87.97	CH2M HILL
INTEGR	70-30	05/02/07	67.60	155.62	88.02	CH2M HILL
				.		
		07/11/07 03/04/08	67.04 74.21	155.62 155.62	88.58 81.41	CH2M HILL CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen					
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		09/11/09	85.16	155.62	70.46	CH2M HILL
MW26B	105-120	04/25/07	67.72	155.45	87.73	CH2M HILL
		05/02/07	67.69	155.45	87.76	CH2M HILL
		07/11/07	67.12	155.45	88.33	CH2M HILL
<u> </u>		03/04/08	74.31	155.45	81.14	CH2M HILL
·		03/13/09	82.64	155.45	72.81	CH2M HILL
		09/11/09	85.28	155.45	70.17	CH2M HILL
MW26C	145-160	04/25/07	73.05	155.41	82.36	CH2M HILL
		05/02/07	73.56	155.41	81.85	CH2M HILL
		07/11/07	80.55	155.41	74.86	CH2M HILL
		03/05/08	82.87	155.41	72.54	CH2M HILL
		03/13/09	88.73	155.41	66.68	CH2M HILL
		09/11/09	100.40	155.41	55.01	CH2M HILL
MW26D	185-205	04/25/07	71.59 72.42	155.37	83.78	CH2M HILL
	· .	05/02/07		155.37	82.95	CH2M HILL
		07/11/07	82.44	155.37	72.93	CH2M HILL
		03/05/08	81.24	155.37	74.13	CH2M HILL
		03/13/09	87.61	155.37	- 67.76	CH2M HILL
		09/11/09	n/a	155.37	n/a_	CH2M HILL
MW27A	90-110	04/25/07	77.18	139.24	62.06	CH2M HILL
·		05/03/07	77.17	139.24	62.07	CH2M HILL
		07/12/07	76.97	139.24	62.27	CH2M HILL
		03/05/08	81.77	139.24	57.47	CH2M HILL
		03/11/09	88.05	139.24	51.19	CH2M HILL
		09/09/09	91.20	139.24	48.04	CH2M HILL
MW27B	144-164	04/25/07	77.02	139.18	62.16	CH2M HILL
		05/03/07	76.99	139.18	62.19	CH2M HILL
		07/12/07	76.84	139.18	62.34	CH2M HILL
		03/05/08	81.61	139.18	57.57	CH2M HILL
		03/11/09	87.99	139.18	51.19	CH2M HILL
		09/09/09	91.16	139.18	48.02	CH2M HILL
MW27Ĉ	180-190	04/25/07	84.34	139.17	54.83	CH2M HILL
	133 133	05/02/07	84.32	139.17	54.85	CH2M HILL
		07/12/07	92.07	139.17	47.10	CH2M HILL
		03/05/08	96.66	139.17	42.51	CH2M HILL
	- -	03/13/09	103.32	139.17	35.85	CH2M HILL
		09/09/09	112.91	139.17	26.26	CH2M HILL
		0.1/6-7-7-				
MW27D	200-210	04/25/07	83.00	139.13	56.13	CH2M HILL
		05/02/07 07/12/07	83.25	139.13	55.88	CH2M HILL CH2M HILL
		03/05/08	91.85	139.13	47.28	
		03/05/08	95.86	139.13	43.27	CH2M HILL
<u> </u>		09/09/09	102.67 n/a	139.13 139.13	36.46 n/a	CH2M HILL CH2M HILL
		55/05/09	11/4	139.13	II/d	OT IZIVI THEE
MW28	85-105	06/19/07	73.94	119.91	45.97	CH2M HILL
	-	07/16/07	7 4.29	119.91	45.62	CH2M HILL
		03/03/08	78.04	119.91	41.87	CH2M HILL
		03/09/09	84.45	119.91	35.46	CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

147-11 17	Screen Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		09/09/09	88.25	119.91	31.66	CH2M HILL
1000	00.440	00/40/07	20.00	107.10		01101411111
MW29	90-110	06/19/07	80.66	107.10	26.44	CH2M HILL
		07/13/07	81.03	107.10	26.07	CH2M HILL
		03/03/08	83.23	107.10	23.87	CH2M HILL
		03/09/09	86.69	107.10	20.41	CH2M HILL
		09/09/09	89.30	107.10	17.80	CH2M HILL
MW30	95-115	06/19/07	91.88	106.70	14.82	CH2M HILL
MAA20	93-113	03/03/08	95.09	106.70	11.61	CH2M HILL
 -		03/09/09	98.23	106.70	8.47	CH2M HILL
		09/09/09	102.27	106.70	4.43	CH2M HILL
		03/03/03	102.21	100.70	7.43	CHZWITHLL
MW31	105.5-120.5	09/09/09	99.19	232.67	133.48	CH2M HILL
	100.0-120.0	00,00,00	30.10	202.01	100.40	
OW1A	63-78	05/15/01	74.19	212.50	138.31	CDM
	1 30,0	06/14/01	74.14	212.50	138.36	CDM
		07/24/01	74.04	212.50	138.46	CDM
		08/16/01	74.08	212.50	138.42	CDM
	-	09/18/01	74.33	212.50	138.17	CDM
		10/18/01	74.84	212.50	137.66	CDM
		11/15/01	74.38	212.50	138.12	CDM
		12/14/01	74.80	212.50	137.70	CDM
		01/18/02	74.92	212.50	137.58	CDM
		02/14/02	74.86	212.50	137.64	CDM
-		03/13/02	75.13	212.50	137.37	CDM
		04/19/02	75.16	212.50	137.34	CDM
		08/20/02	75.97	. 212.50	136.53	CDM/WESTON
		11/22/02	76.20	212.50	136.30	WESTON
		02/19/03	76.70	212.50	135.80	CDM/WESTON
		05/13/03	76.51	212.50	135.99	WESTON
		08/26/03	76.95	212.50	135.55	CDM
		02/25/04	76.97	212.50	135.53	CDM
		06/17/04	78.66	212.50	133.84	CH2M HILL
		08/25/04	78.84	212.50	133.66	СДМ
		12/01/04	76.11	212.50	136.39	CH2M HILL
		02/23/05	77.22	212.50	135.28	CDM-
		06/21/05	76.90	212.50	135.60	CH2M HILL
		08/24/05	76.15	212.50	136.35	CDM
	1	02/17/06	75.33	212.50	137.17	CDM
		08/22/06	74.94	212.50	137.56	CDM
		02/20/07	75.35	212.50	137.15	CDM
		08/21/07	76.17.	212.50	136.33	CDM
		02/19/08	76.62	212.50	135.88	
		09/16/08	77.82	212.50	134.68	
		03/03/09	78.17	212.50	134.33	to desir
		03/09/09	82.94	212.50	129.56	
		09/09/09	81.89	212.50	130.61	
		16/09/09	81.97	212.50	130.53	1 de la 1 de 1 de 1
		23/09/09	81.96	212.50	130.54	
		30/09/09	81.97	212.50	130.53	
OW1B	110-120	05/15/01	72.30	207.18	134.88	CDM
		06/14/01	72.53	207.18	134.65	CDM
		07/24/01	73.36	207.18	133.82	CDM

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		08/16/01	74.18	207.18	133.00	CDM
		· 09/18/01	74.75	207.18	132.43	CDM
		10/18/01	74.83	207.18	132.35	CDM
		11/15/01	75.49	207.18	131.69	CDM
	•	12/14/01	75.05	207.18	132.13	CDM
		01/18/02	74.12	207.18	133.06	CDM
		02/14/02	73.56	207.18	133.62	CDM
		03/13/02	74.52	207.18	132.66	CDM
•		08/20/02	77.04	207.18	130.14	CDM/WESTON
		11/22/02	78.15	207.18	129.03	WESTON
		02/19/03	77.04	207.18	130.14	CDM/WESTON
		05/13/03	75.72	207.18	131.46	WESTON
		08/26/03	78.75	207.18	128.43	CDM
		02/25/04	80.93	207.18	126.25	CDM
		06/17/04	81.55	207.18	125.63	CH2M HILL
		08/25/04	82.80	207.18	124.38	CDM
		12/01/04	84.01	207.18	123.17	CH2M HILL
		02/25/05	79.95	207.18	127.23	CDM
		06/21/05	75.47	207.18	131.71	CH2M HILL
		08/24/05	75.76	207.18	131.42	CDM
		02/17/06	75.77	207.18	131.41	CDM
		08/22/06	75.00	207.18	132.18	CDM
		02/20/07	75.47	207.18	131.71	CDM
		08/21/07	77.68	207.18	129.50	CDM
		02/19/08	78.26	207.18	128.92	
		09/16/08	NA	207.18	NA	
		03/03/09	83.47	207.18	123.71	
		09/03/09	87.32	207.18	119.86	
		09/09/09	87.44	207.18	119.74	
		09/16/09	87.66	207.18	119.52	
		09/23/09	87.84	207.18	119.34	
		09/30/09	88.05	207.18	119.13	
OW2	60-80	05/15/01	66.47	202.30	135.83	CDM
		06/14/01	66.38	202.30	135.92	CDM
		07/24/01	66.25	202.30	136.05	CDM
	<u> </u>	08/16/01	66.34	202.30	135.96	CDM
	•	09/18/01	66.66	202.30	135.64	CDM
		10/18/01	66.95	202.30	135.35	CDM
		11/15/01	66.92	202.30	135.38	CDM
		12/14/01	67.28	202.30	135.02	CDM
		01/18/02	67.40	202.30	134.90	CDM
		02/14/02	67.31	. 202.30	134.99	CDM
		03/13/02	67.50	202.30	134.80	CDM
		04/19/02	67.52	202.30	134.78	CDM
		08/20/02	68.30	202.30	134.00	CDM
		08/21/02	68.30	202.30	134.00	WESTON
		11/25/02	68.91	202.30	133.39	WESTON
		02/19/03	69.44	202.30	132.86	CDM
_		02/19/03	69.28	202.30	133.02	WESTON
		05/13/03	68.95	202.30	133.35	WESTON
·		08/26/03	69.18	202.30	133.12	CDM
		02/25/04	70.40	202.30	131.90	CDM
.		06/17/04	70.92	202.30	131.38	CH2M HILL
		08/25/04	71.24	202.30	131.06	CDM

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen		l .			
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	<u></u>
 		12/02/04	71.91	202.30	130.39	CH2M HILL
		02/23/05	71.82	202.30	130.48	CDM .
		06/21/05	69.69	202.30	132.61	CH2M HILL
		08/23/05	68.77	202.30	133.53	CDM
		02/17/06	67.87	202.30	134.43	CDM
		08/22/06	67.43	202.30	134.87	CDM
		02/20/07	67.97	202.30	134.33	CDM
		08/21/07	68.60	202.30	133.70	CDM
		02/19/08	69.67	202.30	132.63	
		09/16/08	71.09	202.30	131.21	
	<u> </u>	03/03/09	71.32	202.30	130.98	
		09/03/09	79.12	202.30	123.18	
		09/09/09	79.20	202.30	123.10	
		09/16/09	77.67	202.30	124.63	
		09/23/09	78.85	202.30	123.45	
		09/30/09	78.75	202.30	123.55	1.00
OWA	62.02	05/45/04	60.55	400.52	425.00	0014
OW3A	63-83	05/15/01	62.55	198.53	135.98	CDM
		06/14/01	62.44	198.53	136.09	CDM
		07/24/01	62.29	198.53	136.24	CDM
		08/16/01	62.39	198.53	136.14	CDM
		09/18/01	62.70	198.53	135.83	CDM
		10/18/01	62.98	198.53	135.55	CDM
		11/15/01	62.95	198.53	135.58	CDM
-		12/14/01	63.33	198.53	135.20	CDM
		01/18/02	63.52	198.53	135.01	CDM
		02/14/02	63.36	198.53	135.17	CDM
		03/13/02	63.58	198.53	134.95	CDM
		04/19/02	63.61	198.53	134.92	CDM
		08/20/02	64.47	198.53	134.06	CDM
		08/20/02	64.47	198.53	134.06	WESTON
		11/25/02	65.14	198.53	133.39	WESTON
		02/19/03	65.58	198.53	132.95	CDM
		02/20/03	65.50	198.53	133.03	WESTON
		05/14/03	65.25	198.53	133.28	WESTON
		08/26/03	65.54	198.53	132.99	CDM
		02/25/04	66.35	198.53	132.18	CDM
		06/17/04	66.93	198.53		CH2M HILL
		08/25/04	67.13	198.53	131.40	CDM
		12/01/04	67.70	198.53	130.83	CH2M HILL
		02/23/05	67.20	198.53	131.33	CDM
.		06/21/05	65.41	198.53	133.12	CH2M HILL
		08/23/05	64.69	198.53	133.84	CDM
		02/17/06	63.90	198.53	134.63	CDM
		08/22/06	63.70	198.53	134.83	CDM
		02/20/07	64.24	198.53	134.29	CDM
		08/21/07	64.81	198.53	133.72	CDM
		02/19/08	65.65	198.53	132.88	
		09/16/08	66.46	198.53	132.07	
		03/03/09	67.00	198.53	131.53	e 1, 1, 1, 1, 1
		09/03/09	74.23	198.53	124.30	
		09/09/09	74.69	198.53	123.84	
		09/16/09	73.11	198.53	125.42	
·		09/23/09	73.68	198.53	124.85	··自己··································
		09/30/09	73.40	198.53	125.13	

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

Well ID	Screen Interval (ft BGS)	Date	Depth to Water (ft)	Measuring Point Elevation (ft)	Water Level Elevation (ft)	Consultant/Source
	1 (1120)					
OW3B		03/13/06	73.76	197.06	123.30	CDM
		05/15/06	72.54	197.06	124.52	CH2M HILL
-		05/23/06	72.82	197.06	124.24	CH2M HILL
	1	08/22/06	73.38	197.06	123.68	CH2M HILL
		02/20/07	73.94	197.06	123.12	CDM
		08/21/07	76.50	197.06	120.56	CDM
-		02/19/08	77.12	197.06	119.94	
-		09/16/08	83.65	197.06	113.41	
		03/03/09	85.50	197.06	111.56	
	,	09/03/09	89.79	197.06	107.27	
		09/09/09	89.61	197.06	107.45	
		09/16/09	89.88	197.06	107.18	
		09/23/09	90.11	197.06	106.95	
		09/30/09	90.36	197.06	106.70	
		05/45/04		10.00		
OW4A	50-70	05/15/01	53.60	184.67	131.07	CDM
<u></u>		06/14/01	53.36	184.67	131.31	CDM
		07/24/01	53.31	184.67	131.36	CDM
		08/16/01	53.70	184.67	130.97	CDM
		09/18/01	54.35	184.67	130.32	CDM
		10/18/01	54.76	184.67	129.91	CDM
		11/15/01	54.87	184.67	129.80	CDM
		12/14/01	55.43	184.67	129.24	CDM
		01/18/02	55.55	184.67	129.12	CDM
		02/14/02	55.21	184.67	129.46	CDM
		03/13/02	55.30	184.67	129.37	CDM
		04/19/02	55.35	184.67	129.32	CDM
	·	08/20/02	56.80	184.67	127.87	CDM
		08/21/02	56.80	184.67	127.87	WESTON
		11/26/02	58.15	184.67	126.52	WESTON
		02/19/03	58.58	184.67	126.09	CDM
	····	02/20/03	58.51	184.67	126.16	WESTON
		05/14/03	57.49	184.67	127.18	WESTON
		08/26/03	58.13 61.04	184.67	126.54	CDM
		02/25/04	1	184.67	123.63	CDM
		06/15/04 08/25/04	61.91	184.67	122.76	CH2M HILL
	 	11/30/04	62.36 63.80	184.67 184.67	122.31 120.87	CDM CH2M HILL
		02/25/05	63.94	184.67	120.87	CDM
	,	06/21/05	61.50	184.67	120.73	CH2M HILL
	 	08/23/05	58.98	184.67	125.17	CDM
		02/17/06	58.03	184.67	126.64	CDM
		05/17/06	57.37	184.67	127.30	CH2M HILL
		08/22/06	56.87	184.67	127.80	CDM
		02/20/07	57.77	184.67	126.90	CDM
	<u> </u>	08/21/07	57.88	184.67	126.79	CDM
		02/19/08	60.53	184.67	124.14	1
		09/16/08	62.40	184.67	122.27	<u> </u>
		03/03/09	64.53	184.67	120.14	
		09/03/09	66.93	184.67	117.74	
	····	09/09/09	66.72	184.67	117.74	
		09/16/09	66.88	184.67	117.79	
		09/23/09	66.96	184.67	117.79	
		1 ロンバムスバロガー	. 00.50	104.0/	1 11//1	1

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen	-				· · · ·
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
OW4B	112-122.3	05/15/01	57.11	184.50	127.39	CDM
· · · · · · · · · · · · · · · · · · ·		06/14/01	57.51	184.50	126.99	CDM
		07/24/01	58.82	184.50	125.68	CDM
		08/16/01	60.01	184.50	124.49	CDM
		09/18/01	60.82	184.50	123.68	CDM
•		10/18/01	60.98	184.50	123.52	CDM
		11/15/01	61.67_	184.50	122.83	CDM
		12/14/01	60.76	184.50	123.74	CDM
		01/18/02	59.53	184.50	124.97	CDM
		02/14/02	58.81	184.50	125.69	CDM
		03/13/02	59.34	184.50	125.16	CDM
		04/19/02	60.02	184.50	124.48	CDM .
		08/20/02	63.64	184.50	120.86	CDM ,
		08/21/02	63.64	184.50	120.86	WESTON /
		11/26/02	64.88	184.50	119.62	WESTON
L		02/19/03	62.46	184.50°	122.04	CDM
		02/20/03	62.61	184.50	121.89	WESTON
		05/14/03	60.42	184.50	124.08	WESTON
		08/26/03	65.67	184.50	118.83	CDM
	·	02/25/04	68.08	184.50	116.42	CDM
		06/15/04	69.05	184.50	115.45	CH2M HILL
		08/25/04	71.10	184.50	113.40	CDM .
		11/30/04	71.60	184.50	112.90	CH2M HILL
		02/25/05	65.97	184.50	118.53	CDM
		06/21/05	60.45	184.50	124.05	CH2M HILL
	*	08/23/05	61.15	184.50	123.35	CDM
		02/17/06	62.27	184.50	122.23	CDM
		05/17/06	60.46	184.50	124.04	CH2M HILL
		08/22/06	61.13	184.50	123.37	CDM
		02/20/07	62.10	184.50	122.40	CDM
		08/21/07	64.42	184.50	120.08	CDM
		02/19/08	65.82	184.50	118.68	
		09/16/08	71.68	184.50	112.82	
		03/03/09	73.30	184.50	111.20	
		09/03/09	77.48	184.50 184.50	107.02	
		09/09/09	77.38	107.00	107.12	f. 1.10
		09/16/09	77.67	184.50	106.83	
		09/23/09	77.86	184.50	106.64	
	 	09/30/09	78.12	184.50	106.38	
OW5	30-50	08/16/01	26.14	154.16	128.02	CDM
		09/18/01	27.33	154.16	126.83	CDM
	_	10/18/01	27.59	154.16	126.57	CDM
		11/15/01	28.18	154.16	125.98	CDM
	<u> </u>	12/14/01	28.24	154.16	125.92	CDM
	1	01/18/02	27.44	154.16	126.72	CDM
		02/14/02	26.73	154.16	127.43	CDM
	 	03/13/02	26.75	: 154.16	127.41	CDM
		04/19/02	27.12	154.16	127.04	CDM
	_	08/20/02	30.03	154.16	124.13	CDM
		08/22/02	30.03	154.16	124.13	WESTON
				154.16	122.43	WESTON
		11/25/02	31/3			
		11/25/02 02/19/03	31.73 30.85	154.16	123.31	CDM

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	A Historical Grour Screen					
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		05/14/03	28.65	154.16	125.51	WESTON
		08/26/03	31.20	154.16	122.96	CDM
		02/25/04	35.21	154.16	118.95	CDM
		06/15/04	35.78	154.16	118.38	CH2M HILL
		08/25/04	36.78	154.16	117.38	CDM
		12/02/04	38.59	154.16	115.57	CH2M HILL
		02/24/05	38.17	154.16	115.99	CDM
		06/24/05	31.05	154.16	123.11	CH2M HILL
		08/23/05	29.62	154.16	124.54	CDM
		02/17/06	30.11	154.16	124.05	CDM
		05/24/06	28.55	154.16	125.61	CH2M HILL
						
		08/22/06	28.99	154.16	125.17	CDM
		02/20/07	30.17	154.16	123.99	CDM
		08/21/07	30.67	154.16	123.49	CDM
		02/19/08	34.63	154.16	119.53	
		09/16/08	36.38	154.16	117.78	
		03/03/09	40.25	154.16	113.91	
OW6	38-58	08/16/01	42.54	. 172.74	130.20	CDM
OVVO	30-30	09/18/01	43.25	172.74	129.49	CDM
				172.74	129.49	CDM
		10/18/01	43.69	172.74		CDM
		11/15/01	43.95		128.79	
		12/14/01	44.41	172.74	128.33	CDM
		01/18/02	44.39	172.74	128.35	CDM
	·-	02/14/02	44.00	172.74	128.74	CDM
		03/13/02	44.01	172.74	128.73	CDM
		04/19/02	44.12	172.74	128.62	CDM
		08/20/02	45.70	172.74	127.04	CDM
		08/21/02	45.00	172.74	127.74	WESTON
		11/26/02	47.11	172.74	125.63	WESTON
		02/19/03	47.49	172.74	125.25	CDM
		02/21/03	47.49	172.74	125.25	WESTON
		05/15/03	46.30	172.74	126.44	WESTON
		08/26/03	47.09	172.74	125.65	CDM
		02/25/04	50.24	172.74	122.50	CDM
		06/16/04	51.05	172.74	121.69	CH2M HILL
		08/25/04	51.69	172.74	121.05	CDM
		12/01/04	53.10	172.74	119.64	CH2M HILL
		02/23/05	53.58	172.74	119.16	СDМ
		06/21/05	49.33	172.74	123.41	CH2M HILL
		08/23/05	47.68	172.74	125.06	CDM
		02/17/06	46.93	172.74	125.81	CDM
		05/19/06	46.15	172.74	126.59	CH2M HILL
		08/22/06	45.70	172.74	.127.04	CDM
		02/20/07	46.16	172.74	126.58	CDM
		08/21/07	46.78	172.74	125.96	CDM
		02/19/08	49.70	172.74	123.04	1 1
		09/16/08	51.20	172.74	121.54 ⁻	·
		03/03/09	54.03	172.74	118.71	
-		20145155		ļ	,	-
OW7	71-91	03/13/02	74.83	214.21	139.38	CDM
		04/19/02	74.93	214.21	139.28	CDM
		08/20/02	75.86	214.21	138.35	CDM
		08/21/02	75.86	214.21	138.35	WESTON
		11/22/02	76.45	214.21	137.76	WESTON

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen Interval		Donth to	Mooguring Daint	Woter Level	
Well ID	(ft BGS)	Date	Depth to Water (ft)	Measuring Point Elevation (ft)	Water Level Elevation (ft)	Consultant/Source
Well ID	(11 603)			<u> </u>	<u> </u>	
		02/19/03 02/21/03	76.89 76.80	214.21 214.21	137.32 137.41	CDM WESTON
		05/15/03	76.70	214.21	137.41	WESTON
		08/26/03	76.70	214.21	137.31	CDM
		02/25/04	78.00	214.21	136.21	CDM
		06/16/04	78.78	214.21	135.43	CH2M HILL
		08/25/04	78.96	214.21	135.25	CDM
	- 	11/30/04	79.71	214.21	134.50	CH2M HILL
		02/24/05	78.98	214.21	135.23	CDM
		08/23/05	75.94	214.21	138.27	CDM
		02/17/06	75.21	214.21	139.00	CDM
		05/18/06	75.10	214.21	139.11	CH2M HILL
•		08/22/06	74.67	214.21	139.54	CH2M HILL
		02/20/07	75.28	214.21	138.93	CH2M HILL
		08/21/07	76.00	214.21	138.21	CDM
		02/19/08	76.38	214.21	137.83	
		09/16/08	76.76	214.21	137.45	12.
		03/03/09	78.51	214.21	135.70	
		09/03/09	82.32	214.21	131.89	g* 1 A
		09/09/09	81.81	214.21	132.40	
		09/16/09	81.85	214.21	132.36	
		09/23/09	82.00	214.21	132.21	
		09/30/09	82.21	214.21	132.00	
A8WC	60.4-80	03/13/02	65.61	200.64	135.03	CDM
OWOA	00.4-00	03/13/02	65.69	200.64	134.95	CDM
		08/20/02	66.46	200.64	134.18	CDM
		08/22/02	66.46	200.64	134.18	WESTON .
		11/25/02	67.07	200.64	133.57	WESTON
		02/19/03	67.37	200.64	133.27	CDM
		02/20/03	67.36	200.64	133.28	WESTON
		05/15/03	67.14	200.64	133.50	WESTON
		08/26/03	67.35	200.64	133.29	CDM
		02/25/04	68.36	200.64	132.28	CDM
		06/16/04	68.98	200.64	131.66	CH2M HILL
		08/25/04	69.15	200.64	131.49	CDM
		12/03/04	69.37	200.64	131.27	CH2M HILL
		02/23/05	69.50	200.64	131.14	CDM
		06/21/05	67.70	200.64	132.94	CH2M HILL
		08/23/05	66.87	200.64	133.77	CDM
		02/17/06	66.05	200.64	134.59	CDM
···		08/22/06	65.66	200.64	134.98	CDM
		02/20/07 08/21/07	66.28	200.64 200.64	134.36 133.94	CDM CDM
		08/21/07	66.70 67.55	200.64	133.94	CDM
		02/19/08	68.70	200.64	131.94	
		03/03/09	69.14	200.64	131.50	
		09/03/09	79.71	200.64	120.93	1.0
		09/09/09	79.62	200.64	121.02	
 -		09/16/09	77.53	200.64	123.11	
		09/23/09	77.74	200.64	122.90	
		09/30/09	78.78	200.64	121.86	
OW8B	116-126	08/25/04	86.77	200.82	114.05	CDM
	<u> </u>	12/02/04	87.33	200.82	113.49	CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen Interval		Depth to	Measuring Point	Water Level	
Weil ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		02/23/05	81.55	200.82	119.27	CDM
		06/24/05	76.60	200.82	124.22	CH2M HILL
		08/23/05	76.31	200.82	124.51	CDM
		02/17/06	77.55	200.82	123.27	CDM
		05/17/06	75.76	200.82	125.06	CH2M HILL
		08/22/06	76.58	200.82	124.24	CDM
		02/20/07	77.29	200.82	123.53	CDM
		08/21/07	79.86	200.82	120.96	CDM
····		02/19/08	80.94	200.82	119.88	
-		09/16/08	86.82	200.82	114.00	
		03/03/09	88.85	200.82	111.97	
	1	09/03/09	92.80	200.82	108.02	
		09/09/09	93.00	200.82	107.82	
-		09/16/09	93.27	200.82	107.55	
,		09/23/09	93.50	200.82	107.32	
		09/30/09	93.73	200.82	107.09	
		03/30/03	33.73	, 200.02	107.03	
OW9	70-90	03/03/09	69.67	195.7	126.03	
	70-90	09/03/09	75.78	195.7	119.92	
		09/09/09	76.40	195.7	119.30	· ·
		09/09/09	75.58	195.7	120.12	
		09/23/09	76.29	195.7	119.41	
·	+	09/30/09	75.61	195.7	120.09	
		09/30/09	75.01	195.7	120.09	,
OW10	70-89.5	03/03/09	66.24	193.17	126.93	
04410	70-09.3	09/03/09	71.44	193.17	120.93	
		09/09/09	71.44	193.17	121.75	-
		09/09/09	70.34		121.73	· · · · · · · · · · · · · · · · · · ·
				193.17		
		09/23/09	71.05	193.17	122.12	
		09/30/09	70.97	193.17	. 122.20	
WDI-GW1	38-58	06/21/05	44.00	150.50	100.41	CH2M HILL
VVDI-GVV I	30-30		44.09	153.50	109.41 110.67	
		09/07/05	42.83			CH2M HILL
		03/14/06	42.51		110.99	CH2M HILL
		09/19/06	41.37		112.13	CH2M HILL
		12/12/06	41.97		111.53	WDI
,_		06/26/07	41.55		111.95	WDI
MDI CMO	22.52	40/40/00	27.07	140.00	440.00	WIDI
WDI-GW2	33-53	12/12/06	37.07	149.30	112.23	WDI
		06/26/07	37.15		112.15	WDI
MDI OME	40.00	00/04/05	50.00	400.70	400.77	CHOMALINI
WDI-GW5	43-63	06/21/05	56.93	166.70	109.77 110.84	CH2M HILL
			55.86			CH2M HILL
		03/14/06	55.49		111.21	CH2M HILL
		09/19/06	41.37	 	125.33	CH2M HILL
WDI CW7	20.50	06/04/05	AE 4E	454.50	100.25	CH3M HILL
WDI-GW7	38-58	06/21/05	45.15	154.50	109.35	CH2M HILL
		09/07/05	44.30		110.20	CH2M HILL
ļ		03/14/06	43.92	ļ	110.58	CH2M HILL
	-	09/19/06	42.98		111.52	CH2M HILL
Maria Caraca		00:01:00	ļ	Z=1.1=1		
WDI-GW10	38-58	06/21/05	46.63	154.70	108.07	CH2M HILL
		09/07/05	45.51		109.19	CH2M HILL
		03/14/06	45.07		109.63	CH2M HILL
	1	09/19/06	44.03		110.67	CH2M HILL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen		:				
	Interval		Depth to	Measuring Point	Water Level		
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source	
		12/12/06	44.53		110.17	WDI	
		06/26/07	44.20		110.50	WDI	
		•					
WDI-GW11	118-128	06/21/05	46.65	154.70	108.05	CH2M HILL	
		09/07/05	45.84		108.86	CH2M HILL	
		03/14/06	45.37		109.33	CH2M HILL	
	•	09/19/06	44.40		110.30	CH2M HILL	
		12/12/06	44.90		109.80	WDI	
		06/26/07	44.60	·	110.10	WDI	
WDI-GW21	36-56	06/21/05	46.87	155.20	108.33	CH2M HILL	
		09/07/05	43.02		112.18	CH2M HILL	
		03/14/06	44.60		110.60	CH2M HILL	
		09/19/06	44.65		110.55	CH2M HILL	
MDI CMOO	F0.70	06/04/05	64.00	450.70	00.40	CH2M HILL	
WDI-GW22	58-78	06/21/05 09/07/05	64.60 63.02	156.70	92.10 93.68	CH2M HILL	
		09/07/05	60.02	 	93.68	CH2M HILL	
•		12/12/06	60.02	,	96.66	WDI	
		06/26/07	59.75	· · · · · ·	96.45	WDI	
		06/26/07	39.73		90.95	IVVDI	
WDI-GW23	43-63	06/21/05	58.07	157.00	98.93	CH2M HILL	
1101 01120	70 00	09/07/05	57.52	101.00	99.48	CH2M HILL	
		03/14/06	57.16		99.84	CH2M HILL	
		09/19/06	56.30	,	100.70	CH2M HILL	
	-	12/13/06	56.48		100.52	WDI	
. = .		06/02/07	56.20		100.80	WDI	
	<u> </u>						
WDI-GW24	103-113	06/21/05	64.20	156.70	92.50	CH2M HILL	
		09/07/05	62.81		93.89	CH2M HILL	
		03/14/06	61.42		95.28	CH2M HILL	
		09/19/06	59.95		96.75	CH2M HILL	
WDI-GW26	44-64	03/14/06	47.00	156.00	109.00	CH2M HILL	
		09/19/06	46.02		109.98	CH2M HILL	
		12/13/06	46.41		109.59	WDI	
		06/26/07	46.15		109.85	WDI	
WDI-GW27	42.02	00/07/05	40.45	457.00	100.55	CHOM HILL	
VVDI-GVVZ/	43-63	09/07/05 03/14/06	48.45 48.00	157.00	108.55 109.00	CH2M HILL CH2M HILL	
		09/19/06	47.00		110.00	CH2M HILL	
	-	12/13/06	47.38	ļ 	109.62	WDI	
		06/26/07	47.15		109.85	WDI	
		00/20/07	47.13		103.03	11101	
WDI-GW29	44-64	06/21/05	50.14	157.40	107.26	CH2M HILL	
		09/07/05	49.21	101.40	108.19	CH2M HILL	
	•	03/14/06	48.73		108.67	CH2M HILL	
		09/19/06	47.74		109.66	CH2M HILL	
· · · · · · · · · · · · · · · · · · ·		12/13/06	48.10	 	109.30	WDI	
	·	06/26/07	47.85		109.55	WDI	
		55,25,01				1	
WDI-GW30	74-94	06/21/05	49.78	156.80	107.02	CH2M HILL	
	1	09/07/05	49.15		107.65	CH2M HILL	
	·	03/14/06	48.63		108.17	CH2M HILL	
***		09/19/06	47.76	l	109.04	CH2M HILL	

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen					
	Interval	:	Depth to	· ·	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		12/11/06	48.05		108.75	WDI
		06/26/07	47.87		108.93	WDI
						
WDI-GW32	115-125	09/07/05	43.96	153.60	109.64	CH2M HILL
		03/14/06	43.47		110.13	CH2M HILL
		09/19/06	42.75		110.85	CH2M HILL
		12/13/06	43.18		110.42	WDI
-		06/26/07	43.00		110.60	WDI
WDI-GW33	35-60	09/07/05	54.51	163.70	109.19	CH2M HILL
AADI-GAA22	33-00	03/14/06	54.09	103.70	109.19	CH2M HILL
		09/19/06	53.06		110.64	CH2M HILL
		12/11/06	53.48		110.04	WDI
		06/26/07	53.20		110.50	WDI
		00/20/07	33.20		110.50	VVDI
OFRP-MW1	55-100	02/02/94	59.17	142.32	83.15	McLaren Hart
		03/01/94	58.77		83.55	McLaren Hart
		10/11/94	58.32		84.00	McLaren Hart
-		04/10/95	57.69		84.63	McLaren Hart
		04/23/96	56.96		85.36	McLaren Hart
					<u> </u>	
OFRP-MW2	63-108	02/01/94	66.38	139.29	' 72.91	McLaren Hart
		03/01/94	65.73		73.56	McLaren Hart
		10/11/94	64.60		74.69	McLaren Hart
		04/10/95	64.14		75.15	McLaren Hart
		04/23/96	63.05		76.24	McLaren Hart
0500 1840		00/04/04	22.05	100.00	70.00	<u> </u>
OFRP-MW3	64-109	02/01/94	68.65	139.03	70.38	McLaren Hart
		03/01/94	67.94		71.09	McLaren Hart
		10/11/94	66.56		72.47	McLaren Hart
		04/10/95 04/23/96	66.22 64.98	-	72.81 74.05	McLaren Hart
		04/23/96	04.90		74.05	McLaren Hart
OFRP-MW4	64-109	02/01/94	68.26	138.68	70.42	McLaren Hart
		03/01/94	67.63		71.05	McLaren Hart
	`	10/11/94	65.90		72.78	McLaren Hart
		04/10/95	65.86		72.82	McLaren Hart
		04/23/96	64.48		74.20	McLaren Hart
		06/21/05	83.72		54.96	CH2M HILL
		08/31/05	82.28		56.40	CH2M HILL
OEDD MAKE	65 405	01/27/94	60.00	444.50	70.00	Mol oren Hart
OFRP-MW5	65-105		68.20	141.53	73.33	McLaren Hart
	- 	03/01/94	67.54	 	73.99	McLaren Hart
		10/11/94 04/10/95	65.94 65.96		75.59 75.57	McLaren Hart
		04/10/95	64.62		76.91	McLaren Hart McLaren Hart
		06/21/05	84.00		57.53	CH2M HILL
		08/31/05	Can't Find		N/A	CH2M HILL
OFRP-MW6	61-91	01/27/94	66.22	143.13	76.91	McLaren Hart
		03/01/94	65.57		77.56	McLaren Hart
	•	10/11/94	64.25		78.88	McLaren Hart
		04/10/95	64.22		78.91	McLaren Hart
		04/23/96	63.03		80.10	McLaren Hart
	.	I			1	

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen			l '		
	Interval		Depth to	Measuring Point W	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
OFRP-MW7	67-97	01/27/94	68.25	145.69	77.44	McLaren Hart
OFRE-INIAA.	01-91	03/01/94	67.63	145.09	78.06	McLaren Hart
	_	10/11/94	65.98		79.71	McLaren Hart
	_	04/10/95	66.18	· · · · · · · · · · · · · · · · · · ·	79.71	McLaren Hart
	-	04/10/95	64.86	<u> </u>	80.83	McLaren Hart
	- 	04/23/90	04.00		00.03	MCLaren Hart
OFRP-MW8	69-94	01/28/94	71.69	142.24	70.55	McLaren Hart
		03/01/94	70.98		71.26	McLaren Hart
-	-	10/11/94	68.93		73.31	McLaren Hart
		04/10/95	69.09		73.15	McLaren Hart
		04/23/96	67.60		74.64	McLaren Hart
,		06/21/05	86.75		55.49	CH2M HILL
		08/31/05	85.20		57.04	CH2M HILL
OEDD MANO	60.04	04/07/04	70.07	145.40	74.00	Mad and the
OFRP-MW9	69-94	01/27/94	73.37	145.19	71.82	McLaren Hart
		03/01/94	72.82		72.37	McLaren Hart
		10/11/94	69.92		75.27	McLaren Hart
		04/10/95	70.24		74.95	McLaren Hart
		04/23/96	68.58		76.61	McLaren Hart
OFRP-MW10	63-83	02/02/94	70.06	147.02	76.96	McLaren Hart
	-	03/01/94	69.63	, , , , , ,	77.39	McLaren Hart
		10/11/94	66.84		80.18	McLaren Hart
		04/10/95	67.30		79.72	McLaren Hart
		04/23/96	65.98		81.04	McLaren Hart
OFRP-MW11	67-87	02/02/94	73.94	149.72	75.78	McLaren Hart
		03/01/94	73.56		76.16	McLaren Hart
		10/11/94	70.52		79.20	McLaren Hart
		04/10/95	70.65		79.07	McLaren Hart
		04/23/96	69.10		80.62	McLaren Hart
OFFID MAKES	60.00	04/07/04	71.04	450.00	01.45	Mal aren Uart
OFRP-MW12	68-88	01/27/94	71.21 70.83	152.66	81.45 81.83	McLaren Hart McLaren Hart
		10/11/94	68.02		84.64	McLaren Hart
	<u> </u>	04/10/95	68.39		84.27	McLaren Hart
	 -	04/23/96	66.92		85.74	McLaren Hart
			Lid Rusted		N/A	CH2M HILL
		03/14/06	80.81		71.85	CH2M HILL
		09/20/06	79.76		72.90	CH2M HILL
		07/26/07	No access		N/A	CH2M HILL
				,		
OFRP-MW13	57-92	01/27/94	62.05	153.76	91.71	McLaren Hart
		03/01/94	61.68		92.08	McLaren Hart
		10/11/94	49.41		104.35	McLaren Hart
,		04/10/95	59.72		94.04	McLaren Hart
•		04/23/96	58.36		95.40	McLaren Hart
OFRP-MW14	54-89	01/27/94	59.62	152.52	92.90	McLaren Hart
<u> </u>	<u> </u>	03/01/94	59.32	102.02	93.20	McLaren Hart
		10/11/94	57.11		95.41	McLaren Hart
		04/10/95	57.72		94.80	McLaren Hart
	+	04/10/93	56.32		96.20	McLaren Hart
		0-7/20/30			30.20	ocaron riant
l	50-80	01/27/94	57.60	150.58	92.98	McLaren Hart

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen		Donth to	Magazzina Boint	Water Level	
Well ID	Interval (ft BGS)	Date	Depth to Water (ft)	Measuring Point Elevation (ft)	Elevation (ft)	Consultant/Source
Well ID	(11 10 00 0)			Lievation (it)		
		03/01/94 10/11/94	57.27 54.88		93.31 95.70	McLaren Hart
		04/10/95	54.86		95.70	McLaren Hart
		04/23/96	53.59		96.99	McLaren Hart
		04/23/90	33.39	<u> </u>	30.33	INICLAI EIT TIAIT
OFRP-MW16	54-89	01/27/94	57.48	151.97	94,49	McLaren Hart
01101-1111110	04 00	03/01/94	57.19	101.07	94.78	McLaren Hart
		10/11/94	54.94		97.03	McLaren Hart
		04/10/95	56.25	-,	95.72	McLaren Hart
		04/23/96	53.86	,	98.11	McLaren Hart
OFRP-MW17	58-88	01/27/94	58.75	155.60	96.85	McLaren Hart
		03/01/94	58.47		97.13	McLaren Hart
	-	10/11/94	56.35		99.25	McLaren Hart
		04/10/95	56.82		98.78	McLaren Hart
		04/23/96	55.39		100.21	McLaren Hart
OFRP-MW18	55-80	01/27/94	59.85	153.74	93.89	McLaren Hart
		03/01/94	59.53		94.21	McLaren Hart
		10/11/94	57.34		96.40	McLaren Hart
		04/10/95	58.09		95.65	McLaren Hart
		04/23/96	56.68		97.06	McLaren Hart
	50.70	00/00/04	57.00	150.04	101.00	
OFRP-MW19	53-78	02/02/94	57.02	158.24	101.22	McLaren Hart
	- 	03/01/94 10/11/94	57.02		101.22	McLaren Hart
·		04/10/95	54.84 55.27		103.40 102.97	McLaren Hart
		04/23/96	53.69		102.97	McLaren Hart
		08/31/05	65.23	·· · · · · · · · · · · · · · · · · · ·	93.01	McLaren Hart
	-	03/14/06	54.88		103.36	CH2M HILL
		09/19/06	63.40		94.84	CH2M HILL
		07/26/07	63.07		95.17	CH2M HILL
		01720701	00.01		00.11	OT IZWITTIEE
OFRP-MW20	55-100	02/02/94	57.45	155.72	98.27	McLaren Hart
<u> </u>		03/01/94	57.24		98.48	McLaren Hart
		10/11/94	55.22		100.50	McLaren Hart
		04/10/95	56.09		99.63	McLaren Hart
		04/23/96	53.56		102.16	McLaren Hart
OFRP-MW21	67-92	02/02/94	54.93	157.43	102.50	McLaren Hart
	,	03/01/94	58.75		98.68	McLaren Hart
·		10/11/94	52.68	ļ	104.75	McLaren Hart
		04/10/95	52.28		105.15	McLaren Hart
		04/23/96	50.64		106.79	McLaren Hart
		08/31/05	61.37		96.06	CH2M HILL
		03/14/06	61.44	<u> </u>	95.99	CH2M HILL
		09/19/06	59.16		98.27	CH2M HILL
		07/26/07	58.82		98.61	CH2M HILL
OFRP-MW22	62-87	04/23/96	76.89	154.70	77.81	McLaren Hart
			ļ			
OFRP-MW23	73-88	02/01/94	64.30	150.36	86.06	McLaren Hart
		03/01/94	63.96		86.40	McLaren Hart
		10/11/94	61.93		88.43	McLaren Hart
		04/10/95	62.78	<u> </u>	87.58	McLaren Hart

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

58-93 60-100	Date 04/23/96 02/01/94 03/01/94 10/11/94 04/10/95 04/23/96 10/11/94 04/10/95	Depth to Water (ft) 61.03 62.75 62.43 60.75 61.70 60.24	Measuring Point Elevation (ft)	Water Level Elevation (ft) 89.33 90.31 90.63 92.31 91.36	Consultant/Source McLaren Hart McLaren Hart McLaren Hart McLaren Hart McLaren Hart
58-93	04/23/96 02/01/94 03/01/94 10/11/94 04/10/95 04/23/96 10/11/94 04/10/95	61.03 62.75 62.43 60.75 61.70 60.24		90.31 90.63 92.31	McLaren Hart McLaren Hart McLaren Hart
60-100	02/01/94 03/01/94 10/11/94 04/10/95 04/23/96 10/11/94 04/10/95	62.75 62.43 60.75 61.70 60.24	153.06	90.31 90.63 92.31	McLaren Hart McLaren Hart
60-100	03/01/94 10/11/94 04/10/95 04/23/96 10/11/94 04/10/95	62.43 60.75 61.70 60.24	153.06	90.63 92.31	McLaren Hart
60-100	03/01/94 10/11/94 04/10/95 04/23/96 10/11/94 04/10/95	62.43 60.75 61.70 60.24	153.06	90.63 92.31	McLaren Hart
	10/11/94 04/10/95 04/23/96 10/11/94 04/10/95	60.75 61.70 60.24		92.31	
	04/10/95 04/23/96 10/11/94 04/10/95	61.70 60.24			HVICLAICHTIAH
	04/23/96 10/11/94 04/10/95	60.24			McLaren Hart
	10/11/94 04/10/95			92.82	McLaren Hart
	04/10/95	59.98		32.02	Mozaron Hart
			150.60	90.62	McLaren Hart
60-100	0.110 - 1	59.88		90.72	McLaren Hart
60-100	04/23/96	58.96		91.64	McLaren Hart
60-100					
00-100	10/11/94	64.59	143.75	79.16	McLaren Hart
	04/10/95	64.66		79.09	McLaren Hart
	04/23/96	63.36		80.39	McLaren Hart
60-100	10/11/94	65.24	147.01	81.77	McLaren Hart
					McLaren Hart
	04/23/96	64.12		82.89	McLaren Hart
			135.23		BBL
					BBL
					BBL
					BBL
					BBL
	05/07/07	87.63		47.60	BBL
	05/01/02	07.00	126.05	40.07	BBL
			130.93		BBL
					BBL
					BBL
					BBL
				<u> </u>	BBL
	03/01/01	32.23			I DDL
· · · · · · · · · · · · · · · · · · ·	05/01/02	83 64	141 16	57.52	BBL
					BBL
		88.09	<u> </u>		BBL
					1
	05/01/02	82.59	138.63	56.04	BBL
	10/01/05	91.03		47.60	BBL
	02/13/06	89.95		48.68	BBL
	07/31/06	87.99		50.64	BBL
	02/05/07	87.66	Ī	50.97	BBL
	05/07/07	87.11		51.52	BBL
	05/01/02	88.19	148.41	60.22	BBL
	10/01/05	abandoned		n/a	BBL
	02/06/06	reinstalled	152.51	n/a	BBL
	08/02/06	96.72		55.79	BBL
	02/05/07	95.90		56.61	BBL
	05/07/07	95.51		57.00	BBL
	60-100	04/10/95 04/23/96 05/01/02 10/01/05 02/13/06 07/31/06 02/05/07 05/07/07 05/01/02 10/01/05 02/13/06 07/31/06 07/31/06 02/05/07 05/07/07 05/01/02 10/01/05 02/13/06 07/31/06	04/10/95 65.29 04/23/96 64.12 05/01/02 83.10 10/01/05 dry 02/13/06 88.61 02/05/07 88.20 05/07/07 87.63 05/01/02 87.88 10/01/05 dry 02/13/06 dry 07/31/06 93.32 02/13/06 dry 07/31/06 93.32 02/05/07 92.83 05/07/07 92.83 05/07/07 92.29 05/01/02 83.64 10/01/05 89.85 02/13/06 89.66 07/31/06 covered 02/05/07 88.35 05/07/07 88.09 05/01/02 82.59 10/01/05 91.03 02/13/06 89.95 07/31/06 89.95 07/31/06 89.95 05/07/07 87.66 05/07/07 87.11	04/10/95 65.29 04/23/96 64.12 05/01/02 83.10 135.23 10/01/05 dry 02/13/06 88.61 02/05/07 88.20 05/07/07 87.63 05/01/02 87.88 136.95 10/01/05 dry 02/13/06 dry 07/31/06 93.32 02/05/07 92.83 05/07/07 92.29 05/01/02 83.64 141.16 10/01/05 89.85 02/13/06 89.66 07/31/06 covered 02/05/07 88.35 05/07/07 88.35 05/07/07 88.35 05/07/07 88.09 05/01/02 82.59 138.63 10/01/05 91.03 02/13/06 89.95 07/31/06 89.95 07/31/06 87.99 02/05/07 87.66 05/07/07 87.11 05/01/02 88.19 148.41 10/01/05 abandoned 02/06/06 reinstalled 02/06/06 96.72 02/05/07 95.90	04/10/95 65.29 81.72 04/23/96 64.12 82.89 05/01/02 83.10 135.23 52.13 10/01/05 dry N/A 02/13/06 dry N/A 07/31/06 88.61 46.62 02/05/07 88.20 47.03 05/07/07 87.63 47.60 05/01/02 87.88 136.95 49.07 10/01/05 dry N/A 02/13/06 dry N/A 02/13/06 gry N/A 02/05/07 92.83 44.12 05/07/07 92.29 44.66 05/01/02 83.64 141.16 57.52 10/01/05 89.85 51.31 02/13/06 89.66 51.50 07/31/06 covered n/a 02/05/07 88.35 52.81 05/07/07 88.09 53.07 05/01/02 82.59 138.63 56.04 10/01/05 91.03

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen		I			
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
Cenco-MW107	1	05/01/02	95.20	149.93	53.73	BBL
	 	10/01/05	abandoned	110.00	n/a	BBL
• • • · · · · · · · · · · · · · · · · ·	 	02/13/06	reinstalled	146.71	n/a	BBL
	<u> </u>	08/02/06	96.88	140.71	49.83	BBL
	 	02/05/07	96.41		50.30	BBL
		05/07/07	96.09		50.62	BBL
		03/07/07	30.03		30.02	DDL
Cenco-MW201		05/01/02	84.45	132.91	48.46	BBL
		10/01/05	93.07		39.84	BBL
		02/06/06	91.80		41.11	BBL
······································	 	07/06/06	89.88	-	43.03	BBL
		02/05/07	89.34		43.57	BBL
		05/07/07	88.79		44.12	BBL
Cenco-MW202		05/01/02	88.88	137.89	49.01	BBL
		10/01/05	dry		n/a	BBL
		02/06/06	dry		n/a	BBL
		07/06/06	dry		n/a	BBL
		02/05/07	dry		n/a	BBL
		05/07/07	dry		n/a	BBL
Cenco-MW203		05/01/02	92.96	143.89	50.93	BBL
		10/01/05	abandoned		n/a	BBL
		02/06/06	reinstalled	143.43	n/a	BBL
		07/06/06	94.12		49.31	BBL
		02/05/07	93.84		49.59	BBL
		05/07/07	93.65		49.78	BBL
		:		·		
Cenco-MW204		05/01/02	89.28	140.14	50.86	BBL
	ļ	10/01/05	97.86		42.28	BBL
-		02/06/06	93.27		46.87	BBL
		07/06/06	95.24	<u> </u>	44.90	BBL
		02/05/07	94.32		45.82	BBL
		05/07/07	93.79		46.35	BBL
	1					
Cenco-MW205	<u> </u>	05/01/02	83.52	138.04	54.52	BBL
		10/01/05	92.00		46.04	BBL
	ļ	02/06/06	90.92	ļ		BBL
		07/06/06	88.99		49.05	BBL
<i>J</i>	-	02/05/07	88.52		49.52	BBL
	+	05/07/07	88.08		49.96	BBL
Conce MINIEO4 A		05/04/02	05.76	100.70	40.04	I DDI
Cenco-MW501A	+	05/01/02	85.76	128.70	42.94	BBL
		10/01/05	dry		N/A	BBL
	+	02/06/06	01.74		N/A	BBL
	 	07/06/06	91.74		36.96	BBL
		02/05/07 05/07/07	91.02 90.39		37.68 38.31	BBL
	1	05/07/07	90.39		38.31	BBL
Cenco-MW502	-	05/01/02	85.70	128.30	42.60	BBL
OCTION-WITTOUZ		10/01/05	94.90	120.30	33.40	BBL
<u></u>	+	02/06/06	93.40		34.90	BBL
	+	07/06/06	91.49	 	36.81	BBL
	J		90.80	-	37.50	BBL
		02/05/0 7	1 (10,00			

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen					
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		05/04/00	22.22	100.00	10.01	55.
Cenco-MW503B	ļ .	05/01/02	86.32	129.96	43.64	BBL
,		10/01/05	95.34		34.62	BBL
	ļ	02/06/06	93.79		36.17	BBL
		07/06/06	91.93		38.03	BBL
	l	02/05/07	91.28		38.68	BBL
	/	05/07/07	90.63		39.33	BBL
Cenco-MW504	<u> </u>	05/01/02	87.20	134.51	47.31	BBL
Cenco-MIVV504				134.31		
		10/01/05	95.12		39.39	BBL
		02/06/06	93.80		40.71	BBL
	ļ	07/06/06	91.81		42.70	BBL
		02/05/07	91.26		43.25	BBL
		05/07/07	90.69		43.82	BBL
Cenco-MW600A	1	05/01/02	83.20	120.34	37.14	BBL
55,165 INTOVA	1	10/01/05	92.62	120.04	27.72	BBL
	 	02/06/06	91.15		29.19	BBL
	1	07/06/06	88.87	 	31.47	BBL
	1	02/05/07	88.48		31.86	BBL
	}					
	<u> </u>	05/07/07	85.61		34.73	BBL
Cenco-MW601A	1	05/01/02	85.42	126.53	41.11	BBL
	1	10/01/05	dry		n/a	BBL
	 	02/06/06	dry		n/a	BBL
	 	07/06/06	dry		n/a	BBL
************	 	02/05/07	dry		n/a	BBL
		05/07/07	dry		n/a	BBL
	1		Í			
Cenco-MW603		05/01/02	80.21	118.54	38.33	BBL
		10/01/05	89.53		29.01	BBL
	<u></u> .	02/06/06	88.49		30.05	BBL
		07/06/06	85.88	-	32.66	BBL
	L	02/05/07	85.01		33.53	BBL
		05/07/07	84.24		34.30	BBL
Camaa MMCO4	<u> </u>	05/04/02	00.70	400.40	44.07	DDI
Cenco-MW604	1	05/01/02 10/01/05	96.79 102.78	138.16		BBL BBL
	 		t			
	1	02/06/06	dry			BBL
	 	07/06/06	dry		n/a	BBL
	1	02/05/07	101.91		36.25	BBL
	 	05/07/07	101.28		36.88	BBL
Cenco-MW605	 	05/01/02	81.84	114.54	32.70	BBL
	 	10/01/05	91.22	117.07	23.32	BBL
!	1.	02/06/06	88.91		25.63	BBL
	 	07/06/06	88.45	-	26.09	BBL
	 	02/05/07	86.32		28.22	BBL
	 	05/07/07	85.54		29.00	BBL
	<u> </u>	33,31,01	30.07		20.00	
Cenco-MW606		05/01/02	84.69	113.89	29.20	BBL
		10/01/05	94.21		19.68	BBL
		02/06/06	91.98		21.91	BBL
		07/06/06	90.30	-	23.59	BBL
		02/05/07	89.30		24.59	BBL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	· Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		05/07/07	88.40		25.49	BBL
Cenco-MW607		05/01/02	95.30	126.03	30.73	BBL
		10/01/05	104.78		21.25	BBL
		02/06/06	103.34		22.69	BBL.
		07/06/06	101.07		24.96	BBL .
		02/05/07	100.57		25.46	BBL
		05/07/07	99.61		26.42	BBL
Cenco-W1		05/01/02	96.70	142.89	46.19	BBL
Celico-AA I		10/01/05	102.95	142.09	39.94	BBL
	-	02/06/06	102.93		40.29	BBL
		07/06/06	102.60		41.41	BBL
-		02/05/07	100.66		42.23	BBL
		05/07/07	100.00		42.23	BBL .
	-	03/07/07	100.11		42.10	DDL .
Cenco-W4		05/01/02	99.43	142.38	42.95	BBL.
		10/01/05	104.36		38.02	BBL
	<u> </u>	02/06/06	103.91		38.47	BBL.
·		07/06/06	102.66	******	39.72	BBL
		02/05/07	101.82		40.56	BBL
		05/07/07	101.36		41.02	BBL
. 7.				,		
Cenco-W3A		05/01/02	100.39	124.00	23.61	BBL
		10/01/05	104.55	<u> </u>	19.45	BBL.
		02/06/06	102.78		21.22	BBL
7.7.		07/06/06	101.30		22.70	BBL
		02/05/07	100.62		23.38	BBL
		05/07/07	100.04		23.96	BBL
Cenco-EW1		05/01/02	94.39	112.40	18.01	BBL
		10/01/05	100.12		12.28	BBL
		02/13/06	99.55		12.85	BBL
		08/02/06	98.65		13.75	BBL
		02/05/07	98.16		14.24	BBL
		05/07/07	97.88		14.52	BBL
Cenco-W7		02/06/06	85.63	n/a		BBL
		07/06/06	85.05	ļ	n/a	BBL
		02/05/07	82.98		n/a	BBL
		05/07/07	82.85	 	n/a	BBL
Cenco-W8		02/06/06	69.11	n/a	n/a	BBL.
Cenco-TTO	•	07/06/06	67.20	n/a	n/a n/a	BBL.
	-	02/05/07	64.04	 	n/a	BBL
		05/07/07	62.96		n/a	BBL
		00/01/01	02.00		11/4	1000
Cenco-W9		02/05/07	84.65	139.12	54.47	BBL
		05/07/07	84.35		54.77	BBL
		23,3.,0,	1	 	 	
Cenco-W10	- -	02/05/07	88.16	139.99	51.83	BBL
		05/07/07	87.60	7	52.39	BBL
	i i	T		<u> </u>		
Cenco-W11		02/05/07	91.24	141.29	50.05	BBL
		05/07/07	90.60	1	50.69	BBL

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

Well ID	Screen Interval (ft BGS)	Data	Depth to	Measuring Point Elevation (ft)	Water Level	Canaultant/Saura
well in	(11 663)	Date	Water (ft)	Elevation (π)	Elevation (ft)	Consultant/Source
Cenco-W12	<u> </u>	02/05/07	93.93	144.42	. 50.49	BBL
001100 1112	 	05/07/07	93.44	144.42	50.98	BBL
		00/01/01	00		00.00	552
Angeles MW-10	25 - 40	12/17/02	32.63		116.78	2005 report from DTS
 •		03/10/03	32.44		116.97	
		06/09/03	30.41		119.00	
		09/09/03	31.68		117.73	
		12/09/03	33.71		115.70	
		03/18/04	34.85		114.56	
		06/14/04	35.08		114.33	
		09/04/04	36.53		112.88	
,		12/04/04	35.63	1	113.78	
		03/15/05	33.41		116.00	
		06/15/05	33.49		115.92	
	1	09/19/05	33.46		115.95	
		12/16/05	33.00		116.41	
Angeles MW-9	30.5-45.5	06/14/02	30.98		118.18	2005 report from DTS
, anguico mirro	00.0 10.0	10/07/02	34.70		114.46	
	1	12/17/02	34.67		114.49	
		03/10/03	. 33.22		115.94	
		06/09/03	31.10		118.06	
• •		09/09/03	34.29		114.87	
		12/09/03	36.96		112.20	
		03/18/04	38.19		110.97	
		06/14/04	39.15		110.01	
		09/04/04	41.05		108.11	
,		12/04/04	41.69		107.47	
		03/15/05	37.82		111.34	
		06/15/05	35.26		113.90	
		09/19/05	32.52		116.64	
		12/16/05	33.56		115.60	
McKesson MW7		02/28/03	41.95	150.16	108.21	geosyntec
incresson may		03/10/03	41.68	130.10	108.48	geosyntec
	 	06/09/03	39.77		110.39	geosyntec
•	1	09/16/03	43.85		106.31	geosyntec
	 	12/09/03	47.14		103.02	geosyntec
		03/16/04	nm		na	geosyntec
	1	06/15/04	47.60		102.56	geosyntec
	1	09/13/04	50.15		100.01	geosyntec
	1	12/09/04	53.73		96.43	geosyntec
		12/16/04	51.96		98.20	geosyntec
- · <u>-</u>		03/09/05	47.70		102.46	geosyntec
		06/06/05	42.35		107.81	geosyntec
		09/19/05	40.23		109.93	geosyntec
T L		00/00/04	22.22	454.40	445.40	LED
Technibraze MW9	-	03/23/04 06/16/04	36.06 36.34	151.18	115.12 114.84	LFR LFR
···	+	09/09/04	37.50	•	113.68	LFR
	 	12/01/04	38.63		112.55	LFR
	 	02/17/05	38.66		112.55	LFR
		05/16/05	31.62	ļ	119.56	LFR

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen					
Well ID	Interval (ft BGS)	Date	Depth to Water (ft)	Measuring Point Elevation (ft)	Water Level Elevation (ft)	*Consultant/Source
Wen ib	(11 500)	08/11/05	28.72	210144101. ()	122.46	LFR
	<u> </u>	11/07/05	29.26		121.92	LFR
		11/01/03	29.20		121.92	CI IX
Technibraze MW14		03/23/04	37.86	150.65	112.79	LFR
		06/16/04	36.16		114.49	LFR
		09/09/04	37.84		112.81	LFR
		12/01/04	38.94		111.71	LFR
		02/17/05	38.16		112.49	LFR
		05/16/05	30.15		120.50	LFR
		08/11/05	27.98		122.67	LFR ·
		11/07/05	28.85		121.80	LFR
00441110	ļ	44/40/04	40.05	474.40	400.05	1 -: O
G&M W-2		11/13/01	43.85	174.10	130.25	Leighton Consulting
	 	02/14/02	44.31		129.79	Leighton Consulting Leighton Consulting
		05/21/02	45.20 45.72		128.90	Leighton Consulting
		08/14/02 11/12/02	45.72 47.06		128.38 127.04	Leighton Consulting
		02/13/03	47.68		126.42	Leighton Consulting
	1	05/12/03	46.98		127.12	Leighton Consulting
		08/15/03	46.91		127.12	Leighton Consulting
		12/09/03	48.48		125.62	Leighton Consulting
		03/09/04	49.80		124.30	Leighton Consulting
		05/20/04	50.03		124.07	Leighton Consulting
·		07/28/04	50.68		123.42	Leighton Consulting
	-	11/12/04	51.95		122.15	Leighton Consulting
		01/20/05	52.50		121.60	Leighton Consulting
		04/13/05	49.90		124.20	Leighton Consulting
G&M W-3		11/04/01	44.39	174.36	129.97	Leighton Consulting
		02/14/02	44.88		129.48	Leighton Consulting
		05/21/02	47.40		126.96	Leighton Consulting
		08/14/02	45.96	<u> </u>	128.40	Leighton Consulting
_		11/12/02	47.28		127.08	Leighton Consulting
· · · · · · · · · · · · · · · · · · ·		02/13/03	47.94		126.42	Leighton Consulting
		05/13/03	47.17		127.19	Leighton Consulting
		08/15/03	47.33		127.03	Leighton Consulting
		12/09/03 03/09/04	48.86 50.02		125.50 124.34	Leighton Consulting Leighton Consulting
	+	05/20/04	50.02		123.82	Leighton Consulting
	 	07/28/04	50.75	 	123.61	Leighton Consulting
	 	11/12/04	52.20		122.16	Leighton Consulting
	 	01/20/05	53.00		121.36	Leighton Consulting
		04/13/05	51.54		122.82	Leighton Consulting
	1					
Phibrotech MW1S	47-62.5	01/15/89	55.86	152.60	96.74	CDM
		04/15/89	52.15		100.45	CDM
		07/17/89	53.60		99.00	CDM
		10/23/89	55.84		96.76	CDM
		01/22/90	55.00		97.60	CDM
	_	04/09/90	53.30		99.30	CDM
	ļ .	07/10/90	51.77		100.83	CDM
<u> </u>	ļ	10/15/90	52.82	152.63	99.81	CDM
		01/07/91	53.44		99.19	CDM
	ļ	04/08/91	5.68		146.95	CDM
	l	07/08/91	49.69	L	102.94	CDM

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen		.			
	Interval		Depth to	Measuring Point	Water Level	i
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	
		10/21/91	50.30		102.33	CDM
•		01/13/92	48.03		104.60	CDM
		03/30/92	45.35		107.28	CDM
		07/13/92	44.76		107.87	CDM
		10/13/92	47.10		105.53	CDM
		01/19/93	43.51		109.12	CDM
		04/19/93	36.62		116.01	CDM
		07/12/93	36.01		116.62	CDM
		10/12/93	36.13		116.50	CDM
		01/10/94	36.03		116.60	CDM
		04/11/94	35.53		117.10	CDM
		07/18/94	34.83		117.80	CDM
		10/10/94	40.40	-	112.23	CDM
		01/16/95	39.04		113.59	CDM
		04/17/95	33.85		118.78	CDM
		07/10/95	32.57		120.06	CDM
		10/09/95	36.15		116.48	CDM
		01/29/96	37.79		114.84	CDM
		04/15/96	34.60		118.03	CDM
		07/15/96	35.21		117.42	CDM
<u> </u>		10/07/96	38.78		113.85	CDM
•		01/13/97	36.90		115.73	CDM
		04/15/97	34.42		118.21	CDM
· .		07/08/97	34.45		118.18	CDM
•		10/14/97	37.81		114.82	CDM
		01/13/98	39.40		113.23	CDM
		04/21/98	34.47		118.16	CDM
		07/14/98	33.51		119.12	CDM
		10/19/98	36.06		116.57	CDM
		01/19/99	38.69		113.94	CDM
		04/20/99	38.62		114.01	CDM
		07/20/99	39.01		113.62	CDM
		10/22/99	45.93		106.70	CDM
		01/25/00	49.90		102.73	CDM
		04/24/00	43.80		108.83	CDM
		10/17/00	43.54		109.09	CDM
		10/25/00	43.54		109.09	CDM
		04/17/01	41.35		111.28	CDM
		07/17/01	41.05		111.58	CDM
		10/16/01	45.20		107.43	CDM
		01/15/02	43.59		109.04	CDM
		04/16/02	43.62		109.01	CDM
· · · · · · · · · · · · · · · · · · · 		07/24/02	47.79		104.84	CDM
		10/22/02	51.08		101.55	CDM ·
		01/24/03	49.10		103.53	CDM
		04/23/03	45.29		107.34	CDM
		07/29/03	48.48		104.15	CDM
		10/21/03	54.03		98.60	CDM
		01/21/04	55.49		97.14	CDM
		04/20/04	54.93		97.70	CDM
		07/20/04	57.57	•	95.06	CDM
	1	10/11/04	61.36		91.27	CDM
		01/26/05	58.06	152.19	94.13	CDM
	1	04/26/05	48.60	.02.10	103.59	CDM
		07/26/05	46.40		105.79	CDM

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		10/18/05	47.11		105.08	Iris Environmental
		01/25/06	48.13		104.06	Iris Environmental
		04/25/06	45.23		106.96	Iris Environmental
		07/25/06	45.11		107.08	Iris Environmental
		10/24/06	47.20		104.99	Iris Environmental
Phibrotech MW3	45-75	01/15/89	56.60	151.62	95.02	CDM
	*	04/15/89	52.33	151.71	99.29	CDM
		07/17/89	53.41	154.75	98.21	CDM
·····		10/23/89	56.87	154.36	94.75	CDM
		01/22/90	55.77		95.85	CDM
	1	04/09/90	53.90		97.72	CDM
	 	07/10/90	52.35		99.27	CDM
		10/15/90	54.42	-	97.29	CDM
	1	01/07/91	54.02		97.69	CDM
	1	04/08/91	51.90	-	99.81	CDM
	1	07/08/91	50.08		101.63	CDM
	1	10/21/91	50.72		100.99	CDM
· · · · · · · · · · · · · · · · · · ·	1	01/13/92	48.27		103.44	CDM
	+	03/30/92	45.67		106.04	CDM
	†	07/13/92	45.10		106.61	CDM
	-	10/13/92	47.78		103.93	CDM
		01/19/93	44.43		107.28	CDM
	-	04/19/93	36.54		115.17	CDM
	 	07/12/93	35.99		115.72	CDM
		10/12/93	36.04	· ·	115.67	CDM
	+	01/10/94	36.12		115.59	CDM
····		04/11/94	35.38	-	116.33	CDM
	 	07/18/94	34.80		116.91	CDM
		10/10/94	40.86		110.85	CDM
·		01/16/95	39.88		111.83	CDM
	-	04/17/95	33.88		117.83	CDM
		07/10/95	32.51		117.03	CDM
	-	10/09/95	36.26		115.45	CDM
		01/29/96	38.30		113.43	CDM
	-	04/15/96	34.98		116.73	CDM
	+	07/15/96	35.38		116.73	CDM
	- 	10/07/96	39.26		112.45	CDM
		01/13/97	37.52		114.19	CDM
···		04/15/97	34.58		117.13	CDM
		07/08/97	34.53		117.18	CDM
 	-	10/14/97	38.11	<u> </u>	113.60	CDM
		01/13/98	4.03		147.68	CDM
		04/21/98	34.89		116.82	CDM
		07/14/98	36.73		118.02	CDM
	1	10/19/98	39.35		115.40	CDM
	†	01/19/99	42.27		112.48	CDM
	+	04/20/99	42.26	 	112.49	CDM
· · · · · · · · · · · · · · · · · · ·	 	07/20/99	42.44		112.31	CDM
		10/22/99	50.33		104.42	CDM
	 	01/25/00	54.25	 	104.42	CDM
	+			 		
 	 	04/24/00	47.55		107.20	CDM
		10/17/00	47.29 47.29	-	107.46 107.46	CDM
· ·	1					

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen					
	Interval	 	Depth to	Measuring Point	Water Level	,
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	
		07/17/01	44.40	·	110.35	CDM
•	ļ	10/16/01	48.94		105.81	CDM
	<u> </u>	01/15/02	47.61		107.14	CDM
	ļ	04/16/02	47.20		107.55	CDM
	<u> </u>	07/24/02	51.67		103.08	CDM
		10/22/02	55.20		99.55	CDM
		01/24/03	53.09		101.66	CDM
	l	04/23/03	49.05		105.70	CDM
		07/29/03	52.31		102.44	CDM
	<u> </u>	10/21/03	58.33		96.42	CDM
		01/21/04	59.87		94.88	CDM
		04/20/04	58.90		95.85	CDM
		07/20/04	62.00		92.75	CDM
		10/11/04	66.33		88.42	CDM
		01/26/05	62.41		91.95	CDM
		04/26/05	52.35		102.01	CDM
		07/26/05	49.87		104.49	CDM
		10/18/05	50.86		103.50	Iris Environmental
		01/25/06	52.29		102.07	Iris Environmental
		04/25/06	49.20		105.16	Iris Environmental
		07/25/06	48.80		105.56	Iris Environmental
		10/24/06	51.10		103.26	Iris Environmental
Phibrotech MW6B	45-75	01/15/89	54.34	149.46	95.12	CDM
*		04/25/89	50.35	149.53	99.11	CDM
 		07/17/89	51.07	149.35	98.39	CDM
		10/23/89	54.11		95.35	CDM
		01/22/90	53.49		95.97	CDM
		04/09/90	51.70		97.76	CDM
		07/10/90	50.18		99.28	CDM '
		10/15/90	51.08		98.45	CDM
		01/07/91	51.66		97.87	CDM
		01/13/92	46.30		103.23	CDM
		03/30/92	43.67		105.86	CDM
	·	07/13/92	42.96		106.57	CDM
	1	10/13/92	45.41		104.12	CDM
	1	01/19/93	42.30		107.23	CDM
		04/19/93	34.89			CDM
		07/12/93	34.19		115.34	CDM
		10/12/93	34.07		115.46	CDM
	1	01/10/94	34.16		115.37	CDM
		04/11/94	33.38		116.15	CDM
	1	07/18/94	32.86		116.67	CDM
		10/10/94	38.40		111.13	CDM
		01/16/95	37.34		112.19	CDM
	<u> </u>	04/17/95	32.11		117.42	CDM
	<u> </u>	07/10/95	30.60		118.93	CDM
	 	10/09/95	34.08		115.45	CDM
	†	01/29/96	36.06	 	113,47	CDM
	 	04/15/96	32.88		116.65	CDM
			33.35		116.18	CDM
	1 .	1 11//15/06			1 10.10	I O D IVI
	<u> </u>	07/15/96				CDM
· .		10/07/96	36.87		112.66	CDM ·
						CDM CDM CDM

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

Well ID	Screen Interval (ft BGS)	Date	Depth to Water (ft)	Measuring Point Elevation (ft)	Water Level Elevation (ft)	Consultant/Source
	1 (11 2007	10/14/97	35.82	1 2.014.07.(1.4)	113.71	CDM
						
		01/13/98	37.47 32.77		112.06 116.76	CDM CDM
	<u> </u>	04/21/98				
		07/14/98	31.58		117.95	CDM
		10/19/98	34.70		114.83	CDM
	_	01/19/99	36.79		112.74	CDM
		04/20/99	36.97		112.56	CDM
		07/20/99	37.10	<u> </u>	112.43	CDM
·		10/22/99	44.49		105.04	CDM
		01/25/00	48.27		101.26	CDM
		04/24/00	42.32		107.21	CDM
		10/17/00	41.98		107.55	CDM
		10/25/00	41.98		107.55	CDM
		04/17/01	39.72		109.81	CDM
	_	07/17/01	39.24		110.29	CDM
		10/16/01	43.47		106.06	CDM
		01/15/02	42.52		107.01	CDM
·-····································		04/16/02	41.95		107.58	CDM
		07/24/02	46.09		103.44	CDM
		10/22/02	49.50		100.03	CDM
		01/24/03	47.83		101.70	CDM
		04/23/03	43.98		105.55	CDM
		07/29/03	46.75		102.78	CDM
		10/21/03	42.29		107.24	CDM
		01/21/04	54.05		95.48	CDM
		04/20/04	53.45		96.08	CDM
		07/20/04	56.15		93.38	CDM
		10/11/04	59.91		89.62	CDM
		01/26/05	57.39		91.96	CDM
		04/26/05	47.80		101.55	CDM
		07/26/05	45.00		104.35	CDM
		10/18/05	45.82		103.53	Iris Environmental
		01/25/06	47.10		102.25	Iris Environmental
		04/25/06	44.25		105.10	Iris Environmental
		07/25/06	43.70		105.65	Iris Environmental
		10/24/06	45.84		103.51	Iris Environmental
Phibrotech MW8	41-71	01/15/89	54.69	149.53	94.84	CDM
	 .	04/25/89	50.47		99.06	CDM
		07/17/89	51.40		98.13	CDM
		10/23/89	54.63		94.90	CDM
		01/22/90	53.91	,	95.62	CDM
		04/09/90	52.02		97.51	CDM
		07/10/90	50.45		99.08	CDM
30 F. V.		10/15/90	51.47	149.98	98.51	CDM
		01/07/91	52.05		97.93	CDM .
		01/19/93	42.58		107.40	CDM
		04/19/93	34.92		115.06	CDM
		07/12/93	34.34		115.64	CDM
		10/12/93	34.33		115.65	CDM
		01/10/94	34.39		115.59	CDM
		04/11/94	33.63		116.35	CDM
	1	07/18/94	33.10		116.88	CDM
		10/10/94	38.92		111.06	CDM
	 	01/16/95	37.84	1	112.14	CDM

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		04/17/95	32.22		117.76	CDM
	 	07/10/95	30.81		119.17	CDM
	<u> </u>	10/09/95	34.45		115.53	CDM
		01/29/96	36.40		113.58	CDM
		04/15/96	33.10	<u>'</u>	116.88	CDM
		07/15/96	33.59		116.39	СDМ
		10/07/96	37.31		112.67	CDM
		01/13/97	35.66		114.32	CDM
		04/15/97	32.80		117.18	CDM
		07/08/97	32.73		117.25	CDM
		10/14/97	36.24		113.74	CDM
		01/13/98	38.02		111.96	CDM
		04/21/98	33.03		116.95	CDM
		07/14/98	32.05	150.17	118.12	CDM
		10/19/98	34.61		115.56	CDM
		01/19/99	37.40		112.77	CDM
	1	04/20/99	37.50		112.67	CDM
		07/20/99	37.63		112.54	СОМ
	1	10/22/99	45.29		104.88	CDM
		01/25/00	49.05		101.12	CDM
	1	04/24/00	42.73		107.44	CDM
	1	10/17/00	42.25		107.92	CDM
· · · · · · · · · · · · · · · · · · ·		10/25/00	42.25		107.92	CDM
	 	04/17/01	40.23		109.94	CDM
		07/17/01	39.70		110.47	CDM
		10/16/01	44.08		106.09	CDM
		01/15/02	42.92		107.25	CDM
•		04/16/02	42.42		107.75	CDM
		07/24/02	46.73		103.44	CDM
· · · · · · · · · · · · · · · · · · ·		10/22/02	50.20		99.97	CDM
•		01/24/03	48.28		101.89	CDM
		04/23/03	48.28		101.89	CDM
		07/29/03	47.38		102.79	CDM
		10/21/03	53.17		97.00	CDM
		01/21/04	54.75		95.42	CDM
		04/20/04	54.10		96.07	CDM
		07/20/04	57.00		93.17	CDM
		10/11/04	60.77		89.40	CDM
····		01/26/05	57.50	149.70	92.20	CDM
		04/26/05	47.57		102.13	CDM
		07/26/05	45.05		104.65	CDM
		10/18/05	46.20		103.50	Iris Environmental
••		01/25/06	47.21		102.49	Iris Environmental
		04/25/06	44.35	1	105.35	Iris Environmental
	,	07/25/06	43.90		105.80	Iris Environmental
		10/24/06	46.12		103.58	Iris Environmental
Phibrotech MW11	55-75	01/15/89	56.83	152.80	95.97	CDM
•	1	04/25/89	52.95	1	99.85	CDM
	<u> </u>	07/17/89	53.85	1	98.95	CDM
		10/23/89	57.03	1	95.77	CDM
		01/22/90	56.21	1	96.59	CDM
	1	04/09/90	54.36	 	98.44	CDM
	 	07/10/90	52.80	 	100.00	CDM
		10/15/90	53.84	152.81	98.97	CDM

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

•	Screen Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
		01/07/91	54.52		98.29	CDM
		04/08/91	51.64		101.17	CDM
		07/08/91	50.62		102.19	CDM
		10/21/91	51.20		101.61	CDM
		01/13/92	48.72		104.09	CDM
		03/30/92	46.20		106.61	CDM
		07/13/92	45.69		107.12	CDM
		10/13/92	48.26		104.55	CDM
		01/19/93	44.54		108.27	CDM
		04/19/93	37.21		115.60	CDM
·		07/12/93	36.74		116.07	CDM
		10/12/93	36.80		116.01	CDM
		01/10/94	36.78		116.03	CDM
		04/11/94	35.98		116.83	CDM
		07/18/94	35.58		117.23	CDM
		10/10/94	41.51		111.30	CDM
		01/16/95	40.28		112.53	CDM
		04/17/95	34.55	<u> </u>	118.26	CDM
		07/10/95	33.30		119.51	CDM _
		10/09/95	37.01		115.80	CDM
		01/29/96	38.83		113.98	CDM
		04/15/96	35.44		117.37	CDM
	·	07/15/96	36.06		116.75	CDM
-		10/07/96	39.86		112.95	CDM
		01/13/97	38.03		114.78	CDM
		04/15/97	35.21		117.60	CDM
		07/08/97	35.20		117.61	CDM
		10/14/97	38.79		114.02	CDM
		01/13/98	40.58		112.23	CDM
		04/21/98	35.45		117.36	CDM
		07/14/98	37.19	155.76	118.57	CDM
		10/19/98	39.85		115.91	CDM
		01/19/99	42.71		113.05	CDM
		04/20/99	42.62		113.14	CDM
		07/20/99	42.88		112.88	CDM
		10/22/99	50.71		105.05	CDM
		01/25/00	54.45		101.31	CDM
		04/24/00	47.85		107.91	CDM
		10/17/00	47.70		108.06	CDM
		10/25/00	47.70		108.06	CDM
		04/17/01	45.29		110.47	CDM
		07/17/01	44.90		110.86	CDM
		10/16/01	49.34		106.42	CDM
		01/15/02	48.00		107.76	CDM
		04/16/02	47.56		108.20	CDM
· · · · · · · · · · · · · · · · · · ·		07/24/02	52.00		103.76	CDM
		10/22/02	55.44		100.32	CDM
		01/24/03	53.28		102.48	CDM
		04/23/03	49.35		106.41	CDM
		07/29/03	52.68		103.08	CDM
		10/21/03	58.53		97.23	CDM
		01/21/04	59.97		95.79	CDM
		04/20/04	59.11		96.65	CDM .
		07/20/04	62.60		93.16	CDM
		10/11/04	66.32		89.44	CDM

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen					
	Interval	·	Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
	i i	01/26/05	62.60	155.45	92.85	СДМ
		04/26/05	52.75	100.10	102.70	CDM
		07/26/05	50.26		105.19	CDM
		10/18/05	51.35		104.10	Iris Environmental
		01/25/06	52.62		102.83	Iris Environmental
		04/25/06	49.50		105.95	Iris Environmental
		07/25/06	49.30		106.20	Iris Environmental
 		10/24/06	51.51		103.94	Iris Environmental
		10/24/06	31.31		103.94	ins Environmental
Phibrotech MW12S	51-72	10/15/90	53.36	152.64	99.28	CDM
THE TOTAL CONTINUES	01-12	01/07/91	53.80	102.04	98.84	CDM
		01/13/92	48.24		104.40	CDM
	 	03/30/92	45.64		107.00	CDM
<u> </u>		07/13/92	45.10		107.54	CDM
		10/13/92	47.68		104.96	CDM
	 	01/19/93	44.30			CDM
	<u> </u>				108.34 115.91	CDM
		04/19/93	36.73			
		07/12/93	36.30		116.34	CDM
		10/12/93	30.27		122.37	CDM
·		01/10/94	36.24		116.40	СDМ
		04/11/94	35.53		117.11	CDM
		07/18/94	35.08		117.56	CDM
		10/10/94	40.94		111.70	CDM
		01/16/95	39.70		112.94	CDM
		04/17/95	34.06		118.58	CDM
		07/10/95	32.80		119.84	CDM
		10/09/95	36.55		116.09	CDM
		01/29/96	38.21		114.43	CDM
		04/15/96	34.91		117.73	CDM
		07/15/96	35.53		117.11	CDM
		10/07/96	39.28		113.36	CDM
		01/13/97	37.38		115.26	CDM
		04/15/97	34.70		117.94	CDM
		07/08/97	34.68		117.96	CDM
		10/14/97	38.22		114.42	CDM
		01/13/98	39.96		112.68	CDM
		04/21/98	34.83		117.81	CDM
· · · · · · · · · · · · · · · · · · ·	<u> </u>	07/14/98	36.96	155.79	118.83	CDM
	1	10/19/98	39.53		116.26	CDM
	 	01/19/99	42.29		113.50	CDM
		04/20/99	42.29		113.50	CDM
	 	07/20/99	42.55		113.24	CDM
10-11-11	 	10/22/99	50.27	-	105.52	CDM
	 	01/25/00	53.89		103.32	CDM
	 	04/24/00	47.44		101.90	CDM
	 	10/17/00	47.44	 	108.55	CDM
	 					
	 	10/25/00	47.27	<u> </u>	108.52	CDM
	ļ	04/17/01	44.92		110.87	CDM
	_	07/17/01	44.49	ļ	111.30	CDM
		10/16/01	48.25		107.54	CDM
		01/15/02	47.60		108.19	CDM
		04/16/02	47.19		108.60	CDM
		07/24/02	51.59		104.20	CDM
		10/22/02	55.01		100.78	CDM
		01/24/03	52.84		102.95	СОМ

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

	Screen					
	Interval		Depth to	Measuring Point	Water Level	
Well ID	(ft BGS)	Date	Water (ft)	Elevation (ft)	Elevation (ft)	Consultant/Source
	(1.000)	04/23/03	49.00		106.79	CDM
		04/23/03	52.27			CDM
					103.52	
		10/21/03	58.10		97.69	CDM
		01/21/04	59.53		96.26	CDM
		04/20/04	58.80		96.99	CDM
		07/20/04	61.83		93.96	CDM
		10/11/04	65.64		90.15	CDM
		01/26/05	61.71	155.16	93.45	CDM
,		04/26/05	51.95		103.21	CDM
		07/26/05	49.50		105.66	CDM
		10/18/05	50.65		104.51	Iris Environmental
		01/25/06	51.75		103.41	Iris Environmental
		04/25/06	48.75		106.41	Iris Environmental
		07/25/06	48.52		106.64	Iris Environmental
		10/24/06	50.80		104.36	Iris Environmental
·		10.200			10.100	
Phibrotech MW15S	51.5-71.5	10/15/90	53.30	151.01	97.71	CDM
		01/07/91	53.91		97.10	CDM
		04/08/91	51.13		99.88	CDM
		07/08/91	50.07		100.94	CDM
		10/21/91	50.66		100.35	CDM
	 	01/13/92	48.26		102.75	CDM
		03/30/92	45.72		105.29	CDM
		07/13/92	45.06		105.95	CDM
		10/13/92	42.64		108.37	CDM
		01/19/93	44.43		106.58	CDM
		04/19/93	36.60	ļ	114.41	CDM
		07/12/93	36.00		115.01	CDM
		10/12/93	35.94		115.07	CDM
		01/10/94	36.11		114.90	CDM
		04/11/94	35.29		115.72	CDM
		07/18/94	34.70		116.31	CDM
		10/10/94	40.59		110.42	CDM
		02/08/95	39.84		111.17	CDM
		04/17/95	33.86) 117.15	CDM
	1	07/10/95	32.40		118.61	CDM
**		10/09/95	36.06	<u> </u>	114.95	CDM
···		01/29/96	38.32	·	112.69	CDM
		04/15/96	34.92	†··	116.09	CDM
		07/15/96	35.32		115.69	CDM
		10/07/96	39.20	 	111.81	CDM
	 	01/13/97	37.59		113.42	CDM
	 	04/15/97	34.66	1	116.35	CDM
		07/08/97	34.41		116.60	CDM
	 	10/14/97	37.93	-	113.08	CDM
	 	01/13/98	39.95	 	111.06	CDM
 -		04/21/98				CDM
	 		34.96	-	116.05	
· .	1	07/14/98	33.54	-	117.47	CDM
	ļ	10/19/98	36.14		114.87	CDM
		01/19/99	39.03		111.98	CDM
		04/20/99	39.16	<u></u>	111.85	CDM
		07/20/99	39.12		111.89	CDM
		10/22/99	46.94		104.07	CDM
		01/25/00	50.92		100.09	CDM
-	1.	04/24/00	44.45		106.56	CDM

TABLE 3-1OPOG and EPA Historical Groundwater Elevations

- Well ID	Screen Interval (ft BGS)	Date	Depth to Water (ft)	Measuring Point Elevation (ft)	Water Level Elevation (ft)	Consultant/Source
	1 ()	10/17/00	44.19		106.82	CDM
_		10/25/00	44.19		106.82	CDM
		04/17/01	41.88	,	109.13	CDM
-		07/17/01	41.17		109.84	CDM
<u></u>		10/16/01	45.74		105.27	CDM
_		01/15/02	44.64		106.37	СДМ
		04/16/02	44.02		106.99	CDM
		07/24/02	48.44		102.57	CDM
_		10/22/02	51.98		99.03	CDM
<u> </u>		01/24/03	50.10		100.91	CDM
_		04/23/03	46.02		104.99	CDM
		07/29/03	49.02		101.99	CDM
		10/21/03	55.02		95.99	CDM
		01/21/04	56.77		94.24	CDM
		04/20/04	55.88		95.13	CDM
		07/20/04	58.85	,	92.16	CDM
		10/11/04	63.02		87.99	CDM
		01/26/05	59.66	150.74	91.08	CDM
		04/26/05	49.63		101.11	CDM.
		07/26/05	46.96		103.78	CDM
		10/18/05	47.85		102.89	Iris Environmental
		01/25/06	49.32		101.42	Iris Environmental
		04/25/06	46.37		104.37	Iris Environmental
		07/25/06	45.86		104.88	Iris Environmental
		10/24/06	48.50		102.24	Iris Environmental

TABLE 3-2Summary of 2009 First Quarter and Third Quarter Vertical Gradients of OPOG and EPA Cluster Wells

	Screen I	Location	Water	Level	Vertical Gradient								
Well ID	Top Screen	Bottom Screen	1st Quarter 2009	3rd Quarter 2009	Adjacent Screens	1st Quarter 2009	3rd Quarter 2009						
MW1A	112.81	97.81	113.39	111.01	MW1A-MW1B	-0.0168	-0.0177						
MW1B	83.10	72.70	113.85	111.48									
MW4A	104.32	94.02	111.65	109.60	MW4A-MW4B	-0.0070	-0.0052						
MW4B	77.30	67.00	111.84	109.74	MW4B-MW4C	0.1322	0.1655						
MW4C	58.69	48.39	109.38	106.66									
A8WM	120.44	105.44	109.54	NA	MW8A-MW8B	0.0004	NA						
MW8B	85.33	75.33	109.53	107.63	MW8B-MW8C	0.0620	0.0828						
MW8C	63.63	58.63	108.34	106.04	MW8C-MW8D	0.2623	0.3410						
MW8D	40.09	30.09	101.51	97.16									
MW9A	123.88	113.88	114.33	dry	MW9A-MW9B	0.6052	NA						
MW9B	99:26	89.06	102.26	99.49									
MW16A	108.47	93.47	NA	NA	MW16A-MW16B	NA	NA						
MW16B	47.47	37.47	89.40	85.84	MW16B-MW16C	0.0367	0.0796						
MW16C	4.47	-10.53	87.73	82.22									
MW17A	103.40	88.40	NA	NA	MW17A-MW17B	NA	NA						
MW17B	65.40	55.40	78.65	75.99	MW17B-MW17C	0.0551	0.2165						
MW17C	-12.60	-22.60	74.35	59.10									
MW18A	88.32	73.32	107.09	104.73	MW18A-MW18B	-0.0013	0.0019						
MW18B	54.32	44.32	107.13	104.67	MW18B-MW18C	0.0338	0.0665						
MW18C	-1.68	-16.68	105.15	100.78									
MW20A	67.07	52.07	59.36	56.39	MW20A-MW20B	0.0133	0.0174						
MW20B	20.07	10.07	58.82	55.71	MW20B-MW20C	0.1962	NA						
MW20C	-37.93	-47.93	47.44	NA									
MW23A	114.07	94.07	109.38	107.45	MW23A-MW23B	0.0306	0.0413						
MW23B	67.36	52.36	108.10	_ 105.76	MW23B-MW23C	0.0700	0.0959						
MW23C	4.36	-10.64	103.69	99.72	MW23C-MW23D	0.0695	0.0756						
MW23D	-25.64	-35.64	101.78	97.64	·								
MW24A	112.44	92.44	115.62	113.22	MW24A-MW24B	0.1282	0.1703						
MW24B	52.44	37.44	108.25	103.43	MW24B-MW24C	0.0043	0.0043						
MW24C	22.44	2.44	108.11	103.29	MW24C-MW24D	0.0165	0.0329						
MW24D	-10.56	-15.56	107.69	102.45									
MW25A	103.25	83.25	96.40	93.84	MW25A-MW25B	0.0106	0.0226						
MW25B	58.25	38.25	95.96	92.93	MW25B-MW25C	0.0489	0.1171						
MW25C	8.25	-1.75	93.76	87.66	MW25C-MW25D	0.1200	NA						
MW25D	-45.75	-60.75	86.98	NA									
MW26A	85.98	65.98	73.20	70.46	MW26A-MW26B	0.0149	0.0117						
MW26B	50.98	35.98	72.81	70.17	MW26B-MW26C	0.1533	0.3790						
MW26C	10.98	-4.02	66.68	55.01	MW26C-MW26D	-0.0254	NA_						
MW26D	-29.02	-49.02	67.76	NA	<u> </u>								
MW27A	49.47	29.47	51.19	48.04	MW27A-MW27B	0.0000	0.0004						
MW27B	-4.53	-24.53	51.19	48.02	MW27B-MW27C	0.4948	0.7019						
MW27C	-40.53	-50.53	35.85	26.26	MW27C-MW27D	-0.0305	NA_						
MW27D	-60.53	-70.53	36.46	NA									
OW1A	146.99	132.49	134.33	123.71	OW1A-OW1B	0.0906	0.1078						
OW1B	97.37	87.37	130.61	119.86			<u> </u>						
OW3A	136.08	116.08	131.53 123.8		OW3A-OW3B	0.4640	0.4182						
OW3B	85.77	75.77	111.56	107.45		<u> </u>							
OW4A	135.13	115.13	120.14	117,95	OW4A-OW4B	0.1794	0.2222						
OW4B	72.95	62.65	111.20	107.12									
OW8A	140.80	121.20	140.80	121.2	OW8A-OW8B 0.4253								
OW8B	85.43	75.43	85.43	75.43	+* .								

TABLE 3-3aSummary of Detections - First Quarter 2008
Omega Chemical Superfund Site

Analyte	Number of Locations with Detects	Range of Reporting Limits of NonDetects (µg/L)	Range of Detected Concentrations	Location of Maximum Detect	Screening Level (µg/L)	Number of Locations > Screening Level	Screening Level Source
,1,1-Trichloroethane	12	0.50 to 5.00	- 0.2 J to 2600	OW1A	200	1	CA/USEPA Primary MCL
,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	44	0.50 to 5000	0.23 J to 1200	OW8A	1200	0	CA/USEPA Primary MCL
,1,2-Trichloroethane	7	0.50 to 50.0	0.21 J to 0.8	MW23A	5	0	CA/USEPA Primary MCL
1-Dichloroethane	26	0.50 to 5.00	0.22 J to 100	MW17A	5	7	CA Primary MCL
,1-Dichloroethene	50	0.50 to 1.00	0.21 J to 1000	OW1A	6	34	CA Primary MCL
,2-Dichlorobenzene	1	0.50 to 50.0	0.22 J	MW6	600	0	CA/USEPA Primary MCL
,2-Dichloroethane	. 20	0.50 to 500	0.94 to 280	EW-2	0.5	20	CA Primary MCL
enzene	5	0.50 to 500	0.21 J to 0.29 J	MW23A	1	0	CA Primary MCL
arbon tetrachloride	4	0.50 to 500	0.2 J to 0.37 J	MW17C	0.5	0	CA Primary MCL
hloroform	44	0.50 to 1000	0.23 J to 1100	EW-2	80	6	CA/USEPA Primary MCL
is-1,2-Dichloroethene	40	0.50 to 50.0	0.24 J to 170 J	MW17A	6	15	CA Primary MCL
s-1,3-Dichloropropene	1	0.50 to 500	0.21 J	MW26C	0.5	0	CA Primary MCL for 1,3-dichloropropene
ichlorodifluoromethane (Freon 12)	13	0.50 to 5000	0.25 J to 2.9	MW15	1000	0	CA Department of Health Services State notification
ichlorotrifluoroethane	1	NA .	4.2 J	OW1B	NE	0	
lethyl tert-butyl ether	19	0.50 to 5.00	0.2 J to 3.9	MW30	13	0	CA Primary MCL
fethylene chloride	4	0.50 to 5000	5 J to 480 J	OW1A	5	3	CA/USEPA Primary MCL
etrachloroethene	66	0.5	0.2 J to 170000 J	OW1A	5	48	CA/USEPA Primary MCL
rans-1,2-Dichloroethene	15	0.50 to 50.0	0.22 J to 56 J	MW23A	10	5	CA Primary MCL
richloroethene	62	0.50 to 1.00	0.28 J to 3800	OW1A	5	43	CA/USEPA Primary MCL
richlorofluoromethane (Freon 11)	38	0.50 to 50.0	0.65 to 370	MW15	150	7	CA Primary MCL
inyl chloride	2	0.50 to 500	0.4 J to 0.43 J	MW27B	0.5	0	CA Primary MCL

Notes:

J = Estimated value

μg/L = micrograms per Liter

NE = Not Established

NA = Not Applicable

TABLE 3-3bSummary of Detections - First Quarter 2009
Omega Chemical Superfund Site

Analyte	Number of Locations with Detects	Range of Reporting Limits of NonDetects (µg/L)	Range of Detected Concentrations	Location of Maximum Detect	Screening Level (µg/L)	Number of Locations > Screening Level	Screening Level Source
1,1,1-Trichloroethane	7	0.50 to 20.0	0.23 J to 2000	OW1A	200	2	CA/USEPA Primary MCL
1,1,2,2-Tetrachloroethane	3	0.50 to 20.0	0.5 J	MW1A, MW8D	1	0	CA Primary MCL
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	43	0.50 to 5000	0.3 J to 1700	OW8A	1200	1	CA/USEPA Primary MCL
1,1,2-Trichloroethane	4	0.50 to 20.0	0.5 J to 90 J	A8WO	5	1	CA/USEPA Primary MCL
,1-Dichloroethane	23	0.50 to 20.0	0.2 J to 74 J	A8WO	5 ,	5	CA Primary MCL
,1-Dichloroethene	49	0.50 to 1.00	0.22 J to 1500	OW9	6	32	CA Primary MCL
,2,3-Trichlorobenzene	6	0.50 to 20.0	0.5 J	MW10, MW8D	NE	0	
,2,4-Trichlorobenzene	6	0.50 to 20.0	0.5 J	MW10, MW8D	5	0	CA Primary MCL
,2-Dibromo-3-chloropropane	5	0.50 to 5000	0.5 J	MW1A, MW8D	0.200000003	5	CA/USEPA Primary MCL
1,2-Dibromoethane	3	0.50 to 20.0	0.5 J	MW1A, MW8D	0.050000001	. 3	CA/USEPA Primary MCL
1,2-Dichlorobenzene	7	0.50 to 20.0	0.5 J to 11 J	OW1B	600	0	CA/USEPA Primary MCL
1,2-Dichloroethane	11	0.50 to 500	0.5 J to 310	OW8A	0.5	9	CA Primary MCL
,2-Dichloropropane	3	0.50 to 20.0	0.5 J	MW1A, MW8D	5	0	CA/USEPA Primary MCL
1,3-Dichlorobenzene	7	0.50 to 20.0	0.5 J to 0.52 J	OW1B	600	0	CA Department of Health Services State notification
,4-Dichlorobenzene	7	0.50 to 20.0	0.5 J to 1.4 J	OW1B	5	0	CA Primary MCL
2-Hexanone	3	5	5 J	MW1A, MW8D	NE .	0	
Benzene	4	0.50 to 500 ·	0.44 J to 21 J	OW1B	1	1	CA Primary MCL
Bromochloromethane	2	0.50 to 20.0	0.5 J	MW8C, MW8D	NE	0	
Bromodichforomethane	4	0.50 to 20.0	0.5 J to 0.91 J	OW7	80	0	CA/USEPA Primary MCL
Bromoform	7	0.50 to 20.0	0.5 J to 0.99 J	OW7	80	0	CA/USEPA Primary MCL
Carbon disulfide	2	0.5	0.5 J	MW8C, MW8D	160	0	CA Department of Health Services State notification
Carbon tetrachloride	3	0.50 to 500	0.23 J to 0.5 J	MW1A, MW8C	0.5	0	CA Primary MCL
Chlorobenzene	4	0.50 to 20.0	0.5 J to 2.7 J	OW1B	70	0	CA Primary MCL
Chloroethane	2	0.50 to 20.0	0.5 J	MW8C, MW8D	16	0	Other taste and Odor
Chloroform	37	0.50 to 1000	0.21 J to 1100	OW9	80	2	CA/USEPA Primary MCL
is-1,2-Dichloroethene	34	0.50 to 20.0	0.22 J to 170 J	MW1A	6	9	CA Primary MCL
sis-1,3-Dichloropropene	3	0.50 to 500	.0.5 J	MW1A, MW8D	0.5	0	CA Primary MCL for 1,3-dichloropropene
Dibromochloromethane	5	0.50 to 20.0	0.5 J to 1.2	OW7	80	0	CA/USEPA Primary MCL
ichlorodifluoromethane (Freon 12)	3	0.50 to 5000	0.42 J to 0.5 J	MW8C, MW8D	1000 .	0	CA Department of Health Services State notification
Ethylbenzene	4	0.50 to 20.0	0.5 J to 1.5 J	OW1B	300	0	CA Primary MCL
sopropylbenzene	4	0.50 to 20.0	0.5 J to 2.3 J	OW1B	770	0	CA Department of Health Services State notification
n,p-Xylenes	4	0.50 to 20.0	0.5 J to 1.1 J	OW1B	1750	0	CA Primary MCL
Methyl cyclohexane	4	0.5	0.5 J to 1.1	MW27B	NE	0	,
Methyl isobutyl ketone	3	5	5 J	MW1A, MW8D	120	(CA Department of Health Services State noti
Methyl tert-butyl ether	5	0.50 to 20.0	0.28 J to 1.1	MW30	13	0	CA Primary MCL
Methylene chloride	4	0.50 to 5000	0.5 J to 1200	OW8A	5	2	CA/USEPA Primary MCL
-Xylene	4	0.50 to 20.0	0.5 J to 1.2 J	OW1B	1750	0	CA Primary MCL
styrene	3	0.50 to 20.0	0.5 J	MW1A, MW8D	100	0	CA/USEPA Primary MCL
etrachloroethene	61	0.5	0.21 J to 150000	OW1A	5	45	CA/USEPA Primary MCL
oluene	5	0.50 to 20.0	0.5 J to 38 J	OW1B	150	0	CA Primary MCL
rans-1,2-Dichloroethene	12	0.50 to 20.0	0.2 J to 49 J	OW8A	10	1	CA Primary MCL

TABLE 3-3bSummary of Detections - First Quarter 2009
Omega Chemical Superfund Site

Analyte	Number of Locations with Detects	Range of Reporting Limits of NonDetects (µg/L)	Range of Detected Concentrations	Location of Maximum Detect	Screening Level (µg/L)	Number of Locations > Screening Level	Screening Level Source
trans-1,3-Dichloropropene	3	0.50 to 500	0.5 J	MW1A, MW8D	0.5	0	CA Primary MCL for 1,3-dichloropropene
Trichloroethene	57	0.50 to 1.00	0.33 J to 11000 J	OW1B	5	41	CA/USEPA Primary MCL
Trichlorofluoromethane (Freon 11)	40	0.50 to 1000 .	0.5 J to 280	OM ₉	150	3	CA Primary MCL
Vinyl chloride	3	0.50 to 500	0.5 J to 0.9	MW27A	0.5	1	ÇA Primary MCL

Notes:

J = Estimated value

μg/L = micrograms per Liter

NE = Not Established

NA = Not Applicable

TABLE 3-3c Summary of Detections - Third Quarter 2009 Omega Chemical Superfund Site

Analyte	Number of Locations with Detects	Range of Reporting Limits of NonDetects (µg/L)	Range of Detected Concentrations	Location of Maximum Detect	Screening Level (µg/L)	Number of Locations > Screening Level	Screening Level Source
1,1,1-Trichloroethane	6	0.50 to 5.00	0.13 J to 1900	OW1a	200	1	CA/USEPA Primary MCL
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	48	0.50 to 5.00	0.15 J to 710	OW9	1200	0	CA/USEPA Primary MCL
1,1,2-Trichloroethane	2	0.50 to 5.00	0.16 J to 13	MW27A	5	1	CA/USEPA Primary MCL
1,1-Dichloroethane	28	0.50 to 5.00	0.12 J to 46 J	OW9	5	7	CA Primary MCL
1,1-Dichloroethene	45	0.50 to 1.00	0.45 J to 1600	OW9	6	. 35	CA Primary MCL
1,2-Dichlorobenzene	. 1	0.50 to 5.00	18	OW1a	600	0	CA/USEPA Primary MCL
1,2-Dichloroethane	9	0.50 to 5.00	0.47 J to 250	OW9	0.5	8	CA Primary MCL
1,2-Dichloropropane	2	0.50 to 5.00	0.51 to 5.1	MW20A	5	1	CA/USEPA Primary MCL
Benzene	2	0.50 to 50.0	0.29 J to 6.2	OW1a	1 .	1	CA Primary MCL
Bromodichloromethane	5	0.50 to 5.00	0.12 J to 0.97 J	OW7	80	0	CA/USEPA Primary MCL
3romoform	1	0.50 to 5.00	0.14 J	MW2	80	0	CA/USEPA Primary MCL
Carbon disulfide	1	0.50 to 5.00	7.3 J	MW1A	160	0	CA Department of Health Services State notification
Carbon tetrachloride	13	0.50 to 50.0	0.11 J to 0.36 J	MW16B	0.5	0	CA Primary MCL
Chlorobenzene	1	0.50 to 5.00	6.8 J	OW1a	70	0	CA Primary MCL
Chloroethane	1	0.50 to 5.00	0.31 J	MW12	16	0	Other taste and Odor
Chloroform	46	0.50 to 2.00	0.24 J to 1100	OW9	80	3	CA/USEPA Primary MCL
cis-1,2-Dichloroethene	40	0.50 to 5.00	0.16 J to 110	MW12	6	16	CA Primary MCL
Dibromochloromethane	2	0.50 to 5.00	0.12 J to 0.96 J	OW7	80	0	CA/USEPA Primary MCL
Dichlorodifluoromethane (Freon 12)	9	0.50 to 500	0.11 J to 0.9 J	MW23C	1000	0	CA Department of Health Services State notification
Methyl cyclohexane	1	0.50 to 5.00	13	MW27A	NE	0	
Methyl tert-butyl ether	22	0.50 to 5.00	0.12 J to 2.3 J	MW23C	13	0	CA Primary MCL
Methylene chloride	2	0.50 to 500 ·	0.58 J to 33 J	OW1a	5	1	CA/USEPA Primary MCL
Tetrachloroethene	61	0.5	0.23 J to 240000	OW1a	5	45	CA/USEPA Primary MCL
Toluene	2	0.50 to 5.00	2.3 J to 9.4 J	OW1a	150	0	CA Primary MCL
rans-1,2-Dichloroethene	19	0.50 to 5.00	0.11 J to 11	OW1a	10	1	CA Primary MCL
Trichloroelhene	61	0.50 to 1.00	0.11 J to 2300	OW1a	5	40	CA/USEPA Primary MCL
Trichlorofluoromethane (Freon 11)	40	0.50 to 5.00	0.1 J to 260	OW9	150	2	CA Primary MCL
Vinyl chloride	3	0.50 to 50.0	0.15 J to 2.8	MW27A	0.5	1	CA Primary MCL

Notes:

J = Estimated value

µg/L = micrograms per Liter

NE = Not Established

NA = Not Applicable

TABLE 3-4Statistics of Freon 113 and Freon 11 Ratios

			Statistics of Freon 113/Freon 11 Ratio												
Well ID	Sample Size	Minimum	Maximum	Median	Mean	Standard Deviation	95% LCL	95% UCL	cov						
MW7	4	12.0	28.8	20.0	20.2	7.98	7.5	32.9	0.40						
OW1A	35	9.5	9.5	9.5	9.5	2.09	9.5	9.5	1.00						
OW4B	11	5.0	15.5	8.5	10.0	4.11	7.2	12.7	0.41						
MW1B	16	2.3	7.3	4.1	4.2	1.28	3.5	4.9	0.30						
MW23B	5	3.0	25.5	4.1	8.2	9.75	-3.9	20.3	1.19						
MW1A	18	2.1	9.0	3.5	4.4	2.11	3.4	5.5	0.48						
OW2	46	1.0 6.5 3.5 3.6 1.34					3.2	4.0	0.37						
OW9	5	2.7 4.0 3.4 3.5 0.51						4.1	0.15						
OW5	48	1.1	5.9	3.4	3.5	1.06	2.8 3.2	3.8	0.30						
MW16A	4	2.0	3.6	3.4	3.1	0.76	1.9	4.3	0.24						
MW8B	2	3.2	3.5	3.4	3.4	0.25	1.2	5.6	0.07						
OW8A	55	2.1	8.6	3.1	3.6	1.49	3.2	4.0	0.42						
MW25C	4	2.3	3.6	3.1	3.0	0.56	2.2	3.9	0.18						
OW1B	26	2.3	5.5	3.1	3.4	0.76	3.1	8.7	0.26						
MW24D	2	2.8	3.3	3.0	3.0	0.34	0.0	6.0	0.11						
MW11	4	0.3	5.0	3.0	2.8	2.52	-1.2	6.8	0.89						
MW12	1	3.0	3.0	3.0	3.0		3.0	3.0	1.00						
MW26D	1	3.0	3.0	3.0	3.0		3.0	3.0	1.00						
MW8C	3	0.6	5.4	3.0	3.0	2.40	-3.0	9.0	0.80						
MW23C	13	2.1	3.6	2.9	2.9	0.40	2.7	3.1	0.14						
MW23A	6	2.5	5.5	2.8	3.4	1.25	2.1	4.7	0.37						
MW4C	21	1.7	4.3	2.8	2.9	0.62	2.6	3.1	0.22						
MW23D	4	2.2	3.5	2.8	2.8	0.51	2.0	3.6	0.18						
MW27A	6	2.2	6.4	2.8	3.7	1.98	1.7	5.8	0.53						
MW14	9	1.4	3.3	2.7	2.6	0.60	2.2	3.1	0.23						
MW25A	7	2.5	5.1	2.7	3.2	1.01	2.3	4.1	0.32						
MW4B	25	0.2	4.3	2.7	2.6	0.86	2.3	3.0	0.32						
MW2	22	1.9	3.4	2.6	2.7	0.39	2.5	2.8	0.14						
MW24B	1	2.6	2.6	2.6	2.6		2.6	2.6	1.00						
MW5	23	2.1	4.2	2.6	2.7	0.43	2.5	2.9	0.16						
MW25B	6	1.6	3.8	2.5	2.6	0.74	1.9	3.4	0.28						
MW16B	9	2.0	4.2	2.5	2.6	0.65	2.1	3.1	0.25						
MW15	14	2.1	2.8	2.5	2.5	0.22	2.3	2.6	0.09						
MW4A	28	0.2	4.7	2.4	2.4	0.71	2.2	2.7	0.29						
MW26C	7	1.5	3.2	2.3	2.3	0.58	1.8	2.9	0.25						
MW26B	. 7	1.7	2.4	2.2	2.1	0.29	1.8	2.4	0.14						
MW17B	11	1.6	2.8	2.2	2.2	0.35	2.0	2.5	0.16						
MW20A	10	1.2	2.7	2.2	2.1	0.45	1.8	2.5	0.21						
MW20B	8	1.7	2.8	2.2	2.3	0.42	1.9	2.6	0.19						
OW4A	43	1.0	2.7	2.2	2.1	0.35	2.0	2.2	0.17						
OW8B	1	2.2	2.2	2.2	2.2		2.2	2.2	1.00						
MW10	21	 		2.66	1.6	4.0	0.96								
MW6	4			2.18	-0.4	6.5	0.72								
MW24A	. 7	1.7	3.9	2.1	2.7	0.99	1.8	3.6	0.36						
MW24C	5	1.7	2.8	2.1	2.1	0.43	1.6	2.7	0.20						
OW10	2	1.7	2.3	2.0	2.0	0.40	-1.6	5.6	0.20						
MW8D	10	1.5	2.3	1.9	1.9	0.21	1.8	2.1	0.11						
MW17A	4	1.0	3.3	1.9	2.0	0.98	0.4	3.6	0.49						

TABLE 3-4
Statistics of Freon 113 and Freon 11 Ratios

			Statistics of Freon 113/Freon 11 Ratio													
Weil ID	Sample Size	Minimum	Maximum	Median	Mean	Standard Deviation	95% LCL	95% UCL	cov							
MW26A	6	1.6	2.8	1.9	2.1	0.53	1.5	2.6	0.26							
OW6	46	1.2	3.0	1.8	2.0	0.56	1.8	2.2	0.28							
OW3A	48	1.4	2.1	1.6	1.6	0.24	1.5	1.6	1.00							
MW9B	1	1.3	1.3	1.3	1.3		1.3	1.3	1.00							
OW7	33	0.5	1.7	1.2	1.2	0.25	1,1	1.3	0.21							
MW9A	1	1.1	1.1	1.1	1.1		1.1	1.1	1.00							

Explanation


95% LCL - Lower 95% Confidence Limit 95% UCL - Upper 95% Confidence Limit COV - Coefficient of Variation The table is sorted by the median ratio.


TABLE 3-5
Summary Matrix of Trend Analysis

Summar	y IVIG	uix o	1 1161	IU AII	alysi	>																_																	
rocip	TCE	FC113	DIOXANE14	DCE12C	TCA111	FC11	PCE	DCE11	TBUTMEE	TCLME	DCA12	DCA11	DCE12T	TCA112	82	FC12	MTLNCL	ACE	DCBZ12	BDCME	вzме	CLBZ	CLBZME2	CYMP	DCBZ13	DCBZ14	EBZ	zqdi	MEK	FB2N	TMR124	TMB135	٧c	XYLENES1314	XYLO	DEC	INC	NS	NA NA
MW2	DEC	DEC	DEC			DEC		DEC	DEC	DEC	DEC	DEC		DEC		DEC			_	_				-	1			-	-	-	7	1			-	17	0	0	20
MW5	DEC		DEC		DEC			DEC			DEC					DEC		NS												1					\neg	16	0	1	20
MW4B	DEC		DEC		DEC			DEC	DEC		NS				DEC	N5		NS						is					\perp						\Box	12	0	6	19
MW15	DEC		DEC	DEC	NS	DEC		DEC	DEC	DEC	DEC	DEC	NS	NS	N\$	NS							_ _		<u> </u>		_			4	↓.	ļ	_		\perp	11	0	5	21 27
OW6 OW1a	NS	DEC	DEC			DEC	NS	DEC	DEC	DEC			1.2		DEC			NS		_											_					8	0	2	27
MW4A	DEC		DEC		DEC	DEC	NS		DEC	DEC			NS NS	NS NS	NS NS		NS	45	NS	-	NS	NS NS	HS N	5 NS	NS	NS	N5	NS	N	S N	3		-	NS	NS	7		21	20
MW6	INC		NS			.4.5	DEC	NS NS	DEC	NS NS		NS	.43	DEC	NS	.42	-	75	DEC			-			+-	\vdash	-+		-+-			+	\vdash	-	+	5	1	11	27
OW3a	NS	DEC	NS	NS		DEC	INC		-	NS		NS	NS	DEC	NS		DEC	-	DEC					+	1	-				+	+	+	+	-+	+	5	-1	-7 -	24
OW8A	NS	DEC	NS	NS	DEC	DEC	NS		-	NS				NS	NS			NS	NS		NS	NS	-	+-			NS	NS I	NS	N:	S NS	NS	\vdash	NS	NS	5		23	9
MW7	DEC	DEC		DEC			DEC	NS	NS	ŃS												-1	N	s		l i			1	+-			H			4	0	4	
OW2	INC	DEC	DEC			DEC		NS		INC		N5	NS.											\top						1		1	\vdash			3	3	4	29 27
MW8A	DEC	NS	NS	DEC			DEC	N5	NS	NS																										3	0	5	29
MW9B	DEC	NS	NS	NS			DEC		DEC	NS						NS									L										\perp	3	0	6	28
OW7	DEC	DEC	555			DEC		NS					-													L				+	_	+				3	0	2	32
OW1B OW4A	DEC	NS NS	DEC	NS	NS NS		NS	NS NS	NC.	·DEC	DEC				NS		NS	NS NS				-		+-	+-	\mapsto	-+	-	\dashv	+	+	+	NS		+	2	1	10	32 22 25
MW21	INC	143	NS		DEC	NS	NS NS	NS NS	NS	INC		142					-	143			- 1	-	+	+	1	\vdash	\dashv	-	+	+	+	+	1 1		+	1	2	3	31
MW17B	DEC	NS	NS	ÑS	NS	NS	N5	NS		INC		NS		-+				\vdash			-	\dashv	- N	s	1	\vdash	-	-		+-	+		1-1	-+	+	- 1		10	
MW20A	NS	NS		NS		NS	DEC			NS		INC						\vdash			\dashv	\dashv		+	1	1					1-	1		\dashv	+	11	+	7	25 28
MW10	NS	NS		_ NS		NS	NS	NS	NS	NS	NS	N5										一十	\dashv							1	1				\neg	1		10	26
MW11	NS	NS		DEC		NS	NS		VS	NS		NS																		T.					工	1	0	7	29 31
MW17A	NS			NS	DEC		NS	NS				NS																								1	0	5	31
OW4B	NS	NS				NS	NS	NS	214		NS				พร			DEC		\Box	ļ				1	$\sqcup \bot$		<u> </u>		1		1			-	1	0	8	28
MW16B MW1B	INC	INC	INC	NS NS		INC	INC	INC		INC NS		_					_			<u> </u>						\vdash	-+		_	+-	1	+	1	\dashv	+	0	6	1	30
MW1A	NS	INC	INC	NS NS		INC	INC	INC		NS NS		NS	NS					_					- − N		├		_	-	_	_	+	+	\vdash	-	-+	- 0	5	7	29
MW4C	INC	NS	INC	NS		NS	INC	INC		INC	143	1113	143										+"	+-	1	\vdash		-		+	+	+	\vdash			- 0	5	3	25 29
MW25A	NS	INC		NS		INC	INC	INC		NS		NS									\dashv	-	+	+-	-		-+	-	+	+	+-	+	 - 		-	0	4	4	29
MW8B	INC	INC		NS.			INC	NS		NS						NS					\neg	\neg	_	+		\vdash	_	\neg		\vdash	┪┈╴	-	\vdash		\rightarrow	0 -	3	4	30
MW8C	INC	INC	i	NS			INC	NS		NS						٧S		N3							1		NS	_		1	1		\Box		\neg	0	3	6	28
MW23B	NS	INC	I	NS			NS	NS		INC																									\perp	0	2	4	31
MW8D	INC	NS		NS		NS	INC	NS		NS											-		N	<u>s </u>	ļ	1			4_	_	4	_				0	2	6	29 30
MW9A MW17C	INC NS	NS		NS			INC	NS	NS	NS NS										\rightarrow			- N		-			-		+-	-	+-		-	+	0	1	3	33
MW23C	NS	NS	NS	NS		NS	NS	NS	NS	NS	NS	NS	NS	NS	INC	NS						-+	- 10		├	\vdash	-+	-	+	+	+	+	\vdash	-	+	0		14	22
MW12	NS	- /13	-11-5	- 143		143	NS	NS	1,13	140	113	- 13	113	145	1140	-113		-					-	+	\vdash	+		-	_	+	+	+	\vdash	-+-	-	0	0	3	34
MW13B	NS						NS	-70	_	_			$\overline{}$							-				+-	 		_	$^{+}$	_	+	+		-			- 6	0	2	35
MW14	NS	พร	NS			NS	NS	NS		NS														\top						1	1	1				0	0	7	30 28
MW16A	NS	NŞ	NS	NS			NS	NS		NS		NS								NS										1	1					0	0	9	28
MW16C	NS						NS																									T				0	0	2	35
MW18A	NS	NS					NS	1													_			┵_	\perp			-		_	1	_			+	0	0	3	34
MW18B	N/S	NS	No.	- 110		110	NS	- 110													_				<u> </u>		-			+-	4	1	1		+	0	0	3	34
MW20B MW20C	NS NS	NS	NS	NS NS		NS	NS	NS NS	_	NS		N\$								-	-			+	\vdash					+	+	-	-		+	0	0	3	28
MW22	NS	-	NS	- 143			NS	143	-	NS								-		-	_	-	_		-		-			+	+	+		_	+	0	0	4	33
MW23A	NS	NS		NS		NS	NS	NS	-	NS	-		NS							-	-	\dashv	+	+-						+	+-	1		+	+	0	0	8	34 33 29
MW23D	NS								-		-									\dashv	\neg	-+		_	1	. +	-+	_	\top	\top	+	1	H	\neg	-	0	ō	1	36
MW24A	NS	NS				NS	NS	NS		NS			_ 1							†				Τ-						\perp					\dashv	0	0	6	31
MW24C						NS	NS						T																						工	0	0	2	35
MW25B	NS	NS		NS		NS		NS	[иѕ]				[\perp		ш		[1	4.	1	4_	Ļ₽	_ _	\perp	0	0	7	30
MW25C	NS NS	NS		- 516	- 110	N/O	NS	NS		NS		NS							\vdash	\dashv		+	+	+	\vdash	$\vdash \downarrow$	-+				+-	+	\vdash	+	+	0	0	9	35
MW26A MW26B	NS NS	NS NS		NS NS	NS	NS NS	NS NS	NS NS	-	NS NS		NS NS								\rightarrow	-	-			-	+		+		+	+-	+	\vdash	_	+	0	0	8	28 29
MW26C	NS	NS	-	NS		NS NS	NS NS	NS NS		NS NS		no.	+						-	\dashv	-	+		+-	\vdash	\vdash	\rightarrow	+	+	+	+	+	\vdash	+	+	0	0	7	30
MW27A	NS	NS	-+	NS		NS	NS	NS			-	NS		-+									+	+-	\vdash		\dashv	+	\rightarrow	+	+	t	 		-	- 0	ō	7	30
MW27B	NS			NS			NS	NS	\neg			N5											<u> </u>	\perp						1	1	1			\neg	0	0	5	32
MW27C	NS																													L	\perp				工	0	0	1	36
MW29	NS					\Box	NS													I				—		Ţ				1		↓ _	\sqcup		_	0	0	2	35
MW3			NS				NS		\rightarrow													-+		+-	\vdash	\vdash	-	\dashv	-	+-	+	-	\vdash		+	0	0	2	35 36
MW30				NS			NS	- +	\rightarrow				\rightarrow	-	-								+	+-		+	-		-+-	+	╁			+	+-		0	+	36
OW3B OW5	NS	NS	NS	NS	NS	NS	NS	NS	-+	ŃS	NS	NS	NS	NS	NS		NS	NS	-	+	\rightarrow	\dashv	+	+		-				+	+	1	\vdash	\dashv	+	0		16	21
OW8B	NS				-,,5		NS	NS													\dashv		\neg		1	1	-	\top	\neg	1	\top	T	\vdash	\neg	+	0	0	3	34
Summary					- 1		\dashv																								L	1			\equiv			\Box	
DEC	12		10	9	9	9	9	8	7	. 7	5	5	4	4	4	2	2	1	1	0	0	0		0 0			0	0		0 (0		119	51 3	165	
INC	10		3	0	0	5	13	- 5	0	6	0	1	0	0	1	0	0		0	0	0	0		0 0			0				0 0			0	0	51			
NA NA	42		51	55	55	50	42	51	57	51	59	58	60	60	59	62	62	63	63 2	64	64			4 64 7 1		64	64	64		4 64			64	64		2198	\dashv		
NS	38	28	16	32	7	22	38	36	8	31	10	21	9	6	3	6	4	9	- 2	-1	2	2	- 1	' 1	1	_4	3		-4-	4		1	1	-2		365	+	+	\dashv
DEC= decre	esing to	end and		-	-						-			-							\rightarrow	-+	\dashv		-	-+	-+	+		+	+	1	\vdash	+	+	+	+	+	-
NS= not sign		JI IU											-								-+	\dashv		+	\vdash	+	\dashv	\dashv		+	1	1	\vdash	+	+	+	+	+	-
NA= not app				\neg		-i																\neg	_	_			\dashv	\dashv		+	1	i		\dashv	+	-	+	+	\neg
This data is	update	d throug	gh 3rd d	uarter	2009	\dashv			-															I				工		上	丄	\perp			1	二		ユ	\Box

ES032211164425CV0/SC0/110820039SORTED

Figures








Figure 3-1a Well Hydrographs Omega Chemical




Figure 3-1b Well Hydrographs Omega Chemical




Figure 3-1c Well Hydrographs Omega Chemical









Figure 3-2
City of Whittier Annual Rainfall Totals
Omega Chemical Superfund Site










































































































Appendix A Monitoring Well Purge Forms (on CD only) This appendix located on attached CD.

Appendix B Chain-of-Custody Forms (on CD only) This appendix located on attached CD.

Appendix C
Data Needs and Uses
(on CD only)

This appendix located on attached CD.

Appendix D
OU2 Shallow Groundwater Gradient Calculations

Date:


1Q2008

Well ID	Easting, x	Northing, y	Groundwater Elevation
	(meters)	(meters)	(meters)
MW30	401820.19	3753277.41	3.54
Cenco-MW-606	401299.00	3754238.00	6.43
Cenco-MW-607	401650.00	3754450.00	6.89

Gradient:

0.0028

(dimensionless)



Date:


1Q2009

Well ID	Easting, x	Northing, y	Groundwater Elevation
	(meters)	(meters)	(meters)
MW30	401820.19	3753277.41	2.58
MW29	400888.76	3753618.89	6:22
Cenco-MW-607	401650.00	3754450.00	6.89

Gradient:


0.0043

(dimensionless)



3Q2009 Date: Groundwater Well ID Easting, x Northing, y Elevation (meters) (meters) (meters) MW30 401820.19 3753277.41 1.35 MW29 400888.76 3753618.89 5.43 Cenco-W-4 401686.00 3754886.00 9.86

Gradient: 0.0057 (dimensionless)



Date:


1Q2008

Well ID	Easting, x	Northing, y	Groundwater Elevation
	(meters)	(meters)	(meters)
MW19	401687.06	3756760.85	27.57
MW20A	400670.84	3756601.72	20.63
MW27A	400902.97	3755901.78	17.52

Gradient:


0.0086

(dimensionless)



1Q2009 Date: Groundwater Northing, y Well ID Easting, x Elevation (meters) (meters) (meters) MW19 401687.06 3756760.85 25.83 MW20A 400670.84 18.09 3756601.72 400902.97 MW27A 3755901.78 15.60

Gradient: 0.0089 (dimensionless)



Date:


3Q2009

Well ID	Easting, x	Northing, y	Groundwater Elevation
	(meters)	(meters)	(meters)
MW26A	401270.06	3757125.16	21.48
MW20A	400670.84	3756601.72	17.19
MW27A	400902.97	3755901.78	14.64

Gradient:


0.0056

(dimensionless)



1Q2008 Date: Groundwater Northing, y Well ID Easting, x Elevation (meters) (meters) (meters) 3758870.16 36.43 MW2 402799.48 3758376.49 MW3 402931.54 36.47 402519.71 3758707.96 35.95 MW5

Gradient: 0.0016 (dimensionless)



Date:

1Q2009

Well ID :

Easting, x	Northing, y	,
------------	-------------	---

Groundwater Elevation

(meters)	(meters)
402799.48	3758870.16
402931.54	3758376.49

(meters) 34.73

MW2 MW3 MW5


((
402799.48	3758870.16
402931.54	3758376.49
402519.71	3758707.96
	•

35.05 34.03

Gradient:


0.0025

(dimensionless)



Date:	3Q2009		
Well ID	Easting, x	Northing, y	Groundwater Elevation
	(meters)	(meters)	(meters)
MW2	402799.48	3758870.16	33.99
MW3	402931.54	3758376.49	34.37
MW5	402519.71	3758707.96	33.41

Gradient: 0.0022 (dimensionless)



Appendix E VOC Detection Summary: 1Q2008, 1Q2009, and 3Q2009 (on CD only) This appendix located on attached CD.

Appendix F
OU1 and OU2 Lab Reports
(on CD only)

This appendix located on attached CD.

Appendix G
Data Quality Assessment
(on CD only)

This appendix located on attached CD.

Appendix H Statistical Plots

Appendix H Freon Ratios

The ratios of concentrations of Freon 113 (F113) and Freon 11 (F11) were evaluated to identify indications of potential sources of Freons other than the former Omega facility.

Both F11 and F113 are stable compounds that do not degrade in groundwater. Their sorption characteristics are similar and, furthermore, sorption is not substantial in the sandy aquifer materials present at OU2. These characteristics support the expectation of a (relatively) constant F113/F11 ratio in a plume resulting from a single source at OU2. The ratio of their concentrations would be expected to remain constant in the absence of sampling, analytical, and any other variation.

It can be reasonably expected that the source at Omega OU1 is well-mixed and the Freon ratio at OU1 was fairly uniform over time as a result of the release of mixed waste into soil. If there is another substantial source of either F11 or F113 somewhere at OU2 downgradient from OU1, the ratio of F113/F11 in groundwater is expected to be different downgradient of that source. A source of both F11 and F113 but with a different mix than those at OU1 would have a similar effect.

Table 3-4 in Section 3 of the main text summarizes the statistics for the F113/F11 ratios calculated for each well using the entire historical record (with nondetects removed). Wells with insufficient records (for example, MW31, MW30, and MW29) are not included in the table.

Analysis of the J-qualified and unqualified Freon ratios (total data count N=788) provided the following results:

Parametric and non-parametric ANOVA tests indicate statistically significant differences in ratios among well locations.

Box-plots included in this appendix corroborate the differences. Sorting by median values shows which wells are particularly different.

The main limitations to this analysis are:

Inclusion of the J values was assessed for its potential effect. A box-plot compares the ratios over the paired qualifiers: Q1*Q2 where Q1 is the F113 qualifier and Q2 is the F11 qualifier. Possible combinations and record counts include: DD [N=646]; DJ [N=39]; JD [N=43]; JJ [N=61]. The results suggest that the J-qualified F11 results exhibit wider variability than the J-qualified F113 results; however, this is a soft conclusion given the overall variability of the results.

Record counts (that is, the number of data points) differ widely among the wells. The counts themselves are not so much the issue; rather, the different lengths of monitoring records for some wells may affect the representativeness of the results (the lengths of records depend on the time of the well installation, which varies from 1996 to 2009). As the monitoring at OU2 continues, eventually it will be possible to use the same record length for each well.

The limitations specifically related to using ratios of concentrations are briefly explained as follows:

The accuracy of a ratio is comparatively lower given measurement uncertainties in the quantification of both F113 and F11 concentrations. For example, if 15 μ g/L can truly represent concentrations between 12 and 18, a ratio of 1 (F113 and F11 concentrations both reported at 15) means the ratio could actually be as low as 0.67 and as high as 1.5. That is not accounted for in the presented evaluation but is clearly a generic problem in the use of ratios.

The potential relationship of a ratio to the magnitude of the concentrations is also not accounted for above. If the laboratory method accuracy and precision vary as a function of concentration, the ratios are not independent of concentration.


Ratios often give rise to unusual distributions (non-normal). Ratios of concentrations, which are typically not normally distributed, are expected to be non-normal.


The median ratios calculated from historical concentration data are shown in Figure 3-12 in the main text of this report. The spatial pattern does not indicate clustering or trends in the ratios over OU2. The variability in the ratios may be entirely attributable to the limitations listed above.

The ratios fall within a narrow range of 1.1 to 4.1 except for wells MW7 (20), OW1A (9.5), and OW4B (8.5). MW7 is located at the plume margin and its median ratio may be considered an outlier as a result of low and J-qualified F11 concentrations. Similarly, the high ratios at OW4B are related to the low and J-qualified F11 concentrations (also noting that only two records are available). It is unlikely that another source of Freons is affecting only OW4B without affecting the shallower cluster well OW4A (ratio of 2.1). The high ratios for OW1A may be related to analytical results affected by high sample dilutions. This seems to be a likely explanation, considering the much lower ratio (3.1) at the nearby OU1 well OW1B, which is deeper and has much lower VOC concentrations.


The narrow ratio range for the remaining wells seems to be indicative of Omega OU1 being a single source of the two Freons at OU2. However, it is noted that because of the limitations of this analysis, only a substantial change in the F113/F11 ratio resulting from a substantial release of Freon(s) to groundwater could be detected.

Box Plots for Freon Concentration Ratios (Freon 113/Freon 11)





Appendix I VOC Time Series Plots




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene 1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane

Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene Open symbol indicates reporting limit for non-detected concentrations




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene 1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane

Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane PCE: Tetrachloroethene

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane
cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene


1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane TCE: Trichloroethene

1,2-DCA: 1,2-Dichloroethane

Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)


PCE: Tetrachloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)
PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

nane 1,1-DCE: 1,1-Dichloroethene
nloroethene Freon 11: Trichlorofluoromethane


1,2-DCA: 1,2-Dichloroethane

Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

TCE: Trichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane


1,2-DCA: 1,2-Dichloroethane

Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane
Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene


1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene TCE: Trichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)


PCE: Tetrachloroethene



1,1-DCA: 1,1-Dichloroethane

1,1-DCE: 1,1-Dichloroethene cis-1,2-DCE: cis-1,2-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane) PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane


1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene TCE: Trichloroethene 1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)
PCE: Tetrachloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene


TCE: Trichloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene TCE: Trichloroethene 1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene 1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

TCE: Trichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane


1,2-DCA: 1,2-Dichloroethane

Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene 1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)
PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene


TCE: Trichloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene TCE: Trichloroethene 1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane


1,2-DCA: 1,2-Dichloroethane

Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)
trifluoroethane PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene


1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

TCE: Trichloroethene


1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane

Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)
PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene 1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

TCE: Trichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene



1,1-DCA: 1,1-Dichloroethane

TCE: Trichloroethene

cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene


Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane

Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene TCE: Trichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane

Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane

1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene



1,1-DCA: 1,1-Dichloroethane


1,1-DCE: 1,1-Dichloroethene cis-1,2-DCE: cis-1,2-Dichloroethene

Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene 1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene
Open symbol indicates reporting limit for non-detected concentrations




1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene
Freon 11: Trichlorofluoromethane

1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene


TCE: Trichloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)
PCE: Tetrachloroethene

TCE: Trichloroethene



1,1-DCA: 1,1-Dichloroethane cis-1,2-DCE: cis-1,2-Dichloroethene

1,1-DCE: 1,1-Dichloroethene Freon 11: Trichlorofluoromethane 1,2-DCA: 1,2-Dichloroethane Freon 113: 1,1,2-Trichloro-1,2,2-trifluoroethane 1,4-Dioxane: 1,4-Dioxane (p-dioxane)

PCE: Tetrachloroethene

TCE: Trichloroethene